



The Elica logo is positioned in the top right corner of the advertisement. It consists of a stylized, three-dimensional graphic element followed by the brand name "elica" in a lowercase, sans-serif font.

Elica 2021

4D LIVING EXPERIENCE



ENTRA E SCOPRI
LA QUARTA DIMENSIONE
DI ELICA.

La versatilità delle funzioni, che spaziano dalla luce, all'aspirazione e alla cottura, si traduce in modelli nati per stupire. Scomporre il prodotto per scoprirne anime diverse e complementari, ciascuna essenziale nella sua funzione, permette di vivere l'oggetto con un'esperienza più completa.

La qualità dei materiali, l'attenzione ai dettagli, la passione per il design, isolati nella loro essenza, diventano protagonisti che trasmettono un'emozione.

Proprio quella emozione che rappresenta la quarta dimensione dei prodotti Elica.

COME ON IN AND DISCOVER
ELICA'S FOURTH DIMENSION.


The versatility of the functions ranging from light to extraction and cooking translate into models with an innate wow factor. Taking the product apart to discover its diversified inner workings and accessories, each one essential for its operation, gives you the opportunity to get a much more comprehensive view of the object.


The quality of the materials, the attention to detail, the passion for the design, captured in their essence, become the key features which transmit an emotion.

The exact emotion that represents the fourth dimension of Elica products.



INQUADRA E SCOPRI
FRAME AND DISCOVER





ELICA È STUPORE E PASSIONE, INNOVAZIONE E TRADIZIONE, INTUIZIONE E CORAGGIO.

Ci impegniamo ogni giorno per soddisfare e sorprendere i nostri clienti, con soluzioni che fondono design, esperienza, affidabilità, know how e stile.

Siamo nati in Italia nel 1970 e cresciuti nel mondo. Fin dall'inizio abbiamo applicato alle nostre cappe da cucina i principi del design italiano e abbiamo utilizzato gli strumenti tecnologici più innovativi. Lungo il corso degli anni abbiamo rivoluzionato l'immagine della cappa e il marchio Elica è entrato nelle case di tutto il mondo.

La nostra evoluzione ci ha portati a esplorare anche il campo della cottura con soluzioni sempre sorprendenti, nati da un'intuizione, un cambio di prospettiva che ha dato vita alla linea di piani aspiranti NikolaTesla, vincitrice di numerosi premi internazionali, tra cui il celebre Compasso d'Oro ADI.

Oggi l'attenzione al dettaglio, il sapiente utilizzo dei migliori materiali e un approccio artigianale caratterizzano la nostra offerta e si traducono in gamme in cui la perfezione della produzione industriale si accosta alla grande esperienza artigianale, per dare vita a prodotti unici, in grado di sorprendere e di emozionare.

Tutte le nostre innovazioni sono nate con un unico scopo: stupire, emozionare e soddisfare i nostri clienti.

ELICA IS SURPRISE AND PASSION, INNOVATION AND TRADITION, INTUITION AND COURAGE.

Every day, we work to satisfy and surprise our customers with solutions that bring together design, experience, reliability, know-how and style.

We began life in Italy in 1970 and grew up in the world. From the very beginning, we applied the principles of Italian design to our kitchen hoods and we used the most innovative technological tools. Over the years, we have revolutionised the image of hoods and the Elica brand has become a household name worldwide.

Our evolution has led us to explore the field of cooking with surprising solutions, conceived from an intuition, a change of perspective that led to the creation of the NikolaTesla line of aspirating induction hobs, winner of numerous international awards, including the renowned Compasso d'Oro ADI.

Today, attention to detail, the expert use of the best materials and an artisan approach are the hallmarks of our offer and translate into ranges in which the perfection of industrial production is combined with extensive artisan experience, to create one-of-a-kind products capable of surprising and thrilling.

All our innovations are created with one purpose: to amaze, thrill and make our customers happy.

INDEX

NIKOLATESLA 20

10 Caratteristiche di prodotto
Product Features

18 Elica Connect

20 NIKOLATESLA

60 ARCH & LIGHTAIR

96 WALL

186 ISLAND

214 CEILING

238 SUSPENDED

274 DOWNDRAFT

286 BUILT-IN

316 GOOD TO KNOW

318 Accessori
Accessories

319 Filtri odori
Odour filters

324 Filtri grassi
Grease filters

325 Motori remoti
Remote motors

330 Approfondimenti performance
Learn more about performance

337 Approfondimenti tecnici
Technical informations

354 Tu e la cappa
The hood and you

358 Etichetta energetica
Energy label

359 Garanzia e service
Warranty and service



NIKOLATESLA
FIT
50



NIKOLATESLA
ONE
34




NIKOLATESLA
FLAME
46



NIKOLATESLA
PRIME
42



NIKOLATESLA
LIBRA
38



NIKOLATESLA
SWITCH
30

ARCH & LIGHTAIR 60



IKONA MAXXI
PURE
80




OPEN SUITE
SUPERIOR
62



NUAGE
88



YE
92



OPEN SUITE
70

ELICA CONNECT

WALL 96



ACUTA
182



ELLE
162



MAJESTIC
NO DRIP
155



ADÉLE
116



FLAT GLASS
129



METEORITE
109



APLOMB
169



GALAXY
121



MINI OM
159



BELT
163



HAIKU
98



MISSY
180



BIO
104



HYDRA
183



MOON
111



BLOOM
165



JOY
120



OM AIR
158



BLOOM-S
150



KUADRA
177



PLAT
138



CIRCUS
131



L'ESSENZA
171



REEF
130



CRUISE
127



LOL
123



RUBINO
CORNER
185



ELEKTRA
170



MAJESTIC
157



RULES
142

WALL 



SHEEN-S
172



STONE
175



THIN
122



SHIRE
174



STRIPE
167



TONDA
178



SHY-S
173



STRIPE
URBAN
166



TRIBE
128



SINFONIA
160



SUPER PLAT
132
ELICA CONNECT



TUBE PRO
176



SPOT NG
126



SWEET
112



VEGA
181



SPOT PLUS
124



SYNTHESIS
184



VERTIGO
161



SPOT
URBAN
125



TAMAYA
179

ISLAND 186



ADÉLE ISLAND
201



JOY ISLAND
202



SPOT PLUS
ISLAND
209



BIO ISLAND
192



KUADRA
ISLAND
213



THIN ISLAND
208



GALAXY
ISLAND
203



METEORITE
ISLAND
197



TRIBE ISLAND
210



HAIKU ISLAND
188



MOON ISLAND
199



TUBE PRO
ISLAND
212



IKONA
204



REEF ISLAND
211

CEILING 214



CLOUD SEVEN
235



HIGHLIGHT-X
233



LULLABY@
220
ELICA CONNECT



HIGHLIGHT GLASS
231



ILLUSION
226



SKYDOME
225

SUSPENDED 238



EASY UX
263



JUNO
272



SHINING
250



ÉDITH
254



JUNO URBAN
273



SUMMILUX
246



IKONA LIGHT
268



PIX
264



WAVE UX
258



INTERSTELLAR
240



SEASHELL
245

DOWNDRAFT 274



GETUP
276
ELICA CONNECT



PANDORA
283

BUILT-IN 286



BOXIN
293



ERA
305



KREA
314



BOXIN
NO DRIP
289



ERA C
304



LANE
301



BOXIN
PLUS
292



ERA S
303



LEVER
310




CIAK
311



ESTRAIBILE
315



ELIBLOC
302



GLASS OUT
306



ELITE 14
313



HIDDEN 2.0
300



ELITE 35
312



HIDDEN 2.0 @
294
ELICA CONNECT



CARATTERISTICHE
DI PRODOTTO

PRODUCT FEATURES

ASPIRAZIONE / SUCTION



CONNECTIVITY

Con la crescente diffusione del mondo IoT, è diventata ormai prassi comune governare i propri dispositivi grazie alla connessione wi-fi. Oggi possiamo comandare la nostra cappa tramite l'app Elica dedicata o attraverso vocal control per aviarla o spegnerla, regolarne la potenza aspirante o l'intensità e il colore della luce, semplicemente con un clic o con il supporto dei più diffusi vocal assistant. L'app diventa inoltre un utile strumento per la manutenzione del prodotto, grazie a periodiche notifiche che ne segnalano lo stato, eventuali operazioni di pulizia necessarie o l'esigenza di sostituire i filtri.

With the increasing widespread diffusion of the IoT world, it has become common practice to manage all your devices with a wi-fi connection. We can now control our extraction hood with the dedicated Elica app or through voice control to turn it on or off, adjust the extraction speed or intensity and the colour of the light, simply with a click or the help of the most popular vocal assistants. The app also becomes a useful tool for maintaining the product, thanks to periodic notifications which report on its status, any cleaning operations required or filters that need replacing.



SPECIAL MATERIAL

Nella ricerca di prodotti belli da esibire ma funzionali nell'utilizzo quotidiano, i materiali giocano un ruolo chiave. Possono fare la differenza sia in termini di estetica, diventando protagonisti o scomparendo tra i mobili, che di facilità di manutenzione nel tempo. Fondamentali nel processo di innovazione, sono alla base di un look accattivante e di un'esperienza d'uso appagante. Elica seleziona materiali in cui durevolezza, facilità di pulizia e impatto estetico sono combinati in perfetto equilibrio. L'ampia selezione di finiture disponibili offre la massima libertà di scelta per ogni tipo di ambiente.

In the quest for attractive products to show off but which have a functional, everyday use, materials play a key role. They can make the difference by becoming an attractive signature feature or by disappearing into the background and by being easy to maintain in the long term. They are fundamental in the process of innovation, forming the basis of an attractive look and a fulfilling user experience. Elica selects materials in which sturdiness, easy cleaning and aesthetic impact are combined in a perfect balance. The wide selection of finishes available offers maximum freedom of choice whatever the setting.



BACK ASPIRATION

Si ampliano le possibilità di installazione della tua cappa. Sui modelli dotati di questa funzione, è possibile ruotare il convogliatore e collegare direttamente la cappa con il muro posteriore oppure in altri modelli la particolare architettura del prodotto consente di realizzare l'uscita a muro tramite un curva a 90 gradi del tubo. In questo modo si può contare sulla massima aspirazione, preservando l'estetica originale del prodotto, che non verrà modificata da tubi o camini aggiuntivi a vista.

There are now more ways of installing your extraction hood. On models with this function, it is possible to rotate the conveyor and directly connect the hood with the outlet in the wall behind it or in other models, the special architecture of the product allows the wall outlet to be created with a 90-degree elbow pipe. Thus, you can rely on maximum extraction while preserving the original outward appearance of the product which will not be modified by pipes or additional visible flues.



TOTAL INTEGRATION

Sempre più diffusa nelle cucine di oggi, la tendenza al total look garantisce un design omogeneo, uniforme e lineare rispetto allo spazio. I prodotti contrassegnati con Total Integration sono stati disegnati per essere integrati perfettamente nella cucina, mantenendo l'armonia dell'ambiente circostante.

The total look trend is becoming increasingly popular in kitchens now, guaranteeing a uniform, linear design with respect to the space. The Total Integration products have been designed to be seamlessly integrated into the kitchen whilst maintaining harmony with the surroundings.



ASPIRAZIONE / SUCTION



COMFORT SILENCE

Con la diffusa tendenza di progettare la cucina a vista sul living, diventa importante poter contare su cappe che abbiano una grande capacità aspirante e che non siano rumorose, per non risultare invasive nell'ambiente circostante. Grazie alla tecnologia Comfort Silence il livello acustico delle cappe Elica alla massima velocità di aspirazione non disturba né interferisce con la conversazione tra i presenti.

With the widespread tendency to design open-plan kitchens joined to the living room, it has become important to be able to rely on hoods with a greater extraction capability which are quieter, so they do not intrude on the surroundings. Thanks to Comfort Silence, the sound level of Elica extraction hoods at maximum extraction speed does not disturb or interfere with the conversation of those present.



SUPER EASY INSTALLATION

Con l'esclusivo sistema Elica, il montaggio avviene in totale sicurezza e in pochissimi passaggi, salvaguardando l'estetica del prodotto e dello spazio in cui viene posizionato. Dopo il bloccaggio automatico del prodotto in sede, è possibile regolare al millimetro i punti di fissaggio, preservando il design lineare della cucina e assicurando la perfetta integrazione della cappa nell'ambiente. Una soluzione, facile, robusta e sicura.

With the exclusive Elica system, installation can be done in total safety in just a few steps, safeguarding the look of the product and the space in which it is positioned. After the hood is automatically locked in position, the fastening points can be finely adjusted to preserve the linear design of the kitchen and ensure perfect integration of the hood in the room. A simple, hard-wearing and safe solution.



LONG LIFE FILTER

Per assicurare una resa ottimale della cappa e la sua durabilità nel tempo bisogna sostituire i filtri tradizionali ogni 3/6 mesi. Per semplificare le attività di manutenzione Elica ha progettato l'innovativo filtro odore rigenerabile Long Life che consente una durata fino a 3 anni. È sufficiente lavarlo in acqua calda e sapone neutro o in lavastoviglie a 65° e asciugarlo in forno a 100° per 10 minuti ogni 2 mesi, per averlo sempre come nuovo. Il livello di efficienza si aggira intorno a 60%.

To ensure the best performance and long-term duration of your hood, the traditional filters must be replaced every 3-6 months. To simplify the maintenance operations, Elica has designed the innovative, regenerable Long Life odour filter which lasts up to three years. Just wash it with hot water and neutral soap or in the dishwasher at 65° and dry it in the oven at 100° for ten minutes every two months to keeping it looking good as new. The level of efficiency is about 60%.



LONG LIFE FILTER ++

Long Life Filter ++ è l'innovativo filtro studiato da Elica per la massima prestazione. Questo filtro garantisce un'efficienza di filtraggio che supera l'80%, contro una media del mercato che si ferma al 60%. Questo filtro odori ha la capacità di rigenerarsi e di durare fino ad un massimo di 3 anni, evitando così inutili sostituzioni e sprechi. Per mantenere tali caratteristiche, il filtro deve essere rigenerato ogni 2 o 3 mesi, basta lavarlo in acqua calda e sapone neutro o in lavastoviglie a 65° e asciugarlo in forno a 100° per 10 minuti, per averlo sempre come nuovo. La soluzione perfetta per chi si cimenta in cottura impegnativa e prolungata.

Long Life Filter ++ is the innovative filter studied by Elica for maximum performance. This filter guarantees efficient filtering in excess of 80% against a market average of around 60%. This odour filter can be regenerated and lasts for up to a maximum of three years, thus avoiding frequent and wasteful replacements. To maintain these characteristics, the filter must be regenerated every two or three months in hot water and neutral soap or in the dishwasher at 65° and dried in the oven in the oven at 100° for ten minutes to keep it looking good as new. The perfect solution if you like trying out challenging dishes which take a long time to cook.

ASPIRAZIONE / SUCTION



MULTI-D CAPTURE

Per chi in cucina si cimenta in preparazioni importanti e ha bisogno di un'aspirazione altamente efficiente, Elica ha studiato la soluzione Multi-d capture. L'aspirazione è distribuita in più aree per garantire una migliore captazione dei fumi. Il sistema fluidodinamico permette di incrementare la velocità di aspirazione grazie ad un opportuno dimensionamento delle superfici di passaggio dell'aria. Ciò garantisce un'alta efficienza di captazione dei fumi di cottura attraverso un aumento della depressione lungo tutto il perimetro del prodotto.

If you like a challenge when cooking and need highly efficient extraction capabilities, Elica has developed the Multi-d capture solution. The extraction is divided over multiple areas to guarantee the best fume capture capability. The fluid dynamic system allows you to increase the extraction speed by suitably sizing the surfaces through which the air passes. This guarantees a high cooking fume-capture efficiency through an increase in the negative pressure along the outside of the product.



DIM LIGHT

La luce in cucina, così come in ogni ambiente domestico, rappresenta una leva progettuale importante per vivere al meglio i propri spazi. Modulare la giusta intensità diventa fondamentale per ricreare l'atmosfera desiderata. Ecco perché Elica ha progettato la funzione Dim Light, che permette di regolare la potenza luminosa della propria cappa attraverso un semplice comando. Luce al massimo per avere la migliore visibilità sul piano da lavoro, o soffusa per goderci momenti di relax.

The light in the kitchen, as in any room, is a key design feature for improving the home living experience. Achieving the right intensity becomes fundamental in creating the desired atmosphere. Which is why Elica has designed the Dim light function which allows you to adjust the intensity of your extraction hood light with a simple control. Maximum light for the best visibility on the worktop or dimmed when relaxing.



TUNE WHITE

L'illuminazione in casa non può essere statica, perché a seconda dei momenti della giornata, abbiamo bisogno di toni di luce differenti: una luce fredda è ottimale per cucinare, così come una calda ricrea un mood più rilassato. La funzione Tune White permette di regolare il colore dei led dal bianco caldo (2400 k) fino al bianco freddo (5000 k). Con Tune White è possibile allineare il colore della luce proveniente dalla cappa con il resto delle luci presenti nell'ambiente, per una atmosfera uniforme in tutta la stanza.

Lighting in the home should not be static because different tones of light are called for depending on the time of day: cool light is excellent for cooking while warm light creates a more relaxing mood. The Tune White function allows you adjust the LED colour from warm white (2400 k) up to cool white (5000 k). With Tune White, you can also align the colour of the light from the hood with the rest of the lights in the room for a uniform atmosphere throughout.



ASPIRAZIONE / SUCTION



EASY TO MAINTAIN

Mantenere la propria cappa pulita non solo garantisce la massima igiene in cucina, ma assicura una vita più lunga al prodotto. I modelli Elica sono progettati con materiali e finiture che rendono le operazioni di manutenzione immediate. Tutte le componenti, come i filtri grassi e odori, sono facilmente raggiungibili e rimovibili, per poterli lavare o sostituire velocemente.

Keeping your hood clean not only ensures maximum hygiene in the kitchen but also long life for the product. The Elica models are designed with materials and finishes for instant maintenance operations. All the components, such as the grease and odour filters, can be easily accessed and removed so they can be washed or rapidly replaced.



AIROMATIC

Oggi grazie a Airmatic il tuo piano aspirante è completamente automatico. Il suo sensore intelligente è in grado di distinguere la qualità dei fumi e i tipi di cottura e di abbinare queste informazioni al numero e alla potenza delle zone a induzione utilizzate. Anche quando il piano cottura è spento il sistema si adatta autonomamente diminuendo gradualmente l'aspirazione e eliminando i vapori e gli odori residui. Questa tecnologia avanzata rappresenta un'eccellenza nel mondo dei piani cottura aspiranti e consente di ottenere il miglior equilibrio tra silenzio, potenza ed efficienza energetica.

Now, thanks to Airmatic, your extraction hob area is completely automatic. The smart sensor can distinguish between the quality of the fumes and type of cooking and combine this information with the number and power of the induction hob areas being used. Even when the hob is switched off, the system automatically adapts by gradually decreasing extraction and eliminating any residual fumes and odours. This advanced technology is top of the range in the world of extractor hobs and allows you to obtain the best balance between silence, power and energy efficiency.



AUTOCAPTURE

Con Autocapture non dovrà preoccuparti di regolare l'aspirazione in base alle cotture avviate, ma sarà la cappa stessa a identificare le zone cottura attive e impostare di conseguenza la potenza, tenendo in considerazione il miglior equilibrio tra silenzio, potenza ed efficienza energetica. E a cottura ultimata, il sistema diminuisce gradualmente la velocità, in modo da eliminare i vapori e gli odori residui. Il piano cottura aspirante diventa ancora più funzionale e pratico, per cotture perfette e aspirazione ottimale.

With Autocapture, you will not have to worry about adjusting extraction based on what you are cooking. The hood will identify the cooking areas that are active and set the power accordingly, finding the best balance between silence, power and energy efficiency. And when you have finished cooking, the system gradually decreases the speed, eliminating any residual fumes and odours. The extraction hob becomes even more functional and practical for perfect cooking and excellent extraction.





PURIFICAZIONE DELL'ARIA / AIR PURIFICATION

ELICA AIR PURE



MULTIFUNCTION

Ikona Maxxi Pure incorpora in un unico prodotto una cappa e un purificatore d'aria. Il prodotto è stato sapientemente progettato per separare il modulo cappa dal purificatore d'aria senza alcun compromesso in termini di prestazioni e fruibilità e per farli funzionare il modo efficace ed indipendente. Un prodotto "2 in 1" progettato per migliorare la qualità dell'aria, senza la necessità di dispositivi aggiuntivi o sistemi di monitoraggio complessi, spesso ingombranti e antiestetici.

Ikona Maxxi Pure incorporates a hood and air purifier in a single product. The product has been cleverly designed to separate the hood module from the air purifier without compromising on performance and usability, and to make them work efficiently and independently. A "2 in 1" product designed to improve the air quality without the need for additional devices or complex monitoring systems, often invasive and disagreeable.



PURE SILENCE

La purificazione dell'aria è estremamente discreta, in modalità Silent il livello sonoro di 33 dBA è impercettibile, paragonabile al livello sonoro di una biblioteca. Il sistema Elica funziona senza alcun inquinamento acustico, creando un ambiente confortevole nella tua cucina-living.

The air purification is extremely discreet, in Silent mode the sound level of 33 dBA is imperceptible, comparable to the sound level of a library. The Elica system works without any noise pollution, creating a comfortable environment in your kitchen-living area.



COMBO PURE FILTER

Il purificatore d'aria, dotato di una speciale combinazione di HEPA e filtro al carbone, cattura particelle fino a 1 micron, liberando il tuo spazio da odori, allergeni come polvere, peli di animali, pollini, muffe, inquinanti prodotti da prodotti per la pulizia della casa, pitture e rivestimenti.

The air purifier, fitted with a special combined HEPA and carbon filter, captures particles as small as 1 micron, freeing the space of unpleasant odours, allergens such as dust, animal hair, pollen, mould, pollutants produced by household cleaning agents, paints and coverings.



COTTURA / COOKING



MULTI FLEXI SPACE

Tante pentole grandi sul fuoco insieme? Con il sistema Multi Flexi Space puoi contare su un maggiore spazio in lunghezza e in larghezza per i tuoi tegami. Puoi far scivolare le padelle da un fuoco all'altro senza sollevarle, grazie alle griglie a croce chiusa che ricreano una superficie piatta e continua. Un pratico piano di appoggio in ghisa consente di avere sempre a portata di mano tutto quello di cui hai bisogno.

Lots of large pans on the stove together? With the Multi Flex Space system, you have more space available both in length and width when using large pots. You can slide the pans from one ring to another without lifting them thanks to the closed cross grids which create a flat, continuous surface. A practical cast iron worktop ensures that everything you need is always at hand.



DUAL BURNER

Con Dual Burner che la tua pentola sia mini o maxi non sarà più un problema. L'innovativo bruciatore è dotato di due corone concentriche indipendenti tra loro, risultando così perfetto sia per una piccola moka che per un ampio tegame.

With Dual Burner, having small or large pans is not a problem. The innovative burner features a double crown with independent ignition of both burners, so perfect for both a small mocha coffee and a big pan.



BRIDGE ZONE

Quando si cucina utilizzando pentole allungate o di grande dimensioni, il rischio è che si disperda progressivamente il calore sulla superficie della teglia, dal centro verso l'esterno. La funzione Bridge Zone risolve il problema, collegando due aree di cottura in un'unica zona dalle dimensioni più grandi. Stesso livello di potenza, temperatura uniforme e costante per la migliore resa dei tuoi piatti.

When you cook using longer or large pans, there is a risk that the heat is progressively dispersed on the surface of the pan from the centre outwards. The Bridge Zone function solves the problem by joining two cooking areas into one single larger area. With the same power, uniform and constant temperature for the best result of your dishes.



TEMPERATURE MANAGER

Nella nostra quotidianità realizziamo spesso ricette che caratterizzano la nostra cucina e che prevedono tipologie di cottura standard. La funzione Temperature Manager è un'alleata preziosa per ottimizzare i tempi: sarà sufficiente avviare uno dei 3 programmi preimpostati (42,72, 92 gradi) con un semplice e intuitivo tasto e avviare la cottura dei tuoi piatti più delicati, come salse o mousses, riscaldare piatti già pronti, o bollire l'acqua. Nessuno spreco di tempo e massima resa.

On a daily basis, we often prepare our own signature recipes as well as standard dishes. The Temperature Manager function is an excellent tool for optimising times. Just start one of the three pre-set programs (42, 72 or 92 degrees) with a simple, intuitive button and start cooking your more delicate dishes, such as mousses or sauces, reheating dishes or boiling water. No wasting of time and maximum efficiency.



COTTURA / COOKING



KEEP WARM

Per chi prepara pranzo e cena in un'unica volta, per chi trova invece il piatto già pronto solo da riscaldare o per chi ha un imprevisto e ritarda il rientro a casa, Elica propone la pratica funzione Keep Warm, che mantiene in caldo le pietanze appena cucinate. È possibile attivare Keep Warm su ogni zona di cottura.

If you make lunch and dinner in one go, if you just need to reheat a dish or if an unexpected event means you are late getting home, Elica offers the practical Keep Warm function which keeps dishes that have just been cooked warm. The Keep Warm function can be enabled for any cooking area.



TIMER

Dimenticati del tempo di cottura dei piatti attivando il timer. Basterà impostare i minuti e far partire il countdown, al termine si spegnerà automaticamente la zona cottura e si attiverà un segnale acustico. È possibile impostare timer indipendenti su più zone contemporaneamente tramite il telecomando touch.

Forget about cooking times by turning on the timer. Just set the minutes and start the countdown. At the end, the cooking area will be automatically switched off and a beeper will sound. You can set independent timers on more than one area at the same time with the touch remote control.



POWER LIMITATION

Con Power Limitation imposti, in fase di installazione, il limite di potenza massima assorbita dal prodotto, assicurandoti così di non superare mai la soglia preimpostata. Cucinare al meglio senza interruzioni e in totale sicurezza.

If Power Limitation is set during installation, the maximum power absorbed by the product is limited, thus ensuring that you never exceed the pre-set limit. So you can cook efficiently with no interruptions in total safety.



STOP & GO

Capita a volte che ci si debba allontanare improvvisamente dalla cucina proprio nel bel mezzo della preparazione di una ricetta, interrompendo la cottura dei cibi. In questo caso attivando la funzione Stop&Go si spengono tutte le zone attive in un unico gesto, salvaguardando le ricette in corso.

Sometimes you need to unexpectedly leave the kitchen in the middle of preparing a recipe, interrupting the cooking. In this case, if you enable the Stop&Go function, all the active areas can be switched off with a single gesture, saving whatever is being cooked.



PAUSE

Con Pause&Recall potrai spegnere in un solo gesto tutte le zone cottura in funzione, per poi riattivarle con un semplice tasto alla stessa potenza precedentemente impostata, coniugando sicurezza, risultato di cottura e gestione multi-tasking.

With Pause&Recall, you can switch off all the cooking areas with one single gesture and then, restart them with a simple press of a button at the same previously set power, combining safety, cooking result and multi-tasking management.



POT DETECTOR

Sulla superficie del piano a induzione non sempre è facile individuare dove posizionare la pentola. Con la funzione Pot Detector il piano rileva automaticamente la presenza del tegame sulla zona di cottura e eroga la potenza solo in presenza di pentole posizionate correttamente.

It is easy to see where to position the pot on the induction hob. With Pot Detector, the hob automatically detects the presence of the pot on the cooking area and provides heat only when it is correctly positioned.



CHILD LOCK

Per chi ha bambini in casa la funzione Child Lock è preziosa per evitare accensioni accidentali delle zone cottura o dell'aspirazione. La funzione può essere attivata a prodotto acceso, ma con le aree cottura e l'aspirazione spente.

If you have children in your home, the Child Lock function is invaluable for ensuring the cooking or extraction areas are not accidentally switched on. The function can be enabled when the product is switched on but the cooking areas and extraction are switched off.

ELICA CONNECT



LA GAMMA ELICA CONNECT, PENSATA PER FACILITARTI LA VITA THE ELICA CONNECT RANGE, DESIGNED TO MAKE LIFE EASIER

Elica ti è vicina nella tua vita di tutti i giorni ed ha creato una gamma di prodotti connessi, controllabili dallo smartphone o tramite l'assistente vocale, che si sposano al meglio con lo stile della tua cucina, grazie al loro design innovativo. Soluzioni tecniche all'avanguardia sono state studiate per semplificare le attività quotidiane, quelle con cui ti prendi cura di te e della tua famiglia ma che ti portano via tempo ed energie. Se vuoi proteggere l'aria della tua casa, Elica Connect lo fa per te e tu puoi pensare solo a goderti il tuo tempo libero, in pieno relax e senza nessuna preoccupazione.

Tutto a portata di click All just one click away

Elica Connect è un'applicazione semplice e intuitiva, scaricabile in pochi secondi. Dopo aver registrato il prodotto nella app, ricevi l'accesso ad un mondo di servizi ideati per rendere il tuo quotidiano più semplice, in casa, distante da casa e ovunque tu sia. Dalla visualizzazione dello stato dei filtri al funzionamento a distanza della tua cappa, fino alla guida alla manutenzione e altro ancora.

Elica Connect is a simple and intuitive application that can be downloaded in a matter of seconds. After registering the product on the app, you will be granted access to a world of services designed to make your daily routine easier, at home, far away from home or wherever you are. From viewing the filter status to the remote operation of your hood, as well as the guide to maintenance and much more.

Elica is at your service in your everyday life and has created a range of connected products controlled by smartphone or via the vocal assistant which fit in seamlessly with the style of your kitchen, thanks to their innovative design. Avant-garde technical solutions have been developed to simplify everyday tasks, the ones with which you take care of yourself and your family, but take up your time and energy. If want to protect the air in your home, Elica Connect does it for you and you can concentrate on enjoying your free time, in total relaxation, with no worries.



Cosa puoi chiedere al tuo assistente vocale What you can ask your vocal assistant

Il tuo assistente vocale ti permette di accendere e spegnere l'aspirazione della tua cappa, selezionando la velocità preferita. Può anche regolare l'intensità e la tonalità della luce. Seguendo le tue indicazioni, settarà l'illuminazione in base all'atmosfera che vuoi creare, intima e rilassante oppure quella adatta ad un banco cucina dove ogni dettaglio deve essere ben visibile.

Your vocal assistant allows you to switch the hood extraction on and off and to select the preferred speed. You can also adjust the intensity and tone of the light. Following your instructions, it will set the lighting based on the atmosphere you want to create; intimate and relaxing or adapted to a kitchen workbench where every detail must be clearly visible.

Cosa puoi fare con la App Elica Connect

What you can do with the Elica Connect app

IMPOSTARE LE LUCI CONFIGURE THE LIGHTS

Si può regolare l'intensità e la potenza della luce della cappa in pochi secondi, modulare la temperatura dei led, da luce calda a luce fredda, allineando l'illuminazione della cappa a quella dell'ambiente, per creare un'atmosfera uniforme in tutta la stanza.

You can adjust the intensity and power of the hood lights in just a few seconds, modulate the temperature of the LEDs from warm to cold light, aligning the lighting of the hood with that of the room to create a uniform atmosphere throughout.

REGOLARE L'ASPIRAZIONE ADJUST EXTRACTION

Oltre all'accensione e allo spegnimento del sistema di aspirazione, a seconda delle esigenze, è possibile regolare la potenza di aspirazione della cappa, anche a distanza. Grazie alla Funzione Timer, la tua cappa si spegne quando lo decidi tu. Si possono usare le regolazioni di default, oppure personalizzare il funzionamento del timer. Inoltre, selezionando la funzione Silent potrai assicurarti un'ottima performance in termini di aspirazione e silenziosità. Chiacchera con gli amici o goditi la TV mentre prepari il tuo prossimo piatto.

In addition to switching the extraction system on and off based on your requirements, it is possible to adjust the extraction power of the hood, even remotely. Your hood switches off when you decide thanks to the timer function. You can use the default adjustments or customise the timer functions. You can ensure excellent performance in terms of extraction and noise levels by selecting the Silent function. Chat with your friends or watch TV while you are preparing your next dish.

PRENDERTI CURA DEI FILTRI TAKE CARE OF THE FILTERS

Se l'efficienza dei tuoi filtri scende sotto la soglia minima, una notifica ti avvertirà che è necessario pulire, sostituire o rigenerare i filtri della tua cappa, per garantirti le migliori prestazioni e un'aria sempre pulita in casa. La sezione "How to" ti illustra passo dopo passo come estrarre, manutenere e reinserire i filtri della tua cappa, inclusi i passaggi per la pulizia degli stessi. Se il tuo filtro è da sostituire, la app ti porta direttamente alla sezione Elica Shop, dove trovi tutti i filtri compatibili con il modello della tua cappa. Da qui, basta un click per acquistare e ricevere comodamente a casa il filtro, l'accessorio o i prodotti di pulizia eco-friendly.

If the efficiency of your filters falls below the minimum threshold, an alert will notify you that it is necessary to clean, replace or regenerate the filters in your hood to guarantee the best performance and clean air in your home. The "How to" section provides you with a step by step guide on how to remove, maintain and reinsert the filters in your hood, including the steps on how to clean them. If your filter needs replacing, the app will take you directly to the Elica Shop where you can find all the filters that are compatible with your hood model. From here, with just one click, you can purchase and conveniently receive the filter, accessory or eco-friendly cleaning products in your home.



RICEVERE ASSISTENZA RECEIVE SUPPORT

Contattarci è più facile e veloce con la App Elica Connect. L'assistenza Elica sarà subito pronta a risolvere il problema dandoti suggerimenti chiari su come procedere. Inoltre, puoi dimenticarti dei documenti cartacei: all'interno della App Elica Connect, trovi tutto ciò di cui hai bisogno dalla Garanzia al Libretto d'uso e manutenzione. Puoi consultarli quando vuoi senza perdere un secondo del tuo tempo.

Contacting us is easier and faster with the Elica Connect App. Elica support will be instantly on hand to solve the problem by giving you clear suggestions on how to proceed. You can also forget about paper documents because everything you need is in the Elica Connect App, from the warranty to the use and maintenance booklet. You can consult it whenever you want to without losing a second of your time.



TESLA AS



NIKOLATESLA

ASPIRATION SYSTEM



Cottura e aspirazione, solidità e stile diventano gli elementi complementari che danno vita a un prodotto unico. La prospettiva scomposta mette in luce i ricercati materiali caratterizzanti la gamma NikolaTesla: le griglie in ghisa e il vetro nero, accostati in un design ricercato e lineare. Il risultato è un'unica visione d'insieme da cui nasce un prodotto dove tecnologia e innovazione, design ed eleganza si esprimono in un perfetto equilibrio. L'intuitivo cambio di prospettiva porta l'aspirazione in basso, conferendo al prodotto una componente innovativa di grande valore.

Cooking and extraction, dependability and style are the added elements that create a unique product. The broken-up view highlights the refined materials that characterise the NikolaTesla range: the cast iron grilles and black glass, combined in a refined and linear design. The result is a unique overall vision for a product where technology and innovation, design and elegance are showcased in perfect harmony. The intuitive change of perspective features downward extraction, resulting in a highly-innovative product.

Perchè scegliere un NikolaTesla Why choose a NikolaTesla

Armonia e semplicità Harmony and simplicity



La passione per la cucina si esprime oggi attraverso una precisa progettazione dell'ambiente e un'attenta scelta dei suoi complementi. I piani cottura aspiranti sono la risposta a chi predilige una progettualità che favorisce linee pulite e spazi aperti, in cui i volumi verticali spariscono, per consentire una visione d'insieme fluida.

Secondo recenti ricerche di mercato, scegliamo sempre più spesso di unire living e cucina per preparare pranzi e cene in un ambiente conviviale, che non ci isoli dal resto della casa. Per farlo ricerchiamo elettrodomestici in grado di semplificare la vita, che ci garantiscano la massima funzionalità durante la preparazione dei cibi e che spariscano discreti una volta spenti, grazie a un'estetica curata, in armonia con lo spazio circostante.



A love of cooking is now expressed through an accurate design of the kitchen space and a careful choice of accessories. Extractor hobs are the solution for anyone who prefers a design with clean lines and open spaces where vertical volumes disappear, making way for an overall streamlined look.

According to recent market research, we are opting more and more to join the living room and kitchen areas, so we can prepare lunches and dinners in a social setting that does not cut us off from the rest of the house. To achieve this, we seek out electrical appliances which make our lives easier and guarantee maximum functionality when preparing food; appliances that discreetly disappear once turned off thanks to their attractive exterior design which blends seamlessly into the background.



Eclettico e completo Eclectic and complete

La gamma di piani cottura con aspirazione integrata NikolaTesla è la risposta di Elica alle esigenze di stile, performance e semplicità di utilizzo. Ma non solo. NikolaTesla è la soluzione per chi, anche in cucina, sceglie l'emozione. L'emozione di essere stupito. L'emozione di superarsi in ambiziose ricette, senza preoccuparsi degli odori. La serenità di poter installare e utilizzare il prodotto con la massima semplicità. La sorpresa di riuscire a pulirlo facilmente e velocemente. La gioia di vivere ogni giorno un piano aspirante che sembra disegnato esattamente per la nostra casa. Un cuore tecnologico avanzato, a servizio delle migliori performance di aspirazione e cottura, prende vita in un prodotto dal design ricercato, realizzato con materiali durevoli, in cui le finiture sono state studiate nel dettaglio.

La gamma NikolaTesla si declina in modelli unici, adatti a ogni necessità: il design pulito di Switch, l'integrazione della bilancia nel Libra, l'utilizzo del gas nel Flame e le dimensioni ridotte a 60 o 70 cm del Fit si aggiungono ai modelli Prime e One, Compasso d'Oro, in una linea eclettica e completa.



The NikolaTesla range of integrated extractor hobs is Elica's answer to demand for style, performance and ease of use. But it doesn't stop there. NikolaTesla is the solution for anyone whose aim is to conjure up an emotion in the kitchen as well. The emotion of being amazed. The emotion of outdoing yourself with ambitious recipes and not having to worry about the fumes. The peace of mind of being to install and use the product with the greatest of ease. The pleasant surprise of being able to clean it quickly and easily. The enjoyment of using an extraction hob every day that seems to have been tailor-made for your home. An avant-garde inner technological unit, designed to provide the best extraction and cooking performance, is showcased in a sophisticated designer product, manufactured from hard-wearing materials with carefully crafted finishes. The NikolaTesla range consists of unique models, suitable for any requirement: the clean design of Switch; the integration of the scales in Libra and the use of gas in Flame, while the compact 60- or 70-cm size of Fit is added to the Prime, One and Compasso d'Oro models to produce an eclectic and complete range.

FUNZIONAMENTO E PRINCIPALI PLUS

OPERATION AND MAIN ADVANTAGES

La qualità dell'aria è da sempre alla base dell'offerta di elica, che ha portato anche nei piani cottura le migliori tecnologie per una aspirazione dal basso intelligente e performante di fumi e odori.

MIGLIORE VELOCITÀ DI ASPIRAZIONE

BEST EXTRACTION SPEED

Tutti i modelli NikolaTesla hanno una velocità di aspirazione di 5,1 m/s, e riescono a catturare tutti i fumi e gli odori prima che salgano verso l'alto. Questa caratteristica li rende prodotti unici nel loro genere per efficacia e prestazioni.

All the NikolaTesla models provide a very powerful extraction speed of 5.1 m/s. They can capture all the fumes and odours before they start to rise. This feature makes these products unique in terms of efficiency and performance.



SENSORI INTELLIGENTI E NON CI PENSI PIÙ

SMART SENSORS AND THAT'S ALL YOU NEED TO KNOW

L'innovativa funzione Airmatic prevede l'utilizzo di sensori intelligenti, che permettono di distinguere la quantità e la qualità dei fumi prodotti e impostare la potenza di aspirazione più indicata.

The innovative Airmatic function involves the use of smart sensors which are able to detect the quantity and quality of the fumes produced and to set the most suitable extraction power accordingly.

Quality of air has always been key to Elica's products, incorporating the very best technology in hobs for intelligent, high-performance, downdraft extraction of fumes and of odours.



PIÙ SPAZIO PER I TUOI CASSETTI

MORE SPACE FOR DRAWERS

Il design del prodotto è stato studiato per ottimizzare gli spazi interni del cabinet. La tubazione posteriore movibile e posizionabile a ridosso dello schienale del mobile, consente l'utilizzo di cassetti più profondi e spaziosi. Il risultato è una maggiore superficie libera dall'ingombro del piano, da poter sfruttare per la conservazione di cibi o utensili da cucina.

The product design has been studied to optimise the internal spaces of the cabinet. The adjustable and positionable rear pipe, which sits flush to the back of the cabinet, makes room for deeper and more spacious drawers. The result is greater a surface area, unobstructed by the worktop, which can be used to store food or kitchen utensils.

AUTOREGOLAZIONE DELL'ASPIRAZIONE

SELF-ADJUSTING EXTRACTION

Con Autocapture possiamo rimanere concentrati solo sulla nostra ricetta: sarà la cappa ad autoregolarsi in base al numero e alla potenza delle zone cottura impegnate.

With Autocapture, you can concentrate on your recipe and leave the hood to automatically adjust based on the number and power of the hobs being used.

**PULIZIA FACILE E VELOCE**

FAST AND EASY TO CLEAN

La superficie liscia e continua di NikolaTesla è uno degli elementi innovativi della nuova generazione di piani aspiranti Elica. Il vetro ceramico, privo di interruzioni, si rivela un dettaglio di design efficace anche nel rendere veloce la pulizia.

The smooth, seamless surface of NikolaTesla is one of the innovative features of the new generation of Elica extraction hobs. The seamless ceramic glass is an efficient design detail that also makes short work of cleaning.

MANUTENZIONE PRATICA

PRACTICAL MAINTENANCE

La bellezza si coniuga alla praticità anche nelle operazioni di manutenzione: il sistema brevettato da Elica permette la rimozione dei filtri dall'alto e, grazie all'apertura nel vetro che si mimetizza con l'estetica, si può lavare in totale sicurezza il vano interno.

Beauty is combined with practicality when it comes to maintenance as well. The system, patented by Elica, allows the filters to be removed from above while the internal compartment can be washed in total safety, thanks to the opening in the glass that blends in with the aesthetics.

**INTERFACCIA INTUITIVA E USER FRIENDLY**

INTUITIVE AND USER-FRIENDLY INTERFACE

Per vivere ogni giorno il piacere di cucinare, i piani aspiranti Elica sono dotati di un'interfaccia semplice e intuitiva. Il pannello comandi touch control permette di controllare separatamente zone cottura e cappa e, in modalità standby, diventa totalmente invisibile. Regolare la cottura non è stato mai così facile e confortevole.

Elica extractor hobs feature a simple and intuitive interface to allow you to enjoy the pleasure of cooking every day. The touch control panel allows the cooking areas and hood to be controlled separately and, in standby mode, it becomes totally invisible. Controlling cooking has never been so easy and convenient.

MIGLIORE CAPACITÀ DI FILTRAGGIO ODORI

IMPROVED ODOUR FILTERING CAPABILITY


Ecco perché la gamma NikolaTesla, nella versione filtrante, prevede un filtro ad alta capacità di depurazione degli odori, in grado di raggiungere soglie di filtraggio maggiori dell'82% contro una media del mercato del 60%. E per garantire la massima facilità di manutenzione, è rigenerabile fino a 3 anni.

This is why the NikolaTesla range, in the filtering version, features a filter with a high odour purification capacity, capable of reaching filtering thresholds over 82% compared to a market average of 60%. And to guarantee extremely easy maintenance, the filter can be regenerated for up to 3 years.


NikolaTesla è stato ideato per adattarsi a molteplici tipologie di cucina. Nella versione filtrante standard NikolaTesla è dotato di tutto l'occorrente per essere installato, incluso l'esclusivo profilo cromato che rifinisce il taglio dello zoccolo necessario per l'uscita dell'aria. Nella versione aspirante le tubazioni sono accessori e l'utente potrà scegliere la configurazione ideale in base alle proprie esigenze architettoniche. È possibile installare NikolaTesla in appoggio diretto sul piano di lavoro (standard) o inserito in un'alloggiamento senza discontinuità con il top (filotop).

NikolaTesla has been designed to fit into many different types of kitchens. In the standard filtering version, NikolaTesla is equipped with every component needed for installation, including the exclusive chrome-plated profile that finishes the air outlet hole at baseboard. In the aspiration version, pipes are supplied as accessories and users can choose the best configuration, based on the architecture of their home. It is possible to install NikolaTesla directly against the countertop (standard) or inserted in a slot, blending in with the countertop. (Filotop).

NIKOLATESLA LIBRA / ONE / PRIME / SWITCH



NIKOLATESLA FLAME



* Dimensioni consigliate filotop: per tolleranze differenti, attenersi alla reale dimensione del vetro.

* Recommended filotop dimensions: for different tolerances, respect the actual dimensions of the glass.

PER ULTERIORI APPROFONDIMENTI CONSULTARE IL MANUALE DI INSTALLAZIONE DEL PRODOTTO.
FOR FURTHER INFORMATION, CONSULT THE PRODUCT INSTALLATION MANUAL.

NELLA SCATOLA

Nikolatesla è fornito già completo per essere installato (nelle versioni standard) sia in aspirante che in filtrante. Di seguito sono riportate le configurazioni consentite con i componenti a corredo nell'imbalo. Per altre esigenze di montaggio sono a disposizione, come accessori, curve e tubazioni.

**NIKOLATESLA VERSIONE
ASPIRANTE STANDARD**
NikolaTesla standard
Duct-out mode



**NIKOLATESLA VERSIONI
FILTRANTI STANDARD**
NikolaTesla standard
Filtering modes



Con le tubazioni accessorie a disposizione potrai costruire la configurazione di Nikolatesla più adatta alle tue esigenze.

IN THE BOX

NikolaTesla includes everything it needs (in the standard version) for being installed in both aspiration and filtering version. Possible configurations, and related components included in the packaging, are mentioned below. For any other installation needs, bends and pipes are available as accessories.

Thanks to the selection of accessory pipe fittings, your Nikolatesla can be configured in the way that best suits your needs.

NIKOLATESLA VERSIONE FILTRANTE FILTERING MODE *



NIKOLATESLA VERSIONE ASPIRANTE DUCT-OUT MODE *



* Tutte le immagini sono esempi di installazione

All images are samples installation

FOCUS ON NIKOLATESLA



Aprendo il coperchio si ha la possibilità di rimuovere le tre batterie di filtro ceramico (rigenerabile) ad altissime prestazioni e di svuotare il vano di sicurezza raccolta liquidi, l'unico in grado di proteggere il motore in caso di fuoriuscita di liquidi derivanti dalla cottura.

By opening the cove, you can remove the three batteries of the high performance ceramic filter (regenerable) and empty the liquid collection safety compartment, which is the only component that can protect the motor in case of leakage of cooking liquids.



Rimuovendo la griglia si accede comodamente al filtro grassi alluminio per permetterne una facile pulizia.

By removing the grid, you can easily reach the aluminum grease filter thus performing easy cleaning.

La valvola di scarico per la fuoriuscita abbondante di liquidi assicura un'ulteriore sicurezza igienica.

The drain valve guarantees cleanliness also in the case of abundant overflow of liquids.





NikolaTesla è stato pensato per garantire la massima flessibilità di installazione per l'ottimizzazione degli spazi interni del cabinet grazie a una tubazione posteriore movibile e posizionabile sempre a ridosso dello schienale per consentire l'utilizzo di cassetti più profondi e spaziosi.

NikolaTesla has been conceived to guarantee maximum installation flexibility, in order to best use the cabinet internal spaces, thanks to a movable rear piping, which can be positioned close to the back, allowing for the use of deeper and more spacious drawers.



NIKOLATESLA VERSIONE ASPIRANTE STANDARD


NikolaTesla standard Duct-out mode



NIKOLATESLA VERSIONI FILTRANTI STANDARD

NikolaTesla standard filtering modes





NIKOLATESLA SWITCH

DESIGN FABRIZIO CRISÀ







NIKOLATESLA SWITCH

DESIGN FABRIZIO CRISÀ


83x51x21 cm
80,7x49,2 cm (cut)
Aspirante/Filtrante Duct-out/Filtering
Vetro nero, vetro bianco "ICE GREY"
Black glass, white glass "ICE GREY"

L'elemento estetico centrale, in vetro nero ed alluminio effetto ghisa o vetro bianco e acciaio, nasconde il cuore aspirante che può essere attivato con un semplice gesto anche in modalità completamente automatica, possibile grazie ai sensori intelligenti di cui il prodotto è dotato.

L'interfaccia del prodotto Direct Slider permette di azionare le varie zone di cottura e aspirazione in modo semplice ed intuitivo.

The central aesthetic element in black glass and cast iron-look aluminium or white glass and steel, conceals the heart of the extraction unit which can be activated with a simple touch even in fully automatic mode, thanks to the integrated smart sensors.

The Direct Slider interface allows the various cooking and extraction areas to be controlled simply and intuitively.



COTTURA COOKING

Comandi Controls	Touch control direct slider 9P+I
Assorbimento Absorption	9,2 KW
Power limitation	3,1 - 4,5 KW
Voltaggio Voltage	220 - 240 V
Zone cottura Cooking zones (Misura-Potenza Size-Power)	1 210x190 mm - 2,1/3 kW 2 210x190 mm - 2,1/3 kW 3 210x190 mm - 2,1/3 kW 4 210x190 mm - 2,1/3 kW
Zone Bridge Bridge zone	2

FUNZIONI FUNCTIONS



MODelli MODELS

NIKOLATESLA SWITCH BL/A/83	PRF0146212A
NIKOLATESLA SWITCH BL/F/83 (*)	PRF0146210A
NIKOLATESLA SWITCH WH/A/83	PRF0146216A
NIKOLATESLA SWITCH WH/F/83 (*)	PRF0146213A

(*) Modello non soggetto a certificazione energetica obbligatoria.

(*) Model not subject to compulsory energy certification.



ACCESSORI ACCESSORIES

Filtro in ceramica anti-odori Ceramic odour filter
KIT0120952A



NIKOLATESLA ONE

DESIGN FABRIZIO CRISÀ





NIKOLATESLA ONE

DESIGN FABRIZIO CRISÀ

83x51x 21 cm
80,7x49,2 cm (cut)
Aspirante/Filtrante Duct-out/Filtering
Vetro nero
Black glass


 Il prodotto, vincitore del XXV Compasso D'oro ADI, combina la tecnologia più avanzata per la cattura di vapori ed odori dal basso all'eccellenza del design distintivo Elica.
L'interfaccia del prodotto Direct Slider permette di azionare le varie zone di cottura e aspirazione in modo semplice ed intuitivo.
The product, winner of the 25th ADI Compasso d'Oro award, combines cutting-edge downdraft technology, to capture vapours and odours, with Elica's signature state-of-the-art design.
The Direct Slider interface allows the various cooking and extraction areas to be controlled simply and intuitively.



reddot award 2017
winner



INTERNATIONAL DESIGN EXCELLENCE AWARDS '17
FINALIST



ASPIRAZIONE ASPIRATION

	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
Comandi ONE HP	Touch control slider 9V+I	Touch control slider 9V+I
Controls ONE HP	9S+B slider touch control	9S+B slider touch control
Comandi ONE	Touch control 9V+I	Touch control 9V+I
Controls ONE	9S+B touch control	9S+B touch control
Portata intensiva	640 m ³ /h	545 m ³ /h
Booster airflow		
Velocità di aspirazione	5,1 m/s	5,1 m/s
Suction speed		
Livello sonoro min-max	34 - 61 db(A)	40 - 67 db(A)
Noise level min-max		
Assorbimento totale	175 W	175 W
Total absorption		

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro in ceramica anti-odori incluso (*) Ceramic odour filter included (*)

COTTURA COOKING

	ONE HP	ONE
Comandi Controls	Touch control direct slider 9P+I	Touch control 9P+I
Assorbimento Absorption	9P+B slider touch control direct	9P+B touch control
Power limitation	7,2 KW	7,2 KW
Voltaggio Voltage	4,5 KW	3,1 - 4,3 KW
Zone cottura	220 - 240 V	220 - 240 V
Cooking zones	1 200x180 mm - 2,1/3,7 kW	1 200x180 mm - 1,6/1,85 kW
(Misura-Potenza Size-Power)	2 200x180 mm - 2,1/3,7 kW	2 200x180 mm - 2,1/3 kW
Zone Bridge	3 200x180 mm - 2,1/3,7 kW	3 Ø200 mm - 2,3/3,0 kW
Bridge zone	4 200x180 mm - 2,1/3,7 kW	4 Ø160 mm - 1,2/1,4 kW
	2	1 sinistra left

FUNZIONI FUNCTIONS

ONE HP	ONE

MODELLI MODELS

NIKOLATESLA BL/A/83
NIKOLATESLA BL/F/83 (*)
NIKOLATESLA HP BL/A/83
NIKOLATESLA HP BL/F/83 (*)

PRF0120977A
PRF0120978A
PRF0120975A
PRF0120976A

(*) Modello non soggetto a certificazione energetica obbligatoria.
(*) Model not subject to compulsory energy certification.



LONG LIFE
FILTER ++



COMFORT
SILENCE



EASY TO
MAINTAIN



AUTO
CAPTURE



222x89 mm



ENERGY
CLASS
(A+~D)

ACCESSORI ACCESSORIES

Filtro in ceramica anti-odori
Ceramic odour filter

KIT0120952A



NIKOLATESLA LIBRA

DESIGN FABRIZIO CRISÀ







NIKOLATESLA LIBRA

DESIGN FABRIZIO CRISÀ

83x51x21 cm

80,7x49,2 cm (cut)

Aspirante/Filtrante Duct-out/Filtering


Vetro nero + ghisa, vetro bianco "ICE GREY" + ghisa

Black glass + cast iron, white glass "ICE GREY" + cast iron



Il piano aspirante con bilancia integrata. Il design delle solide griglie veste le funzionalità dell'aspirazione dal basso e della pesatura, che si integrano armoniosamente a quelle della cottura ad induzione.

The extractor top with built-in scale. The design of the solid grids includes the down-draft extraction and weighing function which integrate seamlessly with the induction hob functions.



ASPIRAZIONE ASPIRATION

	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
Comandi Controls	Touch control slider 3V+2I 3S+2B slider touch control	Touch control slider 3V+2I 3S+2B slider touch control
Portata intensiva Booster airflow	610 m ³ /h	545 m ³ /h
Velocità di aspirazione Suction speed	5,1 m/s	5,1 m/s
Livello sonoro min-max Noise level min-max	46 - 63 db(A)	48 - 67 db(A)
Assorbimento totale Total absorption	250 W	250 W

Filtro grassi alluminio incluso Grease aluminium Filter included

Filtro in ceramica anti-odori incluso (*) Ceramic odour filter included (*)



ACCESSORI ACCESSORIES

Filtro in ceramica anti-odori
Ceramic odour filter

KIT0120952A

COTTURA COOKING

Comandi Controls	Touch control slider 9P+I 9P+B slider touch control
Assorbimento Absorption	7,2 KW
Power limitation	3,1 - 4,5 KW
Voltaggio Voltage	220 - 240 V
Zone cottura Cooking zones (Misura-Potenza Size-Power)	1 200x180 mm - 1,6/1,85 KW 2 200x180 mm - 2,1/3 KW 3 200x180 mm - 2,1/3 KW 4 200x180 mm - 1,6/1,85 KW
Zone Bridge Bridge zone	2

FUNZIONI FUNCTIONS



MODelli MODELS

NIKOLATESLA LIBRA BL/A/83	PRF0147744A
NIKOLATESLA LIBRA BL/F/83 (*)	PRF0147745A
NIKOLATESLA LIBRA WH/A/83	PRF0147774A
NIKOLATESLA LIBRA WH/F/83 (*)	PRF0147775A

(*) Modello non soggetto a certificazione energetica obbligatoria.

(*) Model not subject to compulsory energy certification.



NIKOLATESLA PRIME

DESIGN FABRIZIO CRISÀ







NIKOLATESLA PRIME

DESIGN FABRIZIO CRISÀ




83x51x21 cm
80,7x49,2 cm (cut)
Aspirante/Filtrante Duct-out/Filtering
Vetro nero + ghisa
Black glass + cast iron



La solida e robusta griglia in ghisa coniuga la scelta di design alla funzionalità della cattura di fumi e odori al pratico piano di appoggio.

The sturdy, solid cast iron grid combines the design choice with the practical features of capturing steam and odours and the practical work surface.



COTTURA COOKING

Comandi Controls	Touch control slider 9P+1	Touch control slider 9P+B slider touch control
Portata intensiva Booster airflow	3S+2B slider touch control	7,2 KW
Velocità di aspirazione Suction speed	610 m ³ /h	3,1 - 4,5 kW
Livello sonoro min-max Noise level min-max	5,1 m/s	220 - 240 V
Assorbimento totale Total absorption	46 - 63 db(A)	Zone cottura Cooking zones (Misura-Potenza Size-Power)
	250 W	1 Ø200 mm - 2,3/3,0 kW 2 Ø160 mm - 1,2/1,4 kW 3 Ø160 mm - 1,2/1,4 kW 4 Ø200 mm - 2,3/3,0 kW
	250 W	

ASPIRAZIONE ASPIRATION

	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
Comandi Controls	Touch control slider 3V+2I	Touch control slider 3V+2I
Portata intensiva Booster airflow	3S+2B slider touch control	3S+2B slider touch control
Velocità di aspirazione Suction speed	610 m ³ /h	545 m ³ /h
Livello sonoro min-max Noise level min-max	5,1 m/s	5,1 m/s
Assorbimento totale Total absorption	46 - 63 db(A)	48 - 67 db(A)
	250 W	250 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro in ceramica anti-odori incluso (*) Ceramic odour filter included (*)



LONG LIFE
FILTER ++



EASY TO
MAINTAIN



AUTO
CAPTURE



222x89 mm



ENERGY
CLASS
(A***/D)

ACCESSORI ACCESSORIES

Filtro in ceramica anti-odori
Ceramic odour filter

KIT0120952A



CHILD LOCK



TIMER



POT
DETECTOR



POWER
LIMITATION



STOP & GO



KEEP WARM

MODelli MODELS

NIKOLATESLA PRIME BL/A/83

PRF0138475A

NIKOLATESLA PRIME BL/F/83 (*)

PRF0143159A

(*) Modello non soggetto a certificazione energetica obbligatoria.

(*) Model not subject to compulsory energy certification.





NIKOLATESLA FLAME

DESIGN FABRIZIO CRISÀ





NIKOLATESLA FLAME

DESIGN FABRIZIO CRISÀ

88x51x21 cm

84x48cm (cut)


Aspirante/Filtrante Duct-out/Filtering

Vetro nero + ghisa, vetro grigio + ghisa

Black glass + cast iron, grey glass + cast iron



Il primo piano aspirante gas. Gli elementi in ghisa del piano sono disegnati per coniugare estetica e funzionalità, nella massima sicurezza. Le griglie a croce chiuse e piatte garantiscono stabilità con pentole di tutte le dimensioni e facilità nello spostamento sul piano cottura. La copertura della zona filtri in ghisa diventa un pratico piano di appoggio. Il supporto wok, disponibile come accessorio, aumenta le varianti di cottura su NikolaTesla Flame. The first gas down-draft extraction top. The cast iron elements of the top are designed to combine aesthetic appeal and functionality with the utmost safety. The closed cross and flat grid supports guarantee stability with pans of any size and ease when moving on the cooking area. The cast iron filter cover doubles as a practical work surface. The wok support, available as an accessory, increases the cooking variations on NikolaTesla Flame.



ASPIRAZIONE ASPIRATION

	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
Comandi Controls	Rotativo 3V+2I 3S+2B Rotative	Rotativo 3V+2I 3S+2B Rotative
Portata intensiva Booster airflow	600 m ³ /h	550 m ³ /h
Velocità di aspirazione Suction speed	5,1 m/s	5,1 m/s
Livello sonoro min-max Noise level min-max	47 - 62 db(A)	53 - 68 db(A)
Assorbimento totale Total absorption	310 W	310 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro fibra carbone incluso (*) Charcoal fibre filter included (*)

COTTURA COOKING

Comandi Controls	Rotativo Rotative
Voltaggio Voltage	220 - 240 V

TIPOLOGIA BRUCIATORI BURNER TYPE

1° elemento 1st element	Dual special (3,5kW)
2° elemento 2nd element	Semi rapid (1,75 kW)
3° elemento 3rd element	Semi rapid (1,75 kW)
4° elemento 4th element	Rapid (3,0 kW)

FUNZIONI FUNCTIONS



ACCESSORI ACCESSORIES

Filtro in ceramica anti-odori Ceramic odour filter Kit wok Flame	KIT0120952A KIT0160040
--	---------------------------

MODelli MODELS

NIKOLATESLA FLAME BL/A/88	PRF0147740A
NIKOLATESLA FLAME BL/F/88 (*)	PRF0147741A
NIKOLATESLA FLAME GR/A/88	PRF0147742A
NIKOLATESLA FLAME GR/F/88 (*)	PRF0147743A

(*) Modello non soggetto a certificazione energetica obbligatoria.
(*) Model not subject to compulsory energy certification.



NIKOLATESLA FIT

DESIGN FABRIZIO CRISÀ





NIKOLATESLA FIT

DESIGN FABRIZIO CRISÀ



NIKOLATESLA FIT 72



NIKOLATESLA FIT 60





NIKOLATESLA FIT


DESIGN FABRIZIO CRISÀ



60x51,5x24,5 cm 72x51,5x24,5 cm
56x49 cm (cut)
Aspirante Duct-out
Vetro nero Black glass

 Possibilità di installazione nell'incasso 60 cm senza sacrificare le prestazioni della cappa, la potenza delle zone di induzione, le dimensioni e la posizione della base. Il cuore di aspirazione è completamente invisibile e può essere attivato con un semplice tocco. Le parti interne sono facilmente accessibili, per la manutenzione di filtri grassi e odori.

Can be built into 60-cm wide units without foregoing the hood performance, induction hob power, size and position of the base unit. The heart of the extraction unit is totally invisible and can be activated with a simple touch. The internal parts can be easily accessed to service the grease and odour filters.



ASPIRAZIONE ASPIRATION

Comandi Controls	Touch control slider 3V+2I 3S+2B slider touch control
Portata intensiva Booster airflow	620 m ³ /h
Velocità di aspirazione Suction speed	5,1 m/s
Livello sonoro min-max Noise level min-max	45 - 57 db(A)
Assorbimento totale Total absorption	160 W

Filtro grassi alluminio incluso Grease aluminium Filter included



ACCESSORI ACCESSORIES

Filtro in ceramica anti-odori Ceramic odour filter	KIT0167755
Kit installazione filtrante sotto zoccolo Filtering Kit plinth-in	KIT0167756
Kit installazione filtrante fuori zoccolo Filtering Kit plinth-out	KIT0167757

COTTURA COOKING

Comandi Controls	Touch control slider 9P+I 9P+B slider touch control
Assorbimento Absorption Power limitation	7,2 KW 3,1 - 4,5 kW
Voltaggio Voltage	220 - 240 V
Zone cottura Cooking zones (Misura-Potenza Size-Power)	1 200x180 mm - 2,1/3,0 kW 2 200x180 mm - 1,6/1,85 kW 3 Ø200 mm - 2,3/3,0 kW 4 Ø160 mm - 1,2/1,4 kW
Zone Bridge Bridge zone	1

FUNZIONI FUNCTIONS



MODelli MODELS

NIKOLATESLA FIT BL/A/60	PRF0167053
NIKOLATESLA FIT BL/A/72	PRF0167054


L'eccellenza in piccoli spazi Excellence in small spaces

Oggi i piccoli ambienti in casa sono sempre più diffusi, per questo prodotti multifunzionali e in grado di ottimizzare gli spazi sono elementi risolutivi.

Studiato per soddisfare le esigenze di chi, anche in ambienti ridotti, non vuole rinunciare all'eccellenza, NikolaTesla Fit è il primo piano a induzione con aspirazione integrata che può essere installato anche nelle basi da 60 cm, con un ingombro in superficie di 60 o 72 cm.

Design elegante e funzionale Elegant and functional design

Un ritorno alle origini del piano cottura a induzione essenziale in cui la superficie è continua in modalità standby. Con una piccola pressione sulla parte centrale si attiva l'aspirazione in una perfetta combinazione tra stile, ergonomia e funzionalità. Le dimensioni e la forma compatte sono studiate per lasciare spazio nel cabinet e massima libertà di movimento sul piano cottura, con qualsiasi tipo di pentola. Il cuore aspirante, efficace e silenzioso, è completamente nascosto dalla copertura in vetro che veste il prodotto in modo discreto ed elegante.



Small spaces are becoming more and more widespread in homes now which is why multifunctional products, capable of optimising space, are excellent solutions.

Designed to meet the exacting needs of those unwilling to renounce excellence even in small spaces, NikolaTesla Fit is the first induction hob with integrated extraction that can also be installed in 60-cm wide base units with an overall surface area of 60 or 72 cm.



A return to the origins of the essential induction hob where the surface is continuous and in standby mode. A slight pressure on the central part activates the extraction in a perfect combination of style, comfort and functionality. The compact dimensions and shape have been designed to leave space in the cabinet and total freedom of movement on the hob with pans of any kind. The heart of this efficient and silent extraction unit is totally concealed by the glass top which covers the product discretely and elegantly.

Semplicità di pulizia e manutenzione Simple cleaning and maintenance


NikolaTesla Fit è progettato per essere davvero facile da pulire e da mantenere. La superficie completamente lineare in vetro ceramico rende le operazioni di pulizia estremamente semplici e veloci. L'elemento estetico centrale è rimovibile e lavabile e diventa il punto di accesso per l'estrazione dei filtri e la manutenzione del prodotto. È possibile accedere al vano interno in totale sicurezza e rimuovere l'eventuale liquido in eccesso grazie ad una speciale valvola di scarico posta sul fondo.

NikolaTesla Fit is designed to be really easy to clean and maintain. The fully linear ceramic glass surface makes cleaning very quick and easy. The central aesthetic element can be removed and washed. It is also the access point for extracting the filters and carrying out maintenance. The inner compartment can be accessed in complete safety and any excess liquid can be removed thanks to a special drain valve underneath.

Massima flessibilità di installazione Full installation flexibility

Nikolatesla Fit è stato progettato per adattarsi alle più varie configurazioni di installazione. Questi sono i principali esempi delle sue infinite possibilità realizzabili con le tubazioni a disposizione a pagina seguente.

* le tubazioni sono ordinabili come accessori The pipes are available as accessories



Dimensioni consigliate filotop: per tolleranze differenti, attenersi alla reale dimensione del vetro.
Recommended filotop dimensions: for different tolerances, respect the actual dimensions of the glass.
PER ULTERIORI APPROFONDIMENTI CONSULTARE IL MANUALE DI INSTALLAZIONE DEL PRODOTTO.
FOR FURTHER INFORMATION, CONSULT THE PRODUCT INSTALLATION MANUAL.

TUBAZIONI ACCESSORIE PER VERSIONE ASPIRANTE

ACCESSORY PIPE FITTINGS FOR DUCT-OUT VERSION



222x89x1000 mm
KIT0120991



222x89x500 mm
KIT0173527



Ø150x500 mm
KIT0120996



Ø150x1000mm
KIT0121000



227x94x80mm
KIT0121001



15° 227x138x94
KIT0121002



Ø158X59mm
KIT0121003



90° 227x288x94mm
KIT0121004



90° 227x94mm
KIT0121005



90° - Ø157
KIT0121006



227x94 - Ø146mm
KIT0121007




227x94 - Ø153mm
KIT0121008



int 216x82 / est 290x160 mm
KIT0121009



190x190 - Ø147mm
KIT0121010



227x94 mm
KIT0126810



50 mm x 25 m
KIT0161453

TUBAZIONI ACCESSORIE PER VERSIONE FILTRANTE

ACCESSORY PIPE FITTINGS FOR FILTERING VERSION



218x55x500 mm
KIT0121012



218x55x1000 mm
KIT0121013




218x55X70 mm
KIT0121015



90° 218x55 mm
KIT0121016



218x55 mm
KIT0121017



50 mm x 25 m
KIT0161453



Deflettore sotto zoccolo
Deflector under plinth
KIT0168750



KIT0140820
Kit NikolaTesla filtrante per base profondità > 70 cm
NikolaTesla filter kit for base depth > 70 cm

DISPONIBILE PER
Available for
NIKOLATESLA SWITCH
NIKOLATESLA ONE
NIKOLATESLA PRIME
NIKOLATESLA FLAME
NIKOLATESLA LIBRA



DISPONIBILE PER
Available for
NIKOLATESLA FIT

KIT0167756
Kit installazione filtrante sotto zoccolo (min H6 cm)
Filtering Kit plinth-in (min H6 cm)



DISPONIBILE PER
Available for
NIKOLATESLA FIT

KIT0167757
Kit installazione filtrante fuori zoccolo (min H6 cm)
Filtering Kit plinth-out (min H6 cm)



 elica

ARCH & LIGHTAIR

Viviamo di intuizioni che diventano il punto di partenza di ogni progetto e rappresentano l'incontro tra chi l'ha disegnato e chi lo utilizzerà. Il design da vita a queste intuizioni che si trasformano in prodotti capaci di parlare di se stessi in modo intuitivo e di sorprendere sempre con funzioni inattese. I prodotti Arch & Lightair si fondono nell'architettura dell'ambiente ma al contempo diventano essi stessi i protagonisti. Sono la sintesi tra visione, tecnologia e creatività.

We live by intuitions, which become the starting point of every project and which represent the meeting point between the designer and user. It is design that gives life to these intuitions, which are transformed into products able to express themselves in intuitive ways, and continuously surprise with unexpected functions. Arch & Lightair products blend into the room's architecture, but at the same time become the protagonists themselves. They are the synthesis of vision, technology, and creativity.



OPEN SUITE SUPERIOR

DESIGN FABRIZIO CRISÀ



OPEN SUITE SUPERIOR

DESIGN FABRIZIO CRISÀ







OPEN SUITE SUPERIOR

DESIGN FABRIZIO CRISÀ







OPEN SUITE SUPERIOR

DESIGN FABRIZIO CRISÀ

ELICA CONNECT

80x424 - 160x424 cm

Filtrante Filtering

Nero effetto soft touch Black soft touch effect



EASY TO
MAINTAIN



MULTI-D
CAPTURE



CONNECTIVITY



LONG LIFE
FILTER




TUNE WHITE



DIM LIGHT



CM 60
CM 70



ILLUMINAZIONE LIGHTING

Tipo Type	Led Panel 1x14W (80cm) - 2x14W (160cm)
Intensità Intensity	242 LUX (80cm) - 324 LUX (160cm)
Temperatura Temperature	2700K - 5200K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	526 m³/h
Livello sonoro min-max Noise level min-max	64 - 69 db(A)
Assorbimento totale Total absorption	261 W (80cm) - 282 W (160cm)

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile 2 pezzi 2 pieces Regenerable charcoal filter	KIT0166765
Kit modulo aspirante Superior Extraction module kit Superior	KIT0167079
Kit modulo full Led Superior Full LED module kit Superior	KIT0166961
Kit mensola vetro extra-chiaro Extra-clear glass shelf kit	KIT0166455
Kit mensola vetro fumé Smoked glass shelf kit	KIT0166463
Kit mensola metallo nero Black metal shelf kit	KIT0166470
Kit mensola rete metallica Wire mesh shelf kit	KIT0166472
Kit mensola legno Wooden shelf kit	KIT0166475
Kit traliccio Superior Trellis expansion kit Superior	KIT0166962
Kit cornice mensola Shelf frame kit	KIT0166768

MODELLI MODELS

OPEN SUITE SUPERIOR BL/F/80	PRF0165965
OPEN SUITE SUPERIOR BL/F/160	PRF0166771

Modello non soggetto a certificazione energetica obbligatoria.
Model not subject to compulsory energy certification.





OPEN SUITE
DESIGN FABRIZIO CRISÀ



OPEN SUITE

DESIGN FABRIZIO CRISÀ

OPEN SUITE

DESIGN FABRIZIO CRISÀ








OPEN SUITE

DESIGN FABRIZIO CRISÀ

ELICA CONNECT

80 - 160 cm
Filtrante Filtering
Nero effetto soft touch Black soft touch effect



ILLUMINAZIONE LIGHTING	
Tipo Type	Led Panel 1x14W (80cm) - 2x14W (160cm)
Intensità Intensity	242 LUX (80cm) - 324 LUX (160cm)
Temperatura Temperature	2700K - 5200K

PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	526 m³/h
Livello sonoro min-max Noise level min-max	64 - 69 db(A)
Assorbimento totale Total absorption	261 W (80cm) - 282 W (160cm)

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile 2 pezzi 2 pieces Regenerable charcoal filter	KIT0166765
Kit modulo aspirante Extraction module kit	KIT0167073
Kit modulo full Led Full LED module kit	KIT0166964
Kit mensola vetro extra-chiaro Extra-clear glass shelf kit	KIT0166455
Kit mensola vetro fumé Smoked glass shelf kit	KIT0166463
Kit mensola metallo nero Black metal shelf kit	KIT0166470
Kit mensola rete metallica Wire mesh shelf kit	KIT0166472
Kit mensola legno Wooden shelf kit	KIT0166475
Kit traliccio Trellis expansion kit	KIT0166963
Kit cornice mensola Shelf frame kit	KIT0166768

MODELLI MODELS

OPEN SUITE BL/F/80	PRF0166703
OPEN SUITE BL/F/160	PRF0167007

Modello non soggetto a certificazione energetica obbligatoria.
Model not subject to compulsory energy certification.

Arredare gli spazi polifunzionali Furnishing multi-functional spaces

Innovazione è intuire il cambiamento ed immaginare il domani con idee e soluzioni che migliorino l'esperienza di vita delle persone. Open Suite è un prodotto unico, capace di occupare lo spazio in modo nuovo ed inaspettato e di offrire funzionalità inedite. La cappa aspirante diventa parte di un sistema fatto di elementi che interagiscono tra loro e si uniscono dando vita a infinite soluzioni di arredo dove la luce è protagonista.

Innovation is sensing change and imagining tomorrow with ideas and solutions that improve people's experience of life. Open Suite is a unique product, capable of occupying space in a new, unexpected way and of offering previously unseen functionality. The extractor hood becomes part of a system made up of elements that interact and, together, offer infinite furnishing solutions in which light is the star.



Forme, materiali e luce in una innovativa soluzione modulare Shapes, materials, and light in an innovative, modular solution



DESIGN MODULARE

Open Suite racchiude in sè più funzioni: non solo cappa ma anche luce e una vasta scelta di ripiani da arredo. Si parte da quattro configurazioni preimpostate (isola 80 e 160cm, parete 80 e 160cm) che possono essere sia una soluzione completa, sia la base da cui partire per aggiungere complementi. L'ampia scelta di elementi e finiture disponibili include ripiani in vetro (chiaro e smoke), metallo e rete metallica neri, legno (noce o personalizzabile), ma anche moduli aspiranti e pannelli luminosi aggiuntivi per aumentare la potenza aspirante o espandere il punto luce sul piano di lavoro. Nella versione a isola, l'altezza della struttura è regolabile per consentire l'installazione all'interno di ogni ambiente, indipendentemente dalla misura del soffitto. Realizza la tua versione unica di Open Suite giocando con gli spazi e ricreando linee e geometrie in base ai tuoi gusti personali e allo stile dell'arredamento.

MODULAR DESIGN

Open Suite offers several functions: not only a hood but also light and a wide choice of shelves. It comes with four pre-set configurations (island 80cm and 160cm, wall 80cm and 160cm) that can be both a complete solution and the base from which to add accessories. The wide choice of available elements and finishings include glass shelves (clear and smoke), black metal and metallic mesh, wood (walnut or customisable), but also extractor modules and additional light panels to increase the extraction power or expand the light point across the work surface. In the island version, the height of the structure is adjustable to allow installation inside any environment, regardless of the height of the ceiling. Create your own unique version of Open Suite by playing with spaces and recreating lines and geometries according to your personal taste and the style of your furniture.

Luce funzionale ed emozionale, un autentico elemento di arredo Functional and evocative light, a genuine piece of furniture

La luce è uno dei caratteri distintivi di Open Suite: mentre la nuova soluzione di installazione elimina efficacemente e silenziosamente tutti gli odori dall'ambiente, il grande pannello led, potente ed efficiente, assicura un'illuminazione uniforme, adattabile in intensità e in temperatura di colore. Così Open Suite diventa un punto luce strategico durante la preparazione dei cibi ma anche una luce ambiente di grande atmosfera durante i momenti più conviviali, sempre in perfetta armonia con lo spazio circostante.

La superficie illuminante è massima e perfettamente ottimizzata, sia nella soluzione base da 80cm che in quelle più estese equipaggiate con pannelli full led aggiuntivi.

Light is one of the distinctive features of Open Suite: whilst the new installation solution effectively and silently eliminates smells from the environment, the large LED panel, powerful and efficient, ensures uniform lighting, that can be adjusted in intensity and colour temperature. This is how Open Suite becomes a strategic light point when preparing food, but also ambient lighting creating a great atmosphere for any occasion, always in perfect harmony with the surrounding space. The illuminating surface is maximised and perfectly optimised, both in the base 80cm solution and in the larger solutions equipped with additional LED panels.




Connessione Wi-Fi Wifi connection

ELICA CONNECT

Disegnata per garantire la massima libertà di movimento in cucina, oltre ai comandi ergonomici collocati frontalmente, Open Suite fa parte della linea di cappe intelligenti Elica Connect. Tramite il controllo vocale o la app Elica Connect è possibile accendere o spegnere il prodotto, regolarne la potenza di aspirazione e modulare l'intensità della luce. La App consente inoltre di monitorare lo stato di efficienza dei filtri e di richiedere qualsiasi tipo di assistenza con pochi click.

Designed to ensure the greatest freedom of movement in the kitchen, in addition to the front-positioned ergonomic controls, Open Suite is part of the line of Elica Connect intelligent hoods. Using voice commands or the Elica Connect app, you can turn the product on and off, adjust its extraction power, and modulate the intensity of the light. The App also lets you monitor the efficiency of the filters and to seek any sort of assistance with just a few clicks.



Open Suite nella scatola Open Suite in the box

Grazie agli accessori a disposizione, potete realizzare infinite composizioni in base all'architettura del vostro ambiente e alle vostre necessità, partendo dalle due versioni base ordinabili a catalogo.

OPEN SUITE SUPERIOR (VERSIONE A ISOLA) OPEN SUITE SUPERIOR (ISLAND VERSION)



OPEN SUITE SUPERIOR BL/F/80

Modulo cappa + 1 mensola in vetro chiaro (80cm)
Hood module + 1 shelf in clear glass (80cm)

PRF0165965

Thanks to the available accessories, you can create an unlimited number of arrangements based on the structure of your environment and your needs, starting with the two base versions that can be ordered in the catalogue.



OPEN SUITE SUPERIOR BL/F/160

1 modulo cappa + 1 modulo luce + 2 mensole in vetro chiaro (160cm)
1 hood module + 1 light module + 2 shelves in clear glass(160cm)

PRF0166771

OPEN SUITE (VERSIONE A PARETE) OPEN SUITE (WALL VERSION)



OPEN SUITE BL/F/80

Modulo cappa + 1 mensola in vetro chiaro (80cm)
Hood module + 1 shelf in clear glass (80cm)

PRF0166703







OPEN SUITE BL/F/160

1 modulo cappa + 1 modulo luce + 2 mensole in vetro chiaro (160cm)
1 hood module + 1 light module + 2 shelves in clear glass(160cm)

PRF0167007

ALCUNE IDEE DI COMPOSIZIONE PER SOLUZIONI A ISOLA SOME ARRANGEMENT IDEAS FOR ISLAND SOLUTIONS




Accessori e modularità

Accessories and modularity




Sia per la versione a isola che a parete, partendo dai due prodotti base, puoi scegliere di personalizzare la tua Open Suite in altezza, aggiungendo o sostituendo i ripiani.


Both for the island version and the wall version, starting from the two base products, you can choose to customise the height of your Open Suite, adding or replacing shelves.



Puoi comporre la Open Suite più adatta al tuo ambiente muovendoti anche in larghezza, aggiungendo, tramite tralicci di collegamento, moduli cappa, moduli luce o mensole.



ALCUNE IDEE DI COMPOSIZIONE PER SOLUZIONI A PARETE SOME ARRANGEMENT IDEAS FOR WALL SOLUTIONS







IKONA MAXXI PURE

DESIGN FABRIZIO CRISÀ



IKONA MAXXI PURE

DESIGN FABRIZIO CRISÀ







IKONA MAXXI PURE ELICA AIR PURE

DESIGN FABRIZIO CRISÀ

120 x 44 cm

Filtrante Filtering

Acciaio inox, nero effetto soft touch Stainless steel, black soft touch effect

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE ASPIRAZIONE (MOTORE 1) EXTRACTION PERFORMANCE (MOTOR 1)

Comandi Controls	Pulsantiera elettronica 3V+ 3S+B Electronic push button
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	47 - 62 db(A)
Assorbimento totale Total absorption	200 W

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone rigenerabile incluso Regenerable charcoal filter included



EASY TO MAINTAIN



CM 50



CM 60




Ø150



ENERGY CLASS
(A+++/D)

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221
Filtro Hepa-Carbone Hepa-Charcoal filter	KIT0176157
Kit camino nero Black chimney kit	KIT0175017
Kit camino acciaio inox Stainless steel chimney kit	KIT0175018
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175807
Kit installazione a parete nero Black wall installation kit	KIT0175808
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0147942
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT0147941



PERFORMANCE PURIFICAZIONE (MOTORE 2) PURIFICATION PERFORMANCE (MOTOR 2)

Comandi Controls	Pulsantiera elettronica 2V 2S Electronic push button
Per stanze fino a For room up to	30 m²
Livello sonoro min-max Noise level min-max	37 - 66 db(A)
Assorbimento totale Total absorption	175 W
Particelle filtrate Filtered particles	Acari della polvere/polvere, peli di animali, pollini, muffe, fumo di sigaretta, combustibili per stufe, formaldeide (pitture e rivestimenti), odori di cottura. Dust/dust mites, animal dander, pollens, molds, cigarettes smoke, stoves combustibles, formaldehyde (paintings and coatings), cooking odors.



MULTIFUNCTION



COMBO
PURE FILTER



PURE
SILENCE

MODELLI MODELS

IKONA MAXXI PURE BL MAT/F/120	PRF0171195
IKONA MAXXI PURE IX/F/120	PRF0171196



Il motore della cappa e quello del purificatore sono azionabili con un'interfaccia dedicata e funzionano alternativamente l'uno dall'altro. Il camino, disponibile come accessorio sia per la versione aspirante che per quella filtrante, può essere installato sopra il motore cappa, a destra o a sinistra. The motor of the hood and purifier can be activated from a dedicated interface and operate alternately to each other. The chimney, available as an accessory for filtering and duct-out versions, can be installed above the hood motor, either on the right or left.

Il benessere in casa tua: stile e aria pura.
Wellness in your own home: style and pure air.



Oggi la cucina e il living sono uno spazio unico dove viviamo molti momenti della giornata e in cui cerchiamo comfort e benessere attraverso arredi dalle forme armoniose ed eleganti, illuminazione piacevole, nessun rumore fastidioso ma soprattutto aria purificata da respirare. A questo scopo, Elica crea Ikona Maxxi Pure, un valido aiuto per mantenere il giusto equilibrio della qualità dell'aria nella zona living, e che diventerà parte della tua routine quotidiana.

Today, the kitchen and living are a single space where we spend much of our day, in which we seek comfort and wellness through harmonious and elegant furnishings, pleasant lighting, the absence of annoying noises, but above all, the purified air that we breathe. With this in mind, Elica has created Ikona Maxxi Pure, a valuable aid in ensuring the right balance of the air quality in the living area, which will become part of your daily routine.

Un prodotto multifunzione che si prende cura dell'aria indoor
A multifunctional product that looks after indoor air

Ikona Maxxi Pure incorpora, in un elegante oggetto di arredo, una cappa e un purificatore d'aria che si prendono cura due volte dell'aria della casa. È stato pensato per migliorare la qualità dell'aria domestica senza bisogno di installare dispositivi aggiuntivi o sistemi di monitoraggio complessi, spesso scomodi e ingombranti.

Ikona Maxxi Pure è stato progettato per far funzionare in modo indipendente cappa e purificatore, senza alcun compromesso in termini di prestazioni e fruibilità. Il "cuore cappa" di Ikona Maxxi Pure elimina in modo efficace i vapori e gli odori della cottura. In alternativa, azionando il suo purificatore, sarà possibile liberare l'aria della zona giorno da allergeni e inquinanti, fornendo un aiuto concreto nel combattere sintomi allergici e malesseri respiratori legati presenza di agenti chimici, donando una sensazione di salute e di buonumore durante l'intera giornata.



Ikona Maxxi Pure incorporates, in an elegant furnishing, a hood and air purifier that take twofold care of the home's air. It has been designed to improve the quality of domestic air without needing to install additional devices or complex monitoring systems which are often impractical and invasive. Ikona Maxxi Pure has been designed to allow the hood and purifier to operate independently, without compromising on either performance or usability. The "hood core" of Ikona Maxxi Pure efficiently eliminates cooking fumes and vapours. Alternatively, by activating its purifier, the air in the living area can be freed of allergens and pollutants, providing an effective aid in combating allergy symptoms and breathing ailments tied to the presence of chemical agents, offering a sense of well-being and tranquillity all throughout the day.

Purificazione dell'aria super silenziosa Super-silent air purification



Ikona Maxxi Pure è in grado di purificare completamente l'aria di un ambiente di 30m² in soli 20 minuti. Il purificatore d'aria è dotato di uno speciale filtro combinato HEPA-carbone e può catturare particelle piccole fino a 1 micron. Ha due modalità: "Boost" per una pulizia intensiva dell'aria, e "Super Silent", perfetta per purificare silenziosamente la stanza lavorando in background.

Ikona Maxxi Pure is able to completely purify the air in a 30m² space in just 20 minutes. The air purifier is fitted with a special combined HEPA-carbon filter and can capture particles as small as 1 micron. It has two operating modes: "Boost" for intensive air cleaning, and "Super Silent", perfect for silently purifying the room, working in the background.




COMBO PURE FILTER (HEPA-CARBONE)

COMBO PURE FILTER (HEPA-CARBON)

Lo speciale Combo Pure Filter, un combinato di Hepa e carbone, cattura gli agenti inquinanti liberando la zona living da odori e allergeni come polvere, peli di animali, pollini, muffe e residui dannosi prodotti da detergenti per la pulizia della casa, pitture e rivestimenti. Per mantenere efficace la purificazione dell'aria, il filtro deve essere sostituito circa una volta all'anno. Ikona Maxxi Pure ti ricorderà di cambiarlo tramite un avviso sull'interfaccia utente, a garanzia di respirare sempre aria sana.

The special Combo Pure Filter, a combined Hepa and carbon filter, captures polluting agents, freeing the living area of unpleasant odours and allergens such as dust, animal hair, pollen, mould, and harmful residues produced by household detergents, paints and coverings. To maintain the efficiency of air purification, the filter must be replaced more or less once per year. Ikona Maxxi Pure will remind you to change it through an alert on the user interface to ensure the air you breaths is always healthy.

Il design che si adatta ad ogni living A design that adapts to any living space



Il design senza tempo di Ikona Maxxi Pure si adatta perfettamente ad ogni ambiente open space. Il prodotto è disponibile nelle finiture soft black matt o inox. Può essere installato in modalità filtrante o aspirante, sospeso o a parete. Il camino estetico, disponibile come accessorio, è posizionabile esclusivamente sopra la cappa a destra oppure a sinistra.


The timeless design of Ikona Maxxi Pure perfectly adapts to any open space area. The product is available in soft black matt or stainless steel finishes. It can be installed in a recirculating or duct-out version, suspended or wall-mounted. The attractive flue, available as an accessory, can be positioned exclusively above the hood on the right or left.





NUAGE

DESIGN FABRIZIO CRISÀ





NUAGE


DESIGN FABRIZIO CRISÀ

75 cm

Filtrante Filtering

Acciaio inox rivestibile con cartongesso (non incluso),

acciaio inox + bianco verniciabile Coverable stainless steel finish with drywall (not included), stainless steel + paintable white



Modello unico e personalizzabile secondo le esigenze del cliente. Due sono le versioni disponibili: rivestibile con cartongesso (spessore di 6 mm, non compreso nella confezione) o metallo bianco verniciabile. Le immagini presentate sono esempi di estetiche esclusivamente dimostrative.

A unique model that can be personalised to suit customer needs. It is available in two versions: ready for finishing with gypsum panels (6 mm thick, not included in packaging) or in white metal ready for painting. The images shown are only an example of the possible solutions.

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Rotativo elettronico 3V+I 3S+B Electronic rotative
Portata intensiva Booster airflow	580 m ³ /h
Livello sonoro min-max Noise level min-max	49 - 62 db(A)
Assorbimento totale Total absorption	227 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221

MODelli MODELS

NUAGE DRYWALL/F/75	PRF0096484
NUAGE PAINTABLE/F/75	PRF0098374



YE

DESIGN FABRIZIO CRISÀ







YE

DESIGN FABRIZIO CRISÀ

66x42 cm

Aspirante Duct-out

Cristalplant bianco White cristalplant



EASY TO
MAINTAIN



LONG LIFE
FILTER



SPECIAL
MATERIAL



CM 50




CM 65



0150



ENERGY
CLASS
(A+++)



Cristalplant®, materiale ipoallergenico e non tossico, resistente e piacevole al tatto. Grazie alla spugnetta abrasiva inclusa, ogni tipo di 'aggressione' superficiale può essere rimossa, mantenendo inalterato il suo aspetto nel tempo.

Cristalplant®, a hypoallergenic non-toxic material, resistant and agreeable to the touch. Thanks to the abrasive pad, any kind of surface damage can be easily removed while maintaining its original appearance over time.



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x4 W
Intensità Intensity	609 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Radiocomando 3V+I 3S+B Remote control
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	45 - 61 db(A)
Assorbimento totale Total absorption	268 W


Filtro grassi alluminio incluso Grease aluminium filter included
Radiocomando bianco incluso White remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141737
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469

MODELLI MODELS

YE WH/A/66	PRF0098375
------------	------------



WALL MOUNTED

Materiali eterogenei accostati tra loro per dar vita a cappe a parete dal potente cuore aspirante, nate per garantire un'aspirazione multidimensionale. Un design lineare, con fughe prospettiche che ne esaltano la verticalità, a richiamo della naturale ascensionalità dei fumi aspirati. Il legno, così come il gres, l'acciaio e il vetro nero, sono i materiali selezionati per realizzare questa gamma di cappe da vivere ogni giorno, belle e funzionali. Che emozionano.

A mixture of materials, placed alongside one other, to create wall-mounted hoods with a powerful extraction unit, designed to guarantee multidimensional extraction. A linear design, with vanishing points that enhance its verticality, drawing the eye up like the natural rise of the extracted fumes. Wood, like porcelain stoneware, steel and black glass, are materials that have been selected to create this attractive and functional range of hoods to enjoy every day. Conjuring up emotions.



HAIKU

DESIGN FABRIZIO CRISÀ







HAIKU

DESIGN FABRIZIO CRISÀ




32 - 60 - 90 - 120 cm

Aspirante Duct-out

Vetro nero, Krion bianco, acciaio inox

Black glass, white Krion, stainless steel



Possibilità di installazione, in modalità aspirante o filtrante, senza ausilio del camino superiore, restando in un'altezza di 680 mm

Possibility for installation in extraction or filtration mode, without the aid of the upper chimney, remaining within a height of 680 mm

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	253 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	690 m³/h
Livello sonoro min-max Noise level min-max	34 - 51 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODELLI MODELS

HAIKU IX/A/32	PRF0146254
HAIKU IX/A/60	PRF0146255
HAIKU IX/A/90	PRF0146256
HAIKU IX/A/120	PRF0146257
HAIKU BL/A/32	PRF0146263
HAIKU BL/A/60	PRF0146264
HAIKU BL/A/90	PRF0146265
HAIKU BL/A/120	PRF0146266
HAIKU WH/A/32	PRF0146267
HAIKU WH/A/60	PRF0146268
HAIKU WH/A/90	PRF0146269
HAIKU WH/A/120	PRF0146270

Armonia e semplicità Harmony and simplicity

La linearità estetica prende forma nelle griglie in alluminio effetto ghisa che caratterizzano fortemente il prodotto. Sono facili da rimuovere e dotate di un sistema di bloccaggio ideato per evitare ogni possibile caduta accidentale.

La proposta dei materiali e delle superfici continue permettono una pulizia veloce ma efficace, anche dopo le cotture più ricche.

The aesthetic linearity can be seen in the cast iron effect aluminium grilles, which strongly characterise the product. They are easy to remove and are equipped with a blocking system designed to avoid accidental falls. The proposed materials and continuous surfaces allow fast and efficient cleaning, even after more intense cooking sessions.



Visioni metriche Metric visions

Haiku, grazie alla varietà di dimensioni proposte, è perfetta per diverse soluzioni progettuali.

È disponibile sia nella versione a parete (32, 60, 90 e 120cm) che a isola (32, 120, 180cm), nelle modalità aspirante e filtrante.

Thanks to the sizes in which it is proposed, Haiku is perfect for a range of design solutions. It is available in both a wall-mounted version (32, 60, 90 and 120 cm) and island version (32, 120, 180 cm), in both an extractor and filtration version.

Shift 3238 system - l'unico sistema a profondità regolabile Shift 3238 system - the only system with adjustable depth


Elica, per prima sul mercato, propone per Haiku SHIFT 3238 un sistema innovativo di staffe a muro, grazie al quale le operazioni di installazione si semplificano. Sarà possibile scegliere la posizione di Haiku per averla in linea con i pensili o per aumentare lo spazio di azione sul piano cottura.

SHIFT 3238 permette al corpo cappa di regolare millimetricamente la sua profondità. I vincoli semplicemente spariscono e si moltiplicano le soluzioni estetiche e i vantaggi nelle operazioni di pulizia.



Elica was the first in the market to propose an innovative wall-mounted bracket system in Haiku SHIFT 3238, thanks to which installation operations have been largely simplified. Haiku can be positioned either in line with the shelves or in such a way as to increase the work space on the hob.

SHIFT 3238 allows the millimetric adjustment of the hood body depth. Limitations simply disappear and aesthetic solutions multiply, as do the advantages of cleaning operations.



BIO

DESIGN FABRIZIO CRISÀ









BIO

DESIGN FABRIZIO CRISÀ




90 cm

Aspirante Duct-out

Rovere naturale + bianco effetto soft touch

Natural oak + white soft touch effect



Possibilità di installazione, in modalità aspirante o filtrante, senza ausilio del camino superiore, restando in un'altezza di 678 mm
Possibility for installation in extraction or filtration mode, without the aid of the upper chimney, remaining within a height of 678 mm

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	757 m³/h
Livello sonoro min-max Noise level min-max	32 - 60 db(A)
Assorbimento totale Total absorption	317 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Kit prima installazione filtrante HP First installation HP filtering kit	KIT0160440
Filtro carbone rigenerabile HP Regenerable charcoal HP filter	CFC0140091
Kit mensola muro rovere 60cm Oak wall shelf kit 60cm	KIT0120946
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469

MODelli MODELS

BIO WH/A 90 ROVERE	PRF0147266
--------------------	------------





METEORITE

DESIGN FABRIZIO CRISÀ

90 - 120 cm

Aspirante Duct-out

Acciaio inox + vetro nero

Stainless steel + black glass



EASY TO
MAINTAIN



MULTI-D
CAPTURE



LONG LIFE
FILTER ++



COMFORT
SILENCE



TUNE WHITE



CM 50



CM 65



Ø150



ENERGY
CLASS
(A++/D)

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+2I 3S+2B Capacitive touch control
Portata intensiva Booster airflow	800 m³/h
Livello sonoro min-max Noise level min-max	31 - 60 db(A)
Assorbimento totale Total absorption	317 W


Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included


ACCESSORI ACCESSORIES

Kit prima installazione filtrante HP First installation HP filtering kit	KIT0160440
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Filtro carbone rigenerabile HP Regenerable charcoal filter HP	CFC0140091

MODELLI MODELS

METEORITE IX/A/90	PRF0147272
METEORITE IX/A/120	PRF0147273







MOON

ELICA DESIGN CENTER


60 - 90 - 120 cm

Filtrante Filtering

Acciaio inox Stainless steel



ENERGY
CLASS
(A⁺⁺⁺/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Neon 1x14 W (60cm) - Neon 1x21 W (90cm) - Neon 1x28 W (120cm)
Intensità Intensity	113 (60cm) - 170 (90cm) - 115 (120cm) LUX
Temperatura Temperature	6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	690 m ³ /h
Livello sonoro min-max Noise level min-max	52 - 68 db(A)
Assorbimento totale Total absorption	274 W (60cm) - 281 W (90cm) - 288 W (120cm)

Filtro grassi alluminio incluso Grease aluminium Filter included

Filtro carbone incluso Charcoal filter included

Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODelli MODELS

MOON IX/F/60	PRF0091764A
MOON IX/F/90	PRF0079550A
MOON IX/F/120	PRF0079551A





SWEET

DESIGN FABRIZIO CRISÀ



SWEET PELTROX



SWEET WHITE



SWEET IVORY



SWEET UMBER



SWEET COPPER



SWEET CAST IRON




SWEET

DESIGN FABRIZIO CRISÀ

85 cm

Aspirante, Filtrante Duct-out, Filtering

Verniciature: bianco opaco, tortora opaco, avorio, rame opaco, peltrox, ghisa
Painted: matt white, matt umber, ivory, matt copper, peltrox, cast iron



L'utilizzo del tecnopoliomerico permette di ottenere le linee morbide e caratterizzanti del design di Sweet. Disponibile sia in versione filtrante senza estensione camino che in versione aspirante con kit camino prolunga compreso nell'imballo.

The use of engineering plastics makes it possible to create the soft contours typical of the Sweet design. Available in both a filtration version without flue extension and extraction version with flue extension kit included in the packaging.



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	197 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control infrarossi 3V+I 3S+B Infrared touch control
Portata intensiva Booster airflow	580 m³/h
Livello sonoro min-max Noise level min-max	46 - 61 db(A)
Assorbimento totale Total absorption	207 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso (*) Regenerable charcoal filter included (*)
Estensione camino incluso (Aspirante) Extension chimney included (Duct-out)

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140426
--	------------

MODelli MODELS

SWEET WHITE/A/85+CAM	PRF0167320
SWEET WHITE F/85 (*)	PRF0043030A
SWEET UMBER/A/85+CAM	PRF0167321
SWEET UMBER F/85 (*)	PRF0043031A
SWEET IVORY/A/85+CAM	PRF0167322
SWEET IVORY F/85 (*)	PRF0043033A
SWEET COPPER/A/85+CAM	PRF0167324
SWEET COPPER/F/85 (*)	PRF0120672A
SWEET PELTROX/A/85+CAM	PRF0167323
SWEET PELTROX/F/85 (*)	PRF0120689A
SWEET CAST IRON/A/85+CAM	PRF0167319
SWEET CAST IRON/F/85 (*)	PRF0120702A



ADÉLE

DESIGN FABRIZIO CRISÀ





ADÉLE BLIX



ADÉLE BL MAT



ADÉLE


DESIGN FABRIZIO CRISÀ

60 - 90 cm

Aspirante Duct-out

Acciaio inox + vetro nero, nero effetto soft touch + vetro nero

Stainless steel + black glass, black soft touch effect + black glass



ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7 W
Intensità Intensity	421 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	770 m³/h
Livello sonoro min-max Noise level min-max	55 - 69 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Kit prolunga camino acciaio inox H81 Stainless steel chimney extension kit H81	KIT00780

MODELLI MODELS

ADÉLE BLIX/A/60	PRF0167314
ADÉLE BLIX/A/90	PRF0167315
ADÉLE BL MAT/A/60	PRF0167318
ADÉLE BL MAT/A/90	PRF0167317



JOY

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Acciaio inox + vetro bianco, acciaio inox + vetro nero
Stainless steel + white glass, stainless steel + black glass



LONG LIFE
FILTER



CM 50




CM 65



CM 150



B
ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	713 m³/h
Livello sonoro min-max Noise level min-max	51 - 69 db(A)
Assorbimento totale Total absorption	265 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Kit prolunga camino acciaio inox H81 Stainless steel chimney extension kit H81	KIT00780

MODelli MODELS

JOY BLIX/A/60	PRF0104625A
JOY BLIX/A/90	PRF0104626A
JOY WHIX/A/60	PRF0104630A
JOY WHIX/A/90	PRF0104631A



GALAXY

ELICA DESIGN CENTER

80 cm

Aspirante Duct-out

Acciaio inox + vetro nero, acciaio inox + vetro bianco
Stainless steel + black glass, stainless steel + white glass



LONG LIFE FILTER



CM 50




CM 65



0150



ENERGY CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	145 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+1 3S+B Capacitive touch control
Portata intensiva Booster airflow	647 m ³ /h
Livello sonoro min-max Noise level min-max	52 - 69 db(A)
Assorbimento totale Total absorption	265 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODELLI MODELS

GALAXY BLIX/A/80	PRF0008948B
GALAXY WHIX/A/80	PRF0009822B




THIN

DESIGN FABRIZIO CRISÀ

60 - 90 - 120 cm

Aspirante Duct-out

Acciaio inox Stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	477 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control infrarossi 3V+2I 3S+2B Infrared touch control
Portata intensiva Booster airflow	680 m³/h
Livello sonoro min-max Noise level min-max	34 - 52 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODelli MODELS

THIN IX/A/60	PRF0144970
THIN IX/A/90	PRF0144969
THIN IX/A/120	PRF0144972



LOL

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Nero goffrato, acciaio inox

Embossed black, stainless steel



LONG LIFE FILTER



CM 50




CM 65



0150



ENERGY CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Rotativo elettronico 3V+I 3S+B Electronic rotative
Portata intensiva Booster airflow	680 m³/h
Livello sonoro min-max Noise level min-max	52 - 67 db(A)
Assorbimento totale Total absorption	255 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CF0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CF0141725A
Kit prolunga camino acciaio inox H81 Stainless steel chimney extension kit H81	KIT00780

MODELLI MODELS

LOL IX/A/60	PRF0097149A
LOL IX/A/90	PRF0097323A
LOL BL/A/60	PRF0097782A
LOL BL/A/90	PRF0097906A




SPOT PLUS

DESIGN FABRIZIO CRISÀ

60 - 90 - 120 cm
Aspirante Duct-out
Acciaio inox Stainless steel



A



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con LCD 3V+ 3S+B Electronic push button with LCD
Portata intensiva Booster airflow	620 m ³ /h
Livello sonoro min-max Noise level min-max	52 - 67 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Kit prolunga camino acciaio inox H81 Stainless steel chimney extension kit H81	KIT00780

MODELLI MODELS

SPOT PLUS IX/A/60	PRF0097374A
SPOT PLUS IX/A/90	PRF0097373A
SPOT PLUS IX/A/120	PRF0100242A



SPOT URBAN

ELICA DESIGN CENTER

90 cm

Aspirante Duct-out

Metallo effetto ghisa, metallo effetto zincato

Cast iron effect metal, zinc coating effect metal



LONG LIFE FILTER



SPECIAL MATERIAL



CM 50




CM 65



Ø150



ENERGY CLASS
(A++/D)



In linea con i nuovi trend delle cucine, che vede sempre più presente un design industrial e Urban, Elica ha ideato nuove combinazioni di finiture che permettono alla cappa di integrarsi perfettamente con questo stile.

In line with latest kitchen trends, where industrial and urban design is continuously gaining ground, Elica has developed new combinations of finishes allowing the hood to be perfectly integrated with this style.

ILLUMINAZIONE LIGHTING

Tipo Type

Led 2x2,5 W

Intensità Intensity

381 LUX

Temperatura Temperature

3500 K

PERFORMANCE PERFORMANCE

Comandi

Pulsantiera meccanica 3V

Controls

3S Mechanical push button

Portata massima

630 m³/h

Max airflow

52 - 71 db(A)

Livello sonoro min-max

Noise level min-max

Assorbimento totale

255 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0141529A

Filtro carbone rigenerabile

CFC0141725A

Regenerable charcoal filter

MODelli MODELS

SPOT URBAN CAST IRON/A/90

PRF0147736

SPOT URBAN ZINC/A/90

PRF0147737




SPOT NG

ELICA DESIGN CENTER

60 - 90 - 120 cm (H6 - H10)

Aspirante Duct-out

Acciaio inox Stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W (60cm,90cm) - Led 3x2,5 W (120cm)
Intensità Intensity	381 (60cm,90cm) - 571 LUX (120cm)
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	368 m ³ /h
Livello sonoro min-max Noise level min-max	55 - 62 db(A)
Assorbimento totale Total absorption	140 W (60cm,90cm) - 142.5 W (120cm)

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Kit prolunga camino acciaio inox H81 Stainless steel chimney extension kit H81	KIT00780

MODELLI MODELS

SPOT NG H10 IX/A/60	55916386A
SPOT NG H10 IX/A/90	55916387A
SPOT NG H10 IX/A/120	PRF0099408A
SPOT NG H6 IX/A/60	55916388A
SPOT NG H6 IX/A/90	55916389A
SPOT NG H6 IX/A/120	PRF0099407A



CRUISE

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Acciaio inox Stainless steel



LONG LIFE FILTER



CM 50




CM 65



0150



B
ENERGY CLASS (A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	145 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con display 3V+ 3S+B Electronic push button with display
Portata intensiva Booster airflow	713 m³/h
Livello sonoro min-max Noise level min-max	51 - 69 db(A)
Assorbimento totale Total absorption	265 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Kit prolunga camino acciaio inox H81 Stainless steel chimney extension kit H81	KIT00780

MODELLI MODELS


CRUISE IX/A/60	PRF0147062
CRUISE IX/A/90	PRF0147074



TRIBE

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio inox + vetro
Stainless steel + glass



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	48 - 64 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Kit prolunga camino acciaio inox H81 Stainless steel chimney extension kit H81	KIT00780

MODELLI MODELS

TRIBE A IX/A/60	PRF0150292
TRIBE A IX/A/90	PRF0150291



FLAT GLASS

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Acciaio Inox + vetro

Stainless steel + glass



LONG LIFE FILTER



CM 50




CM 65



0150



ENERGY CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	368 m³/h
Livello sonoro min-max Noise level min-max	55 - 62 db(A)
Assorbimento totale Total absorption	140 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Kit prolunga camino acciaio inox H81 Stainless steel chimney extension kit H81	KIT00780

MODELLI MODELS

FLAT GLASS IX/A/60	68516391A
FLAT GLASS IX/A/90	68516390A



REEF

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Acciaio inox + vetro

Stainless steel + glass



LONG LIFE
FILTER



CM 50




CM 65



0150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con display 3V+3S+B Electronic push button with display
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	48 - 64 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Kit prolunga camino acciaio inox H81 Stainless steel chimney extension kit H81	KIT00780

MODelli MODELS

REEF A IX/A/60	PRF0150289
REEF A IX/A/90	PRF0150288



CIRCUS

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Acciaio inox + vetro

Stainless steel + glass



LONG LIFE FILTER



CM 50




CM 65



0150



ENERGY CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	368 m³/h
Livello sonoro min-max Noise level min-max	55 - 62 db(A)
Assorbimento totale Total absorption	140 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Kit prolunga camino acciaio inox H81 Stainless steel chimney extension kit H81	KIT00780

MODELLI

CIRCUS IX/A/60	68116393A
CIRCUS IX/A/90	68116392A






SUPER PLAT
DESIGN FABRIZIO CRISÀ



SUPER PLAT GR



SUPER PLAT BL







SUPER PLAT

DESIGN FABRIZIO CRISÀ

ELICA CONNECT

80 cm
Filtrante Filtering
Vetro nero, vetro grigio + effetto ghisa
Black glass, grey glass + cast iron effect



Super Plat consente all'utente di sentirsi più libero e di avere più tempo per concentrarsi sulle operazioni di cottura grazie al suo sistema wireless intelligente. La cappa può essere utilizzata tramite la app Elica Connect o uno smart speaker ricevendo e dando informazioni.

Super Plat heightens the user's sense of freedom, offering more time to concentrate on cooking thanks to the smart wireless system. The hood can be used either through the Elica Connect app or with a smart speaker, giving and receiving information.



reddot award 2021
winner

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	197 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+2I 3S+2B Capacitive touch control
Portata intensiva Booster airflow	740 m³/h
Livello sonoro min-max Noise level min-max	37 - 57 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile (*) Regenerable charcoal filter (*)	CFC0140423
Kit camino acciaio inox Stainless steel chimney kit	KIT0171543
Kit camino nero Black chimney kit	KIT0166364
(*) ordinare 3 pezzi (*) order 3 pieces	

MODelli MODELS

SUPER PLAT BL/F/80	PRF0164980
SUPER PLAT GR/F/80	PRF0165017

Combinazione unica di forme e materiali

Unique combination of form and material

Il nuovo modello Super Plat è una cappa dalle linee semplici e moderne. Nasce dall'esigenza di chi predilige un elettrodomestico che, pur mantenendo la sua identità, si integra perfettamente allo stile della cucina in cui è inserita, senza provocare discontinuità di forma e superficie. Il suo design la rende perfetta sia nell'installazione stand-alone che inserita tra due pensili. Offre un'ampia flessibilità d'uso: nasce in versione filtrante e con l'aggiunta di camini estetici può essere facilmente trasformata in modalità aspirante. Super Plat è disponibile in vetro nero o vetro grigio, combinati con elementi effetto ghisa che la rendono protagonista in cucina.

The new Super Plat model is a hood characterised by simple and modern lines. It's a response to the demand for an electrical appliance, which, despite remaining true to its identity, perfectly blends into the style of the kitchen where it's installed, without interrupting the continuity of forms and surfaces. Its design makes it perfect for installation either as a stand-alone or between cabinets. It offers broad flexibility of use: it is originally a recirculating hood, but with the addition of stylish flues can easily be transformed into a duct-out version. Super Plat is available in black or grey glass, combined with cast iron effect elements to make it a genuine feature item in the kitchen.




Connessione Wi-Fi

Wi-Fi connection

ELICA CONNECT

Grazie al suo modulo Wi-fi, Super Plat è sempre connessa ad un cloud a tua disposizione. Attraverso la app Elica Connect si possono controllare da remoto la velocità di aspirazione, tutte le funzionalità della luce e monitorare lo stato del prodotto. Con la app avrai accesso a strumenti che ti aiuteranno a mantenere pulito ed efficiente il tuo prodotto nel tempo. Inoltre, è possibile collegare Super Plat con gli smart speakers più diffusi per comandarla con la tua voce.

Thanks to its Wi-Fi module, Super Plat is always connected to a cloud at your service. Using the Elica Connect app, you can control the extraction speed, all light functions and even monitor the product's status. The app provides you with access to tools that help keep your product running clean and efficiently over time. What's more, Super Plat can be connected with the most popular smart speakers so you can control it with your own voice.



Performance al top

Top performance

Super Plat sfrutta la tecnologia Multi-d Capture di Elica: l'aspirazione non è più concentrata in una specifica zona ma distribuita su tutto il perimetro della superficie frontale. In questo modo la capacità di captazione raggiunge il massimo livello ed è in grado di garantire ottimi risultati nella pulizia dell'aria sia da vapori che da cattivi odori. Nonostante la potenza del suo motore, Super Plat resta molto silenziosa anche alla massima potenza grazie alla tecnologia Comfort Silence che consente una riduzione del rumore durante l'utilizzo della cappa in ogni situazione domestica.

Super Plat exploits Elica's Multi-d Capture technology: extraction is no longer concentrated in one specific zone but rather distributed across the entire perimeter of the front surface. As such, the extraction capacity reaches the highest levels and is able to guarantee excellent results in terms of clearing the air of unpleasant vapours and smells. Despite its powerful motor, Super Plat is extremely quiet even at the highest speed thanks to the Comfort Silence technology, which reduces the noise level during use of the hood in all household situations.



Facile da pulire

Easy to clean

Super Plat è stata progettata per permettere all'utente di eseguire le normali operazioni di manutenzione e pulizia in modo semplice, rapido e sicuro. L'assenza di parti meccaniche a vista per l'apertura del pannello frontale semplifica le operazioni di manutenzione: gli utenti hanno accesso diretto alla parte interna del prodotto e possono muoversi in libertà senza alcun ostacolo. Le griglie sono facilmente smontabili per essere completamente igienizzate.

Super Plat is designed to make standard cleaning and maintenance operations simpler, faster and safer for the user. The absence of any visible mechanical parts when the front panel is opened greatly simplifies maintenance operations: users have direct access to the inside of the product and are free to move without any obstructions. The grates are easy to remove for total sanitisation.



PLAT

DESIGN FABRIZIO CRISÀ





PLAT BL/55



PLAT BL/80



PLAT WH/80



PLAT

DESIGN FABRIZIO CRISÀ

55 - 80 cm

Filtrante Filtering

Vetro nero, vetro bianco

Black glass, white glass



EASY TO
MAINTAIN



MULTI-D
CAPTURE



LONG LIFE
FILTER



COMFORT
SILENCE



CM 50




CM 65



0150



ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive Touch-control
Portata intensiva Booster airflow	710 m³/h
Livello sonoro min-max Noise level min-max	37 - 57 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile (*) Regenerable charcoal filter (*)	CFC0140423
Kit camino inox Stainless steel chimney kit	KIT0171543
Kit camino nero Black chimney kit	KIT0166364
(*) per versione 55 ordinare 2 pezzi (*) for version 55, order 2 pieces	
(*) per versione 80 ordinare 3 pezzi (*) for version 80, order 3 pieces	

MODelli MODELS

PLAT BL/F/55	PRF0164946
PLAT BL/F/80	PRF0164874
PLAT WH/F/55	PRF0165707
PLAT WH/F/80	PRF0165712





RULES

DESIGN FABRIZIO CRISÀ



RULES

DESIGN FABRIZIO CRISÀ





RULES DEKTON



RULES BL



RULES NAKED



RULES NAKED



RULES BL





RULES

DESIGN FABRIZIO CRISÀ

60 - 90 - 120 cm

Filtrante Filtering

Vetro nero, Dekton nero "sirius", rivestibile
Black glass, "Sirius" black Dekton, coverable



 La versione NAKED di Rules è un modello unico, personalizzabile secondo le esigenze del cliente. Può essere rivestito con lo stesso materiale utilizzato per la tua cucina (Il pannello utilizzato non deve superare il peso totale di 4kg). Le immagini presentate sono esempi di estetiche esclusivamente dimostrative.

The NAKED version of Rules is a unique model that can be personalised to suit customer needs. It can be finished with the same material used for your kitchen (The panel used must not exceed the total weight of 4kg). The images shown are only an example of the possible solutions.



reddot award 2021
winner



archiproducts
DESIGN AWARDS
—
WINNER 2020



IDA
DESIGN AWARDS
2020
WINNER



if



ICO NIC
AWARDS
2021
INNOVATIVE
INTERIOR
best of best



GERMAN
INNOVATION
AWARD 2021
WINNER

ILLUMINAZIONE LIGHTING

Tipo Type STRIP LED 2x7 W (DEKT - NAKED)
STRIP LED 1x7 W (BL)

Intensità Intensity 365 (BL) - 310 (DEKT-NAKED) LUX

Temperatura Temperature 3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	BL Touch control capacitivo 3V+I 3S+B Capacitive Touch-control	DEKT / NAKED Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	700 m ³ /h	700 m ³ /h
Livello sonoro min-max Noise level min-max	40 - 58 db(A)	40 - 58 db(A)
Assorbimento totale Total absorption	277 W	280 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile (*) CFC0166361
Regenerable charcoal filter (*)

Kit camino inox Stainless steel chimney kit KIT0171543

Kit camino nero Black chimney kit KIT0166364

(*) per versione 60 ordinare 2 pezzi (*) for version 60, order 2 pieces

(*) per versione 90 ordinare 3 pezzi (*) for version 90, order 3 pieces

(*) per versione 120 ordinare 4 pezzi (*) for version 120, order 4 pieces

MODELLI MODELS

RULES BL/F/60 PRF0163752

RULES BL/F/90 PRF0163751

RULES BL/F/120 PRF0163753

RULES DEKT/F/60 PRF0163755

RULES DEKT/F/90 PRF0163754

RULES DEKT/F/120 PRF0163756

RULES NAKED/F/60 PRF0163758

RULES NAKED/F/90 PRF0163757

RULES NAKED/F/120 PRF0163759




Today's kitchens, dominated by clean and essential lines, require flexible design concepts able to maximise space. Hence Rules was born, designed to be in harmony with the kitchen project. This new model guarantees a completely customisable solution thanks to the innovative system allowing millimetric modulation of its depth during installation. When reduced to the minimum thickness of 21 cm, Rules becomes a stand-alone and almost disappears into the wall; when the depth is increased to 36 cm, it perfectly aligns with cabinets of any depth. The dimensions of Rules are the same as those of standard cabinets with height 36 cm, allowing complete integration with all kitchen compositions.

Stand-alone o integrata grazie alla profondità regolabile

Stand-alone or integrated thanks to adjustable depth

Le cucine di oggi, dove linee pulite ed essenziali sono dominanti, richiedono concetti di design flessibili e in grado di massimizzare gli spazi. Per questo nasce Rules, disegnata per essere in armonia con il progetto cucina. Questo nuovo modello garantisce un'installazione completamente personalizzabile, grazie all'innovativo sistema in grado di modulare millimetricamente la sua profondità in fase di installazione. Riducendo al minimo lo spessore, 21 cm, Rules diventa stand-alone e quasi scompare nella parete; aumentando la profondità fino a 36 cm si allinea perfettamente a pensili di ogni profondità. Le dimensioni di Rules sono le stesse di pensili standard con altezza di 36 cm e permettono una completa integrazione con tutte le composizioni di cucina.



Un vestito su misura A tailor-made outfit



Ampia è la scelta delle finiture disponibili, studiate per vestire al meglio ogni ambiente. La versione in vetro nero conferisce al prodotto un design minimal ed elegante. Per chi ricerca invece la totale integrazione con i mobili della propria cucina c'è la versione naked, pannellabile con la stessa anta dei pensili, che permette al prodotto di scomparire, mimetizzandosi perfettamente tra i cabinet.

Per una cappa dal carattere deciso c'è la versione in DEKTON® nero Sirius pensata per ricreare il total look in cucina. Questo materiale è durevole, resistente e di facile manutenzione e conferisce un aspetto sofisticato e moderno ad ogni ambiente.

A broad selection of available finishes, designed to bring out the best in every space. The version in black glass dresses the product with a minimalist and elegant design. For those looking for total integration with their kitchen furniture there's the naked version, which can be clad with the same door as the cabinets, thus totally concealing and disguising the product among the kitchen cabinets. For a more determined hood there's the version in black DEKTON® Sirius, designed to recreate a total look in the kitchen. A durable, resilient material that's easy to maintain, adding a sophisticated and modern feel to every space.



Facile da pulire Easy to clean

Rules è dotata di griglie inclinate brevettate che, grazie alla loro speciale struttura, catturano le gocce di condensa e le convogliano all'interno di una vaschetta. Quando è necessaria una pulizia profonda, il collettore dell'acqua può essere rimosso senza la necessità di alcun attrezzo e igienizzato.

La linearità progettuale di Rules la rende estremamente facile da pulire. Tutte le finiture possono essere trattate facilmente con acqua e sapone neutro. Attraverso una semplice rimozione dei filtri antigraso, è possibile accedere alla parte interna della cappa per la manutenzione dei filtri.

Rules comes with patented tilted grates, which thanks to their special structure, capture drops of condensate and convey them to a collection tray. When deep cleaning is required, the water tray can be removed and sanitised without the need for any tools. The linear design of Rules makes it extremely easy to clean. All the finishes can easily be treated with water and a neutral soap. By simply removing the grease filter, it's possible to reach the inside of the hood to service the filters.



BLOOM-S

DESIGN FABRIZIO CRISÀ





BLOOM-S DEKTON



BLOOM-S DEKTON



BLOOM-S WH



BLOOM-S WH




BLOOM-S

DESIGN FABRIZIO CRISÀ

85 cm

Aspirante Duct-out

Vetro bianco, Dekton nero "sirius"
White glass, "Sirius" black Dekton



La parte frontale della cappa è caratterizzata da un visore mobile, azionabile manualmente, che consente di aumentare la captazione dei fumi durante le operazioni di cottura. La versione Dekton, grazie alle caratteristiche di questo materiale, ha un'alta resistenza ai raggi UV, ai graffi e alle macchie.

The front part of the hood is characterised by a mobile, manually operated visor, which allows increased fume extraction during cooking. The Dekton version, thanks to the characteristics of this material, is highly resistant to UV rays, scratches and dents.

ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x1 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control infrarossi 3V+2I 3S+2B Infrared touch control
Portata intensiva Booster airflow	750 m³/h
Livello sonoro min-max Noise level min-max	35 - 53 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221

MODelli MODELS

BLOOM-S WH/A/85	PRF0164490
BLOOM-S DEKT/A/85	PRF0164475





MAJESTIC NO DRIP

DESIGN FABRIZIO CRISÀ

60 - 90 cm

Aspirante Duct-out

Vetro nero + acciaio inox

Black glass + stainless steel



BACK ASPIRATION



EASY TO MAINTAIN



LONG LIFE FILTER



CM 40




CM 60



Ø150



ENERGY CLASS
(A***/D)



La cappa è dotata di un sistema di resistenze che permette al vetro di riscaldarsi, riducendo così la formazione della condensa. Un suo eventuale residuo viene raccolto in un apposito collettore.

The hood features a heating element system that allows the glass to heat up, thus reducing the formation of condensate. Any residual condensate is then collected in a dedicated manifold.

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	46 - 60 db(A)
Assorbimento totale Total absorption	207 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469

MODELLI MODELS

MAJESTIC NO DRIP BL/A/60	PRF0147731
MAJESTIC NO DRIP BL/A/90	PRF0147732





MAJESTIC

DESIGN FABRIZIO CRISÀ



60 - 90 cm

Aspirante Duct-out

Vetro nero + acciaio inox, vetro bianco + acciaio inox

Black glass + stainless steel, white glass + stainless steel



BACK ASPIRATION



EASY TO MAINTAIN



LONG LIFE FILTER



CM 45




CM 55



Ø150



ENERGY CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	145 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	691 m³/h
Livello sonoro min-max Noise level min-max	49 - 65 db(A)
Assorbimento totale Total absorption	255 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221

MODelli MODELS

MAJESTIC BL/A/60	PRF0117381A
MAJESTIC BL/A/90	PRF0116967A
MAJESTIC WH/A/60	PRF0124235A
MAJESTIC WH/A/90	PRF0124236A

OM AIR BLACK



OM AIR

ELICA DESIGN CENTER

75 cm

Filtrante Filtering

Vetro bianco, vetro nero, vetro colorato
White glass, black glass, coloured glassMULTI-D
CAPTUREBACK
ASPIRATIONEASY TO
MAINTAINLONG LIFE
FILTER


CM 40



CM 55



Ø150

ENERGY
CLASS
(A+++)

Al momento dell'attivazione, l'anello centrale si muove elettronicamente verso l'interno consentendo alla cappa di attivare l'aspirazione perimetrale.
When activated, the central ring electronically shifts inward, thus allowing the hood to activate perimeter extraction.

ILLUMINAZIONE LIGHTING

Tipo Type

Strip Led 1x7 W

Intensità Intensity

113 LUX

Temperatura Temperature

4000 K

PERFORMANCE PERFORMANCE

Comandi

Touch control capacitivo 3V+I

Controls

3S+B Capacitive touch control

Portata intensiva

650 m³/h

Booster airflow

42 - 60 db(A)

Livello sonoro min-max

247 W

Noise level min-max

Assorbimento totale

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0140343

Filtro carbone rigenerabile Regenerable charcoal filter

CFC0162221

Kit camino lungo Long chimney kit

KIT0010439

Kit camino corto Short chimney kit

KIT0010700

MODelli MODELS

OM AIR BL/F/75

PRF0094744

OM AIR WH/F/75

PRF0094734

OM AIR NATURE/F/75

PRF0100231

OM AIR POP/F/75

PRF0098373

OM AIR VINTAGE/F/75

PRF0100138

OM AIR BEAUTY/F/75

PRF0100137



MINI OM WH



MINI OM BL

MINI OM

ELICA DESIGN CENTER

55 cm

Filtrante Filtering

Vetro bianco, vetro nero
White glass, black glass



BACK ASPIRATION



EASY TO MAINTAIN



LONG LIFE FILTER



CM 40




CM 50



Ø150



ENERGY CLASS
(A***/D)



Long min 450 - max 890
Short min 235 - max 465

ILLUMINAZIONE LIGHTING

Tipo Type

Led 2x2,5 W

Intensità Intensity

341 LUX

Temperatura Temperature

3500 K

PERFORMANCE

Comandi

Pulsantiera soft light 3V

Controls

3S Soft light push button

Portata massima

590 m³/h

Max airflow

Livello sonoro min-max

48 - 63 db(A)

Noise level min-max

Absorbimento totale

225 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI

Filtro carbone rigenerabile

CFC0140423

Regenerable charcoal filter

KIT01513

Kit camino lungo Long chimney kit

KIT01797

Kit camino corto Short chimney kit

MODelli MODELS

MINI OM BL/F/55

61614583A

MINI OM WH/F/55

61614584A



SINFONIA

DESIGN FABRIZIO CRISÀ

80 cm

Filtrante Filtering

Vetro bianco, vetro nero
White glass, black glass



BACK ASPIRATION



EASY TO MAINTAIN



LONG LIFE FILTER



CM 30



CM 35




Ø150



ENERGY CLASS
(A++/D)

B



ILLUMINAZIONE LIGHTING

Tipo Type

Neon 2x14 W

Intensità Intensity

59 LUX

Temperatura Temperature

4000 K

PERFORMANCE PERFORMANCE

Comandi

Touch control capacitivo 3V+I

Controls

3S+B Capacitive touch control

Portata intensiva

760 m³/h

Booster airflow

Livello sonoro min-max

56 - 70 db(A)

Noise level min-max

Assorbimento totale

328 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium Filter included

Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile

CFC0140088

Regenerable charcoal filter

KIT0010439

Kit camino lungo Long chimney kit

KIT0010700

Kit camino corto Short chimney kit

MODELLI MODELS

SINFONIA BL/F/80

PRF0010417B

SINFONIA WH/F/80

PRF0010418B



VERTIGO

ELICA DESIGN CENTER

90 - 120 cm

Filtrante Filtering

Vetro bianco, vetro nero

White glass, black glass



BACK
ASPIRATION



EASY TO
MAINTAIN



LONG LIFE
FILTER



CM 45



CM 50




Ø150



ENERGY
CLASS
(A⁺⁺⁺/D)

B



ILLUMINAZIONE LIGHTING

Tipo Type

STRIP LED 1x7W

Intensità Intensity

301 LUX

Temperatura Temperature

3500 K

PERFORMANCE PERFORMANCE

Comandi

Touch control infrarossi 3V+I

Controls

3S+B Infrared touch control

Portata intensiva

740 m³/h

Booster airflow

Livello sonoro min-max

50 - 66 db(A)

Noise level min-max

Assorbimento totale

267 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0140343

Filtro carbone rigenerabile

CFC0162221

Regenerable charcoal filter

KIT0177845

Kit camino acciaio inox

Stainless steel chimney kit

MODELLI MODELS

VERTIGO BL/F/90

PRF0079553C

VERTIGO BL/F/120

PRF0079555C

VERTIGO WH/F/90

PRF0079554C

VERTIGO WH/F/120

PRF0079556C



ELLE

DESIGN FABRIZIO CRISÀ

80 cm

Filtrante Filtering

Vetro nero, vetro bianco
Black glass, white glass



EASY TO
MAINTAIN



LONG LIFE
FILTER



CM 40




CM 55



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type

Strip Led 1x7 W

Intensità Intensity

141 LUX

Temperatura Temperature

4000 K

PERFORMANCE PERFORMANCE

Comandi

Touch control infrarossi 3V+
3S+B Infrared touch control

Controls

670 m³/h

Portata intensiva

Booster airflow

43 - 62 dB(A)

Livello sonoro min-max

Noise level min-max

247 W

Assorbimento totale

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0140343

Filtro carbone rigenerabile

CFC0162221

Regenerable charcoal filter

Kit camino lungo Long chimney kit

KIT0010703

Kit camino corto Short chimney kit

KIT0010704


MODELLI MODELS

ELLE BL/F/80

PRF0094251

ELLE WH/F/80

PRF0097706



BELT

DESIGN FABRIZIO CRISÀ

55 - 80 cm

Filtrante Filtering

Vetro nero, vetro bianco, acciaio inox

Black glass, white glass, stainless steel



EASY TO
MAINTAIN



BACK
ASPIRATION



LONG LIFE
FILTER



CM 45



CM 50




Ø150



ENERGY
CLASS
(A+++/D)

A



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	BL/WH Touch control capacitivo 3V+I 3S+B Capacitive touch control	IX Touch control infrarossi 3V+I 3S+B Infrared touch control
Portata intensiva Booster airflow	590 m³/h	
Livello sonoro min-max Noise level min-max	46 - 61 db(A)	
Assorbimento totale Total absorption	225 W	

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone regenerabile Regenerable charcoal filter	CFC0162221
Kit camino acciaio inox Stainless steel chimney kit	KIT0177845

MODelli MODELS

BELT IX/F/55	PRF0034012C
BELT IX/F/80	PRF0033852C
BELT BL/F/55	PRF0034211C
BELT BL/F/80	PRF0032793C
BELT WH/F/55	PRF0038445C
BELT WH/F/80	PRF0038443C



BLOOM GR



BLOOM GR



BLOOM BL



BLOOM BL

BLOOM BL



BLOOM

DESIGN FABRIZIO CRISÀ

85 cm

Aspirante Duct-out

Vetro nero, vetro grigio

Black glass, grey glass



EASY TO
MAINTAIN



LONG LIFE
FILTER



BACK
ASPIRATION



CM 45




CM 55



0150



ENERGY
CLASS
(A***/D)



La parte frontale della cappa è caratterizzata da un visore mobile, azionabile manualmente, che consente di aumentare la captazione dei fumi durante le operazioni di cottura. The front part of the hood is characterised by a mobile, manually operated visor, which allows increased fume extraction during cooking.

ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	750 m³/h
Livello sonoro min-max Noise level min-max	35 - 56 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221

MODELLI MODELS

BLOOM BL/A/85	PRF0164459
BLOOM GR/A/85	PRF0164462



STRIPE URBAN CAST IRON



STRIPE URBAN ZINC



STRIPE URBAN

ELICA DESIGN CENTER

90 cm

Aspirante Duct-out

Metallo effetto ghisa, metallo effetto zincato
Cast iron effect metal, zinc coating effect metalEASY TO
MAINTAINBACK
ASPIRATIONLONG LIFE
FILTERSPECIAL
MATERIAL


CM 45



CM 50



Ø150

ENERGY
CLASS
(A***/D)

In linea con i nuovi trend delle cucine, che vede sempre più presente un design industrial e Urban, Elica ha ideato nuove combinazioni di finiture che permettono alla cappa di integrarsi perfettamente con questo stile.

In line with latest kitchen trends, where industrial and urban design is continuously gaining ground, Elica has developed new combinations of finishes allowing the hood to be perfectly integrated with this style.

ILLUMINAZIONE LIGHTING

Tipo Type

Led 2x2,5 W

Intensità Intensity

381 LUX

Temperatura Temperature

3500 K

PERFORMANCE PERFORMANCE

Comandi

Pulsantiera elettronica 3V+I

Controls

3S+B Electronic push button

Portata intensiva

757 m³/h

Booster airflow

Livello sonoro min-max

50 - 65 db(A)

Noise level min-max

Assorbimento totale

265 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0140343

Filtro carbone rigenerabile

CFC0162221

Regenerable charcoal filter


MODELLI MODELS

STRIPE URBAN ZINC/A/90

PRF0147739

STRIPE URBAN CAST IRON/A/90

PRF0147738



STRIPE


ELICA DESIGN CENTER

60 - 80 - 90 cm
Aspirante Duct-out
Vetro nero, vetro bianco, acciaio inox
Black glass, white glass, stainless steel



B

ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	203 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	BL/WH Touch control capacitivo 3V+I 3S+B Capacitive touch control	IX Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	757 m ³ /h	
Livello sonoro min-max Noise level min-max	50 - 65 db(A)	
Assorbimento totale Total absorption	265 W	

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221

MODELLI MODELS

STRIPE IX/A/60	PRF0110514B
STRIPE IX/A/90	PRF0110515B
STRIPE BL/A/60	PRF0101142B
STRIPE BL/A/80	PRF0164806
STRIPE BL/A/90	PRF0101143B
STRIPE WH/A/60	PRF0101144B
STRIPE WH/A/80	PRF0164805
STRIPE WH/A/90	PRF0101145B



APLOMB BL/90



APLOMB WH/60



APLOMB BL/90



APLOMB BL/60





APLOMB

DESIGN FABRIZIO CRISÀ

60 - 90 cm

Aspirante Duct-out

Vetro nero, vetro bianco

Black glass, white glass



EASY TO
MAINTAIN



MULTI-D
CAPTURE



LONG LIFE
FILTER



CM 45




CM 65



0150



ENERGY
CLASS
(A+++/D)



Il Delay switch off di Aplomb è una funzione timer intelligente che consente all'utente di impostare lo spegnimento automatico delle velocità selezionata dopo un tempo prestabilido. Inoltre, la cappa è dotata di un sistema di sostegno del pannello frontale che permette di mantenerlo aperto per facilitare la manutenzione ordinaria e straordinaria del prodotto. The Aplomb Switch Off Delay is a smart timer function allowing the user to programme the automatic shut-down of the selected speed after a pre-set time. Moreover, the hood features a front panel support system, which means it can be kept open when performing routine or corrective maintenance on the product.

ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x3 W
Intensità Intensity	84 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	680 m ³ /h
Livello sonoro min-max Noise level min-max	51 - 64 db(A)
Assorbimento totale Total absorption	233 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221

MODelli MODELS


APLOMB BL/A/60	PRF0166938
APLOMB BL/A/90	PRF0166939
APLOMB WH/A/60	PRF0166940
APLOMB WH/A/90	PRF0166941



ELEKTRA

ELICA DESIGN CENTER

55 - 80 cm
Filtrante Filtering
Acciaio inox Stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x1 W
Intensità Intensity	136 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display
Portata intensiva Booster airflow	647 m ³ /h
Livello sonoro min-max Noise level min-max	45 - 63 db(A)
Assorbimento totale Total absorption	252 W

Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088
Kit camino Chimney kit	KIT0008747A

MODELLI MODELS

ELEKTRA IX/F/55	PRF0006407B
ELEKTRA IX/F/80	PRF0006872B



L'ESSENZA WH/60



L'ESSENZA WH/90



L'ESSENZA BL/60



L'ESSENZA BL/90

L'ESSENZA

DESIGN FABRIZIO CRISÀ

60 - 90 cm

Aspirante Duct-out

Vetro nero, vetro bianco

Black glass, white glass



BACK ASPIRATION



EASY TO MAINTAIN



LONG LIFE FILTER



CM 45




CM 55



Ø150



ENERGY CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	145 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+ 3S+B Capacitive touch control
Portata intensiva Booster airflow	691 m ³ /h
Livello sonoro min-max Noise level min-max	49 - 65 db(A)
Assorbimento totale Total absorption	255 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221

MODelli MODELS

L'ESSENZA BL/A/60	PRF0117403A
L'ESSENZA BL/A/90	PRF0117374A
L'ESSENZA WH/A/60	PRF0124233A
L'ESSENZA WH/A/90	PRF0124234A



SHEEN-S WH/60



SHEEN-S BL/90



SHEEN-S

DESIGN FABRIZIO CRISÀ

60 - 90 cm

Aspirante Duct-out

Vetro nero, vetro bianco
Black glass, white glass



EASY TO
MAINTAIN



LONG LIFE
FILTER



CM 45




CM 65



Ø150



ENERGY
CLASS
(A***/D)



Il Delay switch off è una funzione timer intelligente che consente all'utente di impostare lo spegnimento automatico delle velocità selezionate dopo un tempo prestabilito. The Switch Off Delay is a smart timer function allowing the user to programme the automatic shut-down of the selected speed after a pre-set time.

ILLUMINAZIONE LIGHTING

Tipo Type

Led 2x1,5 W

Intensità Intensity

180 LUX

Temperatura Temperature

3500 K

PERFORMANCE PERFORMANCE

Comandi

Touch control capacitivo 3V+3S+B Capacitive touch control

Controls

650 m³/h

Portata intensiva

Booster airflow

Livello sonoro min-max

52 - 65 db(A)

Noise level min-max

Assorbimento totale

233 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0140343

Filtro carbone rigenerabile

CFC0162221

Regenerable

charcoal filter



SHY-S

DESIGN FABRIZIO CRISÀ

60 - 90 cm

Aspirante Duct-out

Vetro nero, vetro bianco
Black glass, white glass



EASY TO
MAINTAIN



LONG LIFE
FILTER



CM 45




CM 65



Ø150



ENERGY
CLASS
(A++/D)



Il Delay switch off è una funzione timer intelligente che consente all'utente di impostare lo spegnimento automatico delle velocità selezionate dopo un tempo prestabilito. The Switch Off Delay is a smart timer function allowing the user to programme the automatic shut-down of the selected speed after a pre-set time.

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x1,5 W
Intensità Intensity	180 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+ 3S+B Capacitive touch control
Portata intensiva Booster airflow	650 m ³ /h
Livello sonoro min-max Noise level min-max	52 - 65 db(A)
Assorbimento totale Total absorption	233 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221

MODelli MODELS

SHY-S BL/A/60	PRF0166932
SHY-S BL/A/90	PRF0166933
SHY-S WH/A/60	PRF0166934
SHY-S WH/A/90	PRF0166935



SHIRE

DESIGN FABRIZIO CRISÀ

60 - 90 cm

Aspirante Duct-out

Vetro nero, vetro bianco
Black glass, white glass



EASY TO
MAINTAIN



LONG LIFE
FILTER



CM 45




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type

Led 2x1 W

Intensità Intensity

120 LUX

Temperatura Temperature

3500 K

PERFORMANCE PERFORMANCE

Comandi

Touch control capacitivo 2V+I

Controls

2S+B Capacitive touch control

Portata intensiva

650 m³/h

Booster airflow

Livello sonoro min-max

52 - 64 db(A)

Noise level min-max

Assorbimento totale

232 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0140343

Filtro carbone rigenerabile

CFC0162221

Regenerable

charcoal filter



STONE

ELICA DESIGN CENTER

Ø33 cm

Aspirante Duct-out
Acciaio inox, bianco
Stainless steel, white



LONG LIFE FILTER



CM 50




CM 65



Ø150



ENERGY CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	457 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera soft light 3V 3S Soft light push button
Portata massima Max airflow	559 m ³ /h
Livello sonoro min-max Noise level min-max	44 - 67 db(A)
Assorbimento totale Total absorption	180 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODelli MODELS

STONE IX/A/33	61412862B
STONE WH/A/33	PRF0007123A




TUBE PRO

ELICA DESIGN CENTER

Ø 43 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch, bianco effetto soft touch
Stainless steel, black soft touch effect, white soft touch effect



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	457 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	603 m³/h
Livello sonoro min-max Noise level min-max	47 - 68 db(A)
Assorbimento totale Total absorption	256 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140423
--	------------

MODELLI MODELS


TUBE PRO IX/A/43	PRF0080075B
TUBE PRO BL MAT/A/43	PRF0090719B
TUBE PRO WH MAT/A/43	PRF0090720B



KUADRA

ELICA DESIGN CENTER

43 - 60 cm
Aspirante Duct-out
Acciaio inox
Stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type Led 2x2,5 W
Intensità Intensity 457 LUX
Temperatura Temperature 2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con display 3V+ 3S+B Electronic push button with display
Portata intensiva Booster airflow	496 m ³ /h
Livello sonoro min-max Noise level min-max	48 - 62 db(A)
Assorbimento totale Total absorption	256 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile
Regenerable charcoal filter CFC0140423

MODelli MODELS


KUADRA IX/A/43	PRF0006491A
KUADRA IX/A/60	PRF0007419A



TONDA

DESIGN FABRIZIO CRISÀ

60 - 90 cm
Filtrante Filtering
Acciaio inox
Stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	97 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	355 m³/h
Livello sonoro min-max Noise level min-max	60 - 67 db(A)
Assorbimento totale Total absorption	146 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140124
--------------------------------	------------

MODelli MODELS

TONDA IX F/60	2938000C
TONDA IX F/90	2937999C




TAMAYA

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio inox
Stainless steel



ENERGY
CLASS
(A⁺⁺⁺/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	121 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata intensiva Booster airflow	430 m ³ /h
Livello sonoro min-max Noise level min-max	53 - 62 db(A)
Assorbimento totale Total absorption	146 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140124
Kit camino +200 Chimney kit +200	KIT00778A
Kit camino +420 Chimney kit +420	KIT00779A

MODelli MODELS


TAMAYA PB IX/A/60	PRF0009706C
TAMAYA PB IX/A/90	PRF0009794C



MISSY

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio inox, nero
Stainless steel, black



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	97 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	395 m³/h
Livello sonoro min-max Noise level min-max	49 - 68 db(A)
Assorbimento totale Total absorption	96 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141497
--------------------------------	------------

MODelli MODELS

MISSY PB IX/A/60	PRF0091761B
MISSY PB IX/A/90	PRF0091763B
MISSY BL/A/60	PRF0151543
MISSY BL/A/90	PRF0151544



VEGA


ELICA DESIGN CENTER

60 - 90 cm

Filtrante Filtering

Acciaio inox

Stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	73 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	272 m³/h
Livello sonoro min-max Noise level min-max	52 - 71 db(A)
Assorbimento totale Total absorption	121 W

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone incluso Charcoal filter included

Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140064
Kit camino +200 Chimney kit +200	KIT00778A
Kit camino +420 Chimney kit +420	KIT00779A

MODELLI MODELS

VEGA 60 IX	56111002C
VEGA ST IX F/90	56111004B



ACUTA

ELICA DESIGN CENTER

100 cm

Filtrante Filtering

Acciaio inox, nero

Stainless steel, black



LONG LIFE
FILTER



CM 50




CM 65



0150



ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type

Led 4x2,5 W

Intensità Intensity

441 LUX

Temperatura Temperature

3500 K

PERFORMANCE PERFORMANCE

Comandi

Pulsantiera elettronica 3V+I

Controls

3S+B Electronic push button

Portata intensiva

625 m³/h

Booster airflow

Livello sonoro min-max

46 - 60 db(A)

Noise level min-max

Assorbimento totale

210 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone incluso Charcoal filter included

Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0140343

Filtro carbone rigenerabile

CFC0162221

Regenerable charcoal filter

MODelli MODELS

ACUTA IX/F/100

PRF0121267A

ACUTA BL/F/100

PRF0127462A



HYDRA

ELICA DESIGN CENTER

100 cm

Filtrante Filtering

Acciaio inox

Stainless steel



CM 50




CM 65



0150



ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type

Led 4x2,5 W

Intensità Intensity

441 LUX

Temperatura Temperature

3500 K

PERFORMANCE PERFORMANCE

Comandi

Pulsantiera meccanica 3V

Controls

3S Mechanical push button

Portata massima

496 m³/h

Max airflow

Livello sonoro min-max

46 - 68 db(A)

Noise level min-max

Assorbimento totale

170 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone incluso Charcoal filter included

Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0140122

MODELLI MODELS

HYDRA ANG IX F/100

1608046A



SYNTHESIS

ELICA DESIGN CENTER

100 cm

Aspirante Duct-out
Acciaio inox + vetro
Stainless steel + glass



LONG LIFE
FILTER



CM 50




CM 65



CM 150



ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 4x2,5 W
Intensità Intensity	441 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Control ball 3V+I 3S+B Control ball
Portata intensiva Booster airflow	559 m³/h
Livello sonoro min-max Noise level min-max	44 - 63 db(A)
Assorbimento totale Total absorption	185 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODelli MODELS


SYNTHESIS IX A/100 64214507A



RUBINO CORNER

ELICA DESIGN CENTER

100 cm
Aspirante Duct-out
Acciaio inox
Stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	121 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	603 m ³ /h
Livello sonoro min-max Noise level min-max	42 - 64 db(A)
Assorbimento totale Total absorption	186 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140124
--------------------------------	------------

MODelli MODELS

RUBINO ANG IX A/100 IX	56811101C
------------------------	-----------





ISLAND MOUNTED

Le cappe a isola Elica sono veri e propri complementi in grado di riflettere il nostro personale stile e di dare carattere all'ambiente. Grazie alla loro estrema versatilità e modularità possono essere composte secondo i propri gusti, ponendosi come elemento distintivo e cuore della cucina. Legno, acciaio, vetro: molteplici possibilità che ci rendono i designer della nostra cucina, per uno stile unico. Progettate per emozionare.

Elica island hoods are genuine design accessories which reflect personal style and add character to the kitchen. Thanks to their extreme versatility and modularity, they can be composed based on your personal tastes and used as a statement feature in the kitchen. Wood, steel and glass: a whole host of possibilities which turn us into our own kitchen designers creating a unique style. Designed to thrill.

HAIKU ISLAND

DESIGN FABRIZIO CRISÀ









HAIKU ISLAND

DESIGN FABRIZIO CRISÀ



32x32 - 120x32 - 180x32 cm

Aspirante Duct-out

Vetro nero, Krion bianco, Acciaio inox

Black glass, white Krion, stainless steel



LONG LIFE FILTER



COMFORT SILENCE



SPECIAL MATERIAL



CM 50






CM 65



Ø150



ENERGY CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	690 m³/h
Livello sonoro min-max Noise level min-max	34 - 51 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODelli MODELS

HAIKU ISLAND IX/A/32	PRF0146277
HAIKU ISLAND IX/A/120	PRF0146279
HAIKU ISLAND IX/A/180	PRF0146280
HAIKU ISLAND BL/A/32	PRF0146285
HAIKU ISLAND BL/A/120	PRF0146286
HAIKU ISLAND BL/A/180	PRF0146287
HAIKU ISLAND WH/A/32	PRF0146289
HAIKU ISLAND WH/A/120	PRF0146290
HAIKU ISLAND WH/A/180	PRF0146291



BIO ISLAND

DESIGN FABRIZIO CRISÀ







BIO ISLAND

DESIGN FABRIZIO CRISÀ



120x52 cm

Aspirante Duct-out

Rovere naturale + bianco effetto soft touch

Natural oak + white soft touch effect



SPECIAL MATERIAL



LONG LIFE FILTER ++



COMFORT SILENCE



TUNE WHITE



CM 50




CM 65



Ø150



ENERGY CLASS
(A+++/D)



La cornice è un multistrato con rivestimento di 10 mm di rovere massello per evitare il fenomeno della dilatazione dovuta allo shock termico. Nella sua parte superiore è presente un supporto per tablet e smartphone e una presa USB a doppia porta. Bio è altamente versatile grazie alla mensola da 60 cm che permette di completare esteticamente il prodotto a proprio piacimento come estensione del corpo cappa o come elemento di arredo indipendente.

The frame is made from plywood with a 10 mm solid oak finish to prevent expansion phenomena caused by thermal shock. The top part features a support for tablets and smartphones, along with a double USB port. Bio is highly versatile thanks to its 60 cm shelf, allowing the product to be aesthetically completed however one prefers, whether as an extension of the hood body or independent furnishing element.

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	757 m³/h
Livello sonoro min-max Noise level min-max	32 - 60 db(A)
Assorbimento totale Total absorption	324 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Kit prima installazione filtrante HP First installation HP filtering kit	KIT0160440
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Filtro carbone rigenerabile HP Regenerable charcoal HP filter	CFC0140091
Kit mensola isola rovere 60cm + 2 cavi Oak island shelf kit 60cm + 2 cables	KIT0120947
Kit 2 cavi mensola (1,7m) Cables shelf kit 2pcs (1,7m)	KIT0120948
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469

MODelli MODELS

BIO ISLAND WH/A/120X53 ROVERE	PRF0148081
-------------------------------	------------





METEORITE ISLAND

DESIGN FABRIZIO CRISÀ

120x60 cm

Aspirante Duct-out

Acciaio inox + vetro nero

Stainless steel + black glass



EASY TO
MAINTAIN



MULTI-D
CAPTURE



LONG LIFE
FILTER ++



COMFORT
SILENCE



TUNE WHITE



CM 50



CM 65



Ø150



ENERGY
CLASS
(A+++)

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	85 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+2I 3S+2B Capacitive touch control
Portata intensiva Booster airflow	800 m³/h
Livello sonoro min-max Noise level min-max	31 - 60 db(A)
Assorbimento totale Total absorption	324 W


Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES



Kit prima installazione filtrante HP First installation HP filtering kit	KIT0160440
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Filtro carbone rigenerabile HP Regenerable charcoal HP filter	CFC0140091

MODELLI MODELS

METEORITE ISLAND IX/A/120x60 PRF0148122



 elica






MOON ISLAND

ELICA DESIGN CENTER

90x57 - 120x57 - 175x73 cm
Aspirante Duct-out - Filtrante Filtering (180cm)
Acciaio Inox
Stainless steel



C
ENERGY CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Neon 2x21 W (90cm) - Neon 2x28 W (120cm) - Neon 4x21 W (180cm)
Intensità Intensity	172 (90cm) - 230 (120cm) - 176 (180cm) LUX

Temperatura Temperature

6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+ 3S+B Electronic push button
Portata intensiva Booster airflow	690 m ³ /h
Livello sonoro min-max Noise level min-max	52 - 68 db(A)
Assorbimento totale Total absorption	302 (90cm) W - 316 (120cm) W 344 (180cm) W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso (180cm) Charcoal filter included (180cm)
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODELLI MODELS

MOON IS IX/A/60X90	PRF0093507A
MOON IS IX/A/60X120	PRF0093541A
MOON ISLAND IX/F/180	PRF0079552A





ADÉLE ISLAND

DESIGN FABRIZIO CRISÀ

90x60 cm

Aspirante Duct-out

Acciaio inox + vetro nero, nero effetto soft touch + vetro nero

Stainless steel + black glass, black soft touch effect + black glass



LONG LIFE FILTER



CM 50




CM 65



0150



ENERGY CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	309 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	770 m³/h
Livello sonoro min-max Noise level min-max	55 - 69 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODELLI MODELS

ADÉLE IS BLIX/A/90 X 60	PRF0167313
ADÉLE IS BL MAT/A/90 X 60	PRF0167316



JOY ISLAND

ELICA DESIGN CENTER

90x61 cm

Aspirante Duct-out

Acciaio inox + vetro nero, acciaio inox + vetro bianco
Stainless steel + black glass, stainless steel + white glass



LONG LIFE FILTER



CM 50




CM 65



Ø150



ENERGY CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 4x2,5 W
Intensità Intensity	761 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+3S+B Capacitive touch control
Portata intensiva Booster airflow	713 m³/h
Livello sonoro min-max Noise level min-max	51 - 69 db(A)
Assorbimento totale Total absorption	270 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODELLI MODELS

JOY ISLAND BLIX/A/90	PRF0104628A
JOY ISLAND WHIX/A/90	PRF0104629A



GALAXY ISLAND

ELICA DESIGN CENTER

90x45 cm

Aspirante Duct-out

Acciaio inox + vetro nero, acciaio inox + vetro bianco

Stainless steel + black glass, stainless steel + white glass



LONG LIFE FILTER



CM 50




CM 65



0150



ENERGY CLASS
(A+++D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 4x2,5 W
Intensità Intensity	290 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+1 3S+B Capacitive touch control
Portata intensiva Booster airflow	647 m³/h
Livello sonoro min-max Noise level min-max	52 - 69 db(A)
Assorbimento totale Total absorption	270 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODelli MODELS

GALAXY ISLAND BLIX/A/90x45	PRF0017852B
GALAXY ISLAND WHIX/A/90x45	PRF0019192B



IKONA

DESIGN FABRIZIO CRISÀ







IKONA

DESIGN FABRIZIO CRISÀ

60x44cm

Aspirante Duct-out

Nero effetto soft touch Black soft touch effect



EASY TO
MAINTAIN



LONG LIFE
FILTER



MULTI-D
CAPTURE



CM 50




CM 60



0150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7W
Intensità Intensity	421 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	47 - 62 db(A)
Assorbimento totale Total absorption	267 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221

MODelli MODELS

IKONA BL MAT/A/60	PRF0164784
-------------------	------------



THIN ISLAND

DESIGN FABRIZIO CRISÀ

120x57 cm

Aspirante Duct-out

Acciaio inox Stainless steel



LONG LIFE
FILTER



COMFORT
SILENCE



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	253 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control infrarossi 3V+2I 3S+2B Infrared touch control
Portata intensiva Booster airflow	680 m³/h
Livello sonoro min-max Noise level min-max	34 - 52 db(A)
Assorbimento totale Total absorption	284 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODELLI MODELS

THIN ISLAND IX/A/120

PRF0144973




SPOT PLUS ISLAND

ELICA DESIGN CENTER

90x60 cm

Aspirante Duct-out

Acciaio inox Stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Led 4x2,5 W
Intensità Intensity	761 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con LCD 3V+I 3S+B Electronic push button with LCD
Portata intensiva Booster airflow	620 m³/h
Livello sonoro min-max Noise level min-max	52 - 67 db(A)
Assorbimento totale Total absorption	210 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODelli MODELS

SPOT PLUS ISLAND IX/A/90 PRF0097375A



TRIBE ISLAND

ELICA DESIGN CENTER

90x60 cm

Aspirante Duct-out

Acciaio inox + vetro

Stainless steel + glass



LONG LIFE
FILTER



CM 50



CM 65




Ø150



ENERGY
CLASS
(A++/D)

A



ILLUMINAZIONE LIGHTING

Tipo Type

Led 2x2,5 W

Intensità Intensity

381 LUX

Temperatura Temperature

3000 K

PERFORMANCE PERFORMANCE

Comandi

Pulsantiera elettronica con display 3V+I
3S+B Electronic push button with display

Controls

600 m³/h

Portata intensiva

Booster airflow

Livello sonoro min-max

48 - 64 db(A)

Noise level min-max

Assorbimento totale

205 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0141529A

Filtro carbone rigenerabile

CFC0141725A

Regenerable

charcoal filter

Modelli Models

TRIBE A ISLAND IX/A/90X60


PRF0150293



REEF ISLAND

ELICA DESIGN CENTER

90x60 cm
Aspirante Duct-out
Acciaio inox + vetro
Stainless steel + glass



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con display 3V+1 3S+B Electronic push button with display
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	48 - 64 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A

MODelli MODELS

REEF A ISLAND IX/A/90X60 PRF0150290



TUBE PRO ISLAND

ELICA DESIGN CENTER

Ø43 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch, bianco effetto soft touch
Stainless steel, black soft touch effect, white soft touch effect



LONG LIFE FILTER



CM 50




CM 65



Ø150



ENERGY CLASS (A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	457 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	603 m³/h
Livello sonoro min-max Noise level min-max	47 - 68 db(A)
Assorbimento totale Total absorption	256 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140423
Kit prolunga installazione isola H15 Island installation extension kit H15	KIT01600

MODELLI MODELS


TUBE PRO ISLAND IX/A/43	PRF0044794B
TUBE PRO ISLAND BL MAT/A/43	PRF0090717B
TUBE PRO ISLAND WH MAT/A/43	PRF0090718B



KUADRA ISLAND

ELICA DESIGN CENTER

43x43 - 60x43 cm
Aspirante Duct-out
Acciaio inox
Stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	457 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica con display 3V+3S+B Electronic push button with display
Portata intensiva Booster airflow	496 m³/h
Livello sonoro min-max Noise level min-max	48 - 62 db(A)
Assorbimento totale Total absorption	256 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140423
Kit prolunga installazione isola H15 Island installation extension kit H15	KIT01600

MODelli MODELS

KUADRA ISLAND IX/A/43	PRF0007655A
KUADRA ISLAND IX/A/60	PRF0007028A





CEILING

Vogliamo una casa che ci rispecchi, in cui ogni singolo accessorio sia espressione del nostro io. Dal cavo colorato, alla lampadina d'atmosfera. Vogliamo soluzioni in grado di stupirci e di stupire.

Le cappe ceiling Elica sono la soluzione discreta che può scomparire nel soffitto o diventare protagonista grazie alla luce. Un progetto di architettura e illuminotecnica che unisce le migliori tecnologie di aspirazione a un sapiente utilizzo della luce in casa.

We want a home that reflects who we are, in which every single accessory is an expression of ourselves. from the coloured cable to the atmospheric light. We want solutions that surprise us and surprise others.

Elica ceiling hoods are the solution that can discretely disappear into the ceiling or become a key lighting feature. An architectural and lighting project that combines the best extraction technology with an intelligent use of light in the home.

UN NUOVO PUNTO DI LUCE E DI VISTA A NEW POINT OF LIGHT AND VIEW



I più recenti progetti di architettura d'interni vedono il progressivo abbandono della tradizionale cucina intesa come locale a sé stante, in favore di una soluzione a vista inserita all'interno del living. Questo cambio di paradigma ha rivoluzionato anche la progettazione degli elettrodomestici, che hanno beneficiato di una importante trasformazione in termini di design estetico e funzionale.

In uno scenario dove poniamo molta attenzione alla perfetta integrazione tra tutti gli elementi che arredano un unico ambiente, la luce assume un grande valore nel garantire equilibrio e omogeneità agli spazi. La visione di insieme è così fluida e ininterrotta.

The latest interior architectural projects have seen the gradual shift away from traditional kitchens in terms of just a room, in favour of an open-space solution included in a living area. This change of layout has also revolutionised the design of electrical appliances which have benefited from a major transformation in terms of aesthetic and functional design.

In a setting in which significant importance is placed on the perfect integration between all the elements which furnish a single area, light becomes paramount in guaranteeing balance and uniformity to spaces. The overall vision thus becomes fluid and seamless.

FOCUS ON CEILING

Le cappe ceiling Elica sono disegnate per integrarsi perfettamente nelle superfici in cui vengono inserite. Nei ricercati modelli proposti, la luce gioca un ruolo fondamentale all'interno del progetto architettonico complessivo: i pannelli luminosi disegnano lo spazio, creando non solo atmosfere personalizzate, ma impalpabili volumi aerei, che possono diventare protagonisti dell'ambiente o sparire discreti a soffitto quando spenti. Come vere finestre a soffitto, le cappe Elica assicurano elevate performance di aspirazione e la migliore illuminazione possibile, grazie all'utilizzo di led dimmerabili e alla funzione Tune White, che permette di regolare il colore della luce in base ai propri gusti e necessità.

A comporre la gamma ceiling, prodotti dall'alto valore tecnologico ed estetico: Hilight, dal design elegante e moderno, Illusion, la soluzione rivestibile pensata per scomparire come una vera illusione nel soffitto, Skydome, con le sue linee pulite e discrete e caratterizzata dal grande pannello luminoso e Lullaby, un vero progetto di architettura, materia e luce che diventa protagonista della cucina.



Elica ceiling extractor hoods are designed to integrate seamlessly into the surfaces in which they are inserted. In the sophisticated models on offer, light plays a fundamental role in the overall architectural project. The illuminated panels outline the space, creating not just personalised atmospheres, but imperceptible aerial volumes which can become a signature feature in the room or blend discretely into the ceiling when not in use. Like real windows in the ceiling, Elica hoods provide exceptional extraction performance and the best lighting possible through the use of dimmer lights and the Tune White function

which allows the colour of the light to be adjusted based on personal tastes and requirements.


The ceiling range consists of products with a high technological and aesthetic value: Hilight, with its elegant and modern design; Illusion, the paintable solution which gives the illusion of disappearing into the ceiling; Skydome, with its clean, discrete lines featuring signature large illuminated panel and Lullaby, an authentic architectural project featuring material and light which stamp their mark on the kitchen.

S.E.I. SYSTEM


Grazie al sistema brevettato Super Easy Installation, inoltre, per montare il prodotto bastano pochi e semplici passaggi, che assicurano totale sicurezza e l'integrità della controsoffittatura.

Thanks to the patented Super Easy Installation system, just a few simple steps are all that it takes to complete the safe installation of the hood without affecting the false ceiling.


Avvicinare il prodotto al vano nel controsoffitto.
Bring the product to the compartment in the false ceiling.



Spingere il prodotto nell'apertura praticata.
Push the product into the practical opening.



Stringere le viti per il definitivo fissaggio del prodotto.
Tighten the screws to definitively fix the product.



Disponibile per i modelli: Illusion, Skydome, Hilight Glass e Hilight-X.

Available for models: Illusion, Skydome, Hilight Glass and Hilight-X.

INSTALLAZIONE SALVASPAZIO SPACE-SAVING INSTALLATION

INSTALLAZIONE H30
H30 INSTALLATION



INSTALLAZIONE H16
H16 INSTALLATION



Il potente cuore aspirante rimane integrato nel controsoffitto e assicura un'elevata captazione dei fumi. Nate per essere installate ovunque, le cappe ceiling di Elica si adattano perfettamente anche ai soffitti meno alti: sono infatti disponibili in duplice altezza, da 30 cm o da 16 cm.

The powerful extractor fan is integrated in the false ceiling and ensures an excellent level of fume extraction. Designed to be installed anywhere, Elica ceiling hoods adapt perfectly even to lower ceilings. They are, in fact, available in two heights, 30 cm and 16 cm.

ACCESSORI LUCE LIGHTING ACCESSORIES

Le cappe ceiling Elica sono dotate di lampade led ad alta intensità. Nella maggior parte dei modelli è possibile regolare il livello di luminosità e la tonalità di bianco preferita, in base al momento della giornata o delle proprie necessità. Una luce più fredda sarà perfetta per preparare al meglio le portate, mentre potremo sceglierne una più calda per ricreare un'atmosfera intima durante una cena.

Come un vero e proprio lampadario, la cappa può essere comandata anche con interruttore a parete dell'impianto domestico o con un telecomando che potremo tenere appeso a parete attraverso un pratico magnete.

Elica ceiling hoods are fitted with high-intensity LED lights. The luminosity and white tone can be adjusted on all the models depending on the time of day or personal requirements. A colder light is perfect when preparing meals while a warmer light is just what you need to create an intimate atmosphere during dinner.

Just like a real ceiling light, the hood can also be controlled with a wall switch or a remote control which can be attached to the wall with a handy magnet.



Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato.
Disponibile per i modelli: Lullaby®, Illusion, Skydome et Hilight Glass.

Any type of commercially available light can also be connected.
Available for models: Lullaby®, Illusion, Skydome en Hilight Glass.





ULLABY@

DESIGN FABRIZIO CRISÀ





ULLABY@

DESIGN FABRIZIO CRISÀ

ELICA CONNECT

120x65 cm

Aspirante/Filtrante Duct-out/Filtering

WH WOOD: legno laccato bianco + acciaio inox


WOOD: rovere naturale + bianco effetto soft touch

WH WOOD: white lacquered wood + stainless steel


WOOD: natural oak + White soft touch effect



ASPIRANTE



FILTRANTE



FALSE CEILING CUT 470X960



CONNECTIVITY



LONG LIFE FILTER ++



LONG LIFE FILTER



COMFORT SILENCE



TUNE WHITE



DIM LIGHT



SPECIAL MATERIAL



ENERGY CLASS (A***/D)

ILLUMINAZIONE LIGHTING

Tipo Type	Led Panel 28W
Intensità Intensity	1683 LUX
Temperatura Temperature	2700 K - 5000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Aspirante Duct-out Radiocomando 3V + 2I 3S + 2B Remote control	Filtrante Filtering Radiocomando 3V + 2I 3S + 2B Remote control
Portata intensiva Booster airflow	770 m³/h	470 m³/h
Livello sonoro min-max Noise level min-max	40 - 53 db(A)	44 - 63 db(A)
Assorbimento totale Total absorption	298 W	568 W

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro in ceramica anti-odori incluso (*) Ceramic odour filter included (*)

Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES


Filtro in ceramica anti-odori Ceramic odour filter	KIT0147861A
Kit filtrante H30 Filtering kit H30	KIT0148449
Kit filtrante high performance High performance filtering kit	KIT0148450A
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469
Kit mensola bianca White shelf kit	KIT0147859
Kit mensola rovere Oak shelf kit	KIT0147858

MODelli MODELS

ULLABY @ WH WOOD/A/120	PRF0167048
ULLABY @ WH WOOD/F/120 (*)	PRF0167049
ULLABY @ WOOD/A/120	PRF0167046
ULLABY @ WOOD/F/120 (*)	PRF0167047

Modello non soggetto a certificazione energetica obbligatoria. (*)
Model not subject to compulsory energy certification. (*)





SKYDOME

DESIGN FABRIZIO CRISÀ




100x50 cm

Aspirante Duct-out

Cornice bianca White frame


 L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli sonori. Il pannello full LED può essere controllato da un interruttore a parete o radiocomando per regolare intensità e colore della luce. Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato. The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels. The full LED panel can be controlled by a wall-mounted switch or remote control to adjust the intensity and colour of the light. Possibility to connect the product to any commercially available light.

H16 - NO MOTOR



FALSE CEILING CUT 480X980

H30



FALSE CEILING CUT 480X980

ILLUMINAZIONE LIGHTING

Tipo Type	Led Panel 28W
Intensità Intensity	1683 LUX
Temperatura Temperature	2700 K - 5000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Radiocomando 3V+2I 3S+2B Remote control	
Portata intensiva Booster airflow	720 m³/h	770 m³/h
Livello sonoro min-max Noise level min-max	51 - 68 db(A)	40 - 53 db(A)
Assorbimento totale Total absorption	303 W	298 W

ACCESSORI ACCESSORIES

Kit filtrante H30 Filtering kit H30	KIT0148449
Kit filtrante high performance High performance filtering kit	KIT0148450A
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469
Motore remoto interno Remote internal motor	KIT0147879
Motore remoto esterno (muro) Remote external motor (wall)	KIT0147880
Motore remoto esterno (tetto) Remote external motor (roof)	KIT0147881
Motore remoto esterno (tetto inclinato) Remote external motor (inclined roof)	KIT0147882
Cavo Prolunga motore remoto Extension lead for remote motor	KIT0161392

MODELLI MODELS

SKYDOME H16 A/100	PRF0147735A
SKYDOME H30 A/100	PRF0146232A
SKYDOME NO MOTOR A/100	PRF0146230

Filtro grassi alluminio incluso Grease aluminium filter included
Radiocomando incluso Remote control included

ILLUSION

DESIGN FABRIZIO CRISÀ









ILLUSION

DESIGN FABRIZIO CRISÀ



100x50 cm

Aspirante Duct-out


Bianco + cornice bianca, rivestibile con cartongesso (non incluso) + cornice acciaio inox, nero effetto soft touch + cornice nera soft touch
White + white frame, coverable with drywall (not included) + stainless steel frame, black soft touch effect + black soft touch frame



Modello unico e personalizzabile con cartongesso.
Il cartongesso non è compreso nella confezione.
L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli sonori.
Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato.


Unique and customisable model ready for cladding with gypsum panels. The gypsum panels are not included in the packaging. The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels. Possibility to connect the product to any commercially available light.

H16 - NO MOTOR



FALSE CEILING CUT 480X980

H30



FALSE CEILING CUT 480X980

ACCESSORI ACCESSORIES

Kit filtrante H30 Filtering kit H30	KIT0148449
Kit filtrante high performance	KIT0148450A
High performance filtering kit	
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469
Motore remoto interno Remote internal motor	KIT0147879
Motore remoto esterno (muro)	KIT0147880
Remote external motor (wall)	
Motore remoto esterno (tetto)	KIT0147881
Remote external motor (roof)	
Motore remoto esterno (tetto inclinato)	KIT0147882
Remote external motor (inclined roof)	
Cavo Prolunga motore remoto	KIT0161392
Extension lead for remote motor	

ILLUMINAZIONE LIGHTING

Tipo Type Strip Led 2x14 W

Intensità Intensity 563 LUX

Temperatura Temperature 2700 K - 5000 K

PERFORMANCE PERFORMANCE

Comandi Controls Radiocomando 3V+2I
3S+2B Remote control

H16 H30

Portata intensiva Booster airflow 720 m³/h 770 m³/h

Livello sonoro min-max Noise level min-max 51 - 68 db(A) 40 - 53 db(A)

Assorbimento totale Total absorption 303 W 298 W

MODELLI MODELS

ILLUSION H30 WH/A/100	PRF0146251A
ILLUSION H16 WH/A/100	PRF0147727A
ILLUSION NO MOTOR WH/A/100	PRF0146253
ILLUSION H30 BL MAT/A/100	PRF0172646A
ILLUSION H16 BL MAT/A/100	PRF0172645A
ILLUSION NO MOTOR BL MAT/A/100	PRF0172647
ILLUSION H30 PAINT/A/100	PRF0146250A
ILLUSION H16 PAINT/A/100	PRF0147726A
ILLUSION NO MOTOR PAINT/A/100	PRF0146252

Filtro grassi alluminio incluso Grease aluminium filter included

Radiocomando incluso Remote control included





HILIGHT GLASS

DESIGN FABRIZIO CRISÀ



100x57 cm

Aspirante Duct-out

Vetro bianco + cornice bianca


White glass + white frame



L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli sonori. Le strip LED possono essere controllate da un interruttore a parete o radiocomando per regolare intensità e colore della luce. Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato.


The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels. The LED strips can be controlled by a wall-mounted switch or remote control to adjust the intensity and colour of the light. Possibility to connect the product to any commercially available light.

H16 - NO MOTOR



FALSE CEILING CUT 550X980

H30



FALSE CEILING CUT 550X980

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x14 W
Intensità Intensity	563 LUX
Temperatura Temperature	2700 K - 5000 K

PERFORMANCE PERFORMANCE

	H16	H30
Comandi Controls	Radiocomando 3V + 2I 3S + 2B Remote control	Radiocomando 3V + 2I 3S + 2B Remote control
Portata intensiva Booster airflow	720 m³/h	770 m³/h
Livello sonoro min-max Noise level min-max	51 - 68 db(A)	42 - 58 db(A)
Assorbimento totale Total absorption	189 W	184 W



Filtro grassi alluminio incluso Grease aluminium filter included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Kit filtrante H30 Filtering kit H30	KIT0148449
Kit filtrante high performance	KIT0148450A
High performance filtering kit	
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469
Motore remoto interno Remote internal motor	KIT0147879
Motore remoto esterno (muro)	KIT0147880
Remote external motor (wall)	
Motore remoto esterno (tetto)	KIT0147881
Remote external motor (roof)	
Motore remoto esterno (tetto inclinato)	KIT0147882
Remote external motor (inclined roof)	
Cavo Prolunga motore remoto	KIT0161392
Extension lead for remote motor	

MODELLI MODELS

HILIGHT GLASS H30 WH/A/100	PRF0146246A
HILIGHT GLASS H16 WH/A/100	PRF0167044A
HILIGHT GLASS NO MOTOR WH/A/100	PRF0146248





HILIGHT-X

DESIGN FABRIZIO CRISÀ



100x57 cm


Aspirante Duct-out

Acciaio inox, bianco, nero effetto soft touch
Stainless steel, white, black soft touch effect




L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli sonori. The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels.

H16 - NO MOTOR



FALSE CEILING CUT 550X980

H30



FALSE CEILING CUT 550X980

ACCESSORI ACCESSORIES

Kit filtrante H30 Filtering kit H30	KIT0148449
Kit filtrante high performance High performance filtering kit	KIT0148450A
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743

Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469
Motore remoto interno Remote internal motor	KIT0147879
Motore remoto esterno (muro) Remote external motor (wall)	KIT0147880
Motore remoto esterno (tetto) Remote external motor (roof)	KIT0147881
Motore remoto esterno (tetto inclinato) Remote external motor (inclined roof)	KIT0147882
Cavo Prolunga motore remoto Extension lead for remote motor	KIT0161392

MODelli MODELS

HILIGHT-X H30 IX/A/100	PRF0163520A
HILIGHT-X H16 IX/A/100	PRF0167045A
HILIGHT-X NO MOTOR IX/A/100	PRF0163523
HILIGHT-X H30 WH/A/100	PRF0173444A
HILIGHT-X H16 WH/A/100	PRF0173442A
HILIGHT-X H30 BL MAT/A/100	PRF0173445A
HILIGHT-X H16 BL MAT/A/100	PRF0173443A

Filtro grassi alluminio incluso Grease aluminium filter included
Radiocomando incluso Remote control included



FILTRANTE



ASPIRANTE



CLOUD SEVEN

DESIGN FABRIZIO CRISÀ




90 cm


Aspirante/Filtrante Duct-out/Filtering

Acciaio inox + bianco Stainless steel + white

ASPIRANTE



FILTRANTE



FALSE CEILING CUT 480X880



Modello Plug&Play, installabile facilmente, senza necessità di interventi su cartongesso o tubazioni aggiuntive (Cloud Seven

Filtrante). Plug&Play model, easy-to-install, no need for building work on gypsum panels or additional pipes (Cloud Seven Filter).

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	393 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
Radiocomando 3V + 2I	Radiocomando 3V + I	
3S + 2B Remote control	3S + B Remote control	
Portata intensiva Booster airflow	770 m ³ /h	570 m ³ /h
Livello sonoro min-max Noise level min-max	43 - 60 db(A)	52 - 70 db(A)
Assorbimento totale Total absorption	284 W	214 W

Filtro grassi alluminio incluso Grease aluminium filter included

Filtro carbone rigenerabile (*) Regenerable charcoal filter included (*)

Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140426
Kit filtrante high performance High performance filtering kit	KIT0148450A
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469

MODELLI MODELS

CLOUD SEVEN IX/F/90 (*)	PRF0141953
CLOUD SEVEN IX/A/90	PRF0142094A

Modello non soggetto a certificazione energetica obbligatoria. (*)

Model not subject to compulsory energy certification. (*)

ACCESSORI TUBAZIONI CEILING CEILING PIPE FITTING ACCESSORIES



222x89x1000 mm
KIT0120991



222x89x500 mm
KIT0173527




Ø146 - 227x94 mm
KIT0121007



90° - 227x288x94 mm
KIT0121004



90° - 227x94 mm
KIT0121005



int 216x82 / est 290x160 mm
KIT0121009



227x94x80 mm
KIT0121001



Ø153 - 227x94 mm
KIT0121008



Ø150x500 mm
KIT0120996



Ø150x1000 mm
KIT0121000



Ø158x59 mm
KIT0121003



90° - Ø157
KIT0121006




Ø150x3000 mm
1052AD



Ø152x1000 mm
KIT0161455



227x94 mm
KIT0126810



Ø147 - 190x190 mm
KIT0121010



50 mm x 25 m
KIT0161453



Ø150x240 mm
KIT0161457

Per evitare la creazione di condensa e il ritorno della stessa verso la fonte di espulsione dell'aria, consigliamo di installare questo componente lungo la conduttura di uscita, facendo attenzione di posizionarlo in orizzontale per assicurarne un corretto funzionamento.

Nel caso di gruppo motore remoto INLINE l'accessorio deve essere installato dopo il motore stesso.

To avoid the formation of condensate and the flowback towards the source of air output, we advise installing this component along the outlet pipe, taking care to position it horizontally to ensure correct operation.

The accessory must be installed on the motor if there is an INLINE remote motor unit.

KIT FILTRI CARBONE CARBON FILTERS KIT



Kit filtrante rigenerabile H16-H30

Regenerable filter kit H16-H30

KIT0167743

Disponibile per Available for
 CLOUD SEVEN VERS. ASPIRANTE
 HILIGHT X H16
 HILIGHT GLASS H16
 HILIGHT X H30
 HILIGHT GLASS H30
 ILLUSION H16
 ILLUSION H30
 SKYDOME H16
 SKYDOME H30



Disponibile per Available for
 CLOUD SEVEN VERS. ASPIRANTE
 HILIGHT X H16
 HILIGHT GLASS H16
 HILIGHT X H30
 HILIGHT GLASS H30
 ILLUSION H16
 ILLUSION H30
 SKYDOME H16
 SKYDOME H30

Filtro carbone rigenerabile per
 KIT0167743

Regenerating carbon filter for
 KIT0167743

KIT0168748

Kit filtrante high performance
prima installazione H16-H30High performance filtering kit
H16-H30

KIT0148450A

Disponibile per Available for
 CLOUD SEVEN VERS. ASPIRANTE
 HILIGHT X H16
 HILIGHT W H16
 HILIGHT X H30
 HILIGHT GLASS H30
 ILLUSION H16
 ILLUSION H30
 SKYDOME H16
 SKYDOME H30
 LULLABY@ VERS. ASPIRANTE.



Disponibile per Available for
 CLOUD SEVEN VERS. ASPIRANTE
 HILIGHT X H16
 HILIGHT GLASS H16
 HILIGHT X H30
 HILIGHT GLASS H30
 ILLUSION H16
 ILLUSION H30
 SKYDOME H16
 SKYDOME H30
 LULLABY@ VERS. ASPIRANTE

Filtro carbone high performance
 per KIT0148450A

High performance carbon filter
 for KIT0148450A

KIT0168749

Filtro in ceramica anti-odori
Ceramic odour filter

KIT0147861A

Disponibile per Available for
 LULLABY@ VERS. FILTRANTE



Disponibile per Available for
 CLOUD SEVEN VERS. FILTRANTE

Filtro carbone rigenerabile
 Regenerable charcoal filter

CFC0140426

Kit filtrante H30
Recycling kit H30

KIT0148449

Disponibile per Available for
 HILIGHT X H30
 HILIGHT GLASS H30
 ILLUSION H30
 SKYDOME H30
 LULLABY@ VERS. ASPIRANTE





SUSPENDED

La leggerezza della luce si accosta a potenti cuori aspiranti per dar vita a prodotti dall'alto valore estetico. Cappe che diventano scenografici lampadari in grado non solo di arredare l'ambiente, ma di garantire il migliore trattamento dell'aria, grazie a filtri di ultima generazione. Il sapiente utilizzo dei materiali permette di integrarsi in ogni ambiente e di caratterizzarlo: dal sofisticato e luminoso cristallo, perfetto per spazi eleganti e preziosi, al rame lucido o alla finitura ruggine, ideale per lo stile industrial. Punti luce inaspettati, in grado di sorprendere.

The elegance of the light is combined with powerful extraction units to produce attractive eye-catching hoods. Hoods that become spectacular ceiling lights that not only furnish the kitchen, but guarantee the best air treatment, thanks to the latest generation of filters. The skilful use of materials allows it to fit seamlessly into any environment and yet, make a statement: from the sophisticated and luminous glass, perfect for elegant and refined spaces, to the polished copper or rust finish, ideal for an industrial look. Unexpected points of light, for a wow factor.







INTERSTELLAR

DESIGN FABRIZIO CRISÀ





INTERSTELLAR

DESIGN FABRIZIO CRISÀ

Ø67 cm

Filtrante Recycling

Acciaio inox lucido + vetro, acciaio inox lucido + vetro nero

Shiny stainless steel + glass, shiny stainless steel + black glass



EASY TO
MAINTAIN



LONG LIFE
FILTER ++



COMFORT
SILENCE



DIM LIGHT



SPECIAL
MATERIAL



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	261 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	384 m³/h
Livello sonoro min-max Noise level min-max	36 - 54 db(A)
Assorbimento totale Total absorption	134 W

Filtro grassi alluminio incluso Grease aluminium filter included
 Filtro carbone rigenerabile HP incluso Regenerable charcoal filter HP included
 Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile HP Regenerable charcoal filter HP	CFC0140053
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772

MODELLI MODELS

INTERSTELLAR IX/F/65	PRF0151808
INTERSTELLAR BL/F/65	PRF0151809





SEASHELL


DESIGN FABRIZIO CRISÀ

Ø80 cm

Filtrante Filtering

Bianco perla, bianco opaco, nero opaco, acciaio inox lucido

Pearl, matt white, matt black, shiny stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Neon 4x24 W
Intensità Intensity	1386 LUX
Temperatura Temperature	6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Radiocomando 3V+I 3S+B Remote control
Portata intensiva Booster airflow	400 m³/h
Livello sonoro min-max Noise level min-max	55 - 67 db(A)
Assorbimento totale Total absorption	350 W

Filtro grassi alluminio incluso Grease aluminium filter included
 Filtro carbone rigenerabile incluso Regenerable charcoal filter included
 Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT0067590

MODELLI MODELS

SEASHELL IX/F/80	PRF0098394
SEASHELL BL/F/80	PRF0098393
SEASHELL WH/F/80	PRF0024262A
SEASHELL WH MAT/F/80	PRF0098392

Modello non soggetto a certificazione energetica obbligatoria.
 Model not subject to compulsory energy certification.



SUMMILUX

DESIGN FABRIZIO CRISÀ







SUMMILUX

DESIGN FABRIZIO CRISÀ



reddot award 2017
winner



Ø 50 cm

Filtrante Recycling

Grigio + vetro bianco, effetto ghisa + vetro bianco
Grey + white glass, cast iron effect + white glass



EASY TO
MAINTAIN



LONG LIFE
FILTER ++



COMFORT
SILENCE



DIM LIGHT



SPECIAL
MATERIAL



CM 50




CM 65



Ø150



ENERGY
CLASS
(A++/D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	261 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	384 m³/h
Livello sonoro min-max Noise level min-max	36 - 53 db(A)
Assorbimento totale Total absorption	124 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile HP incluso Regenerable charcoal filter HP included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile HP Regenerable charcoal filter HP	CFC0140053
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469
Kit installazione a parete cromato Chrome wall installation kit	KIT0146156
Kit installazione a parete nero Black wall installation kit	KIT0146155
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772

MODELLI MODELS

SUMMILUX LIGHT GREY/F/50	PRF0176166
SUMMILUX CAST IRON/F/50	PRF0176167





SHINING

DESIGN FABRIZIO CRISÀ



SHINING CAST IRON



SHINING CAST IRON



SHINING PELTOX



SHINING RUST



SHINING

DESIGN FABRIZIO CRISÀ

Ø 50 cm

Filtrante Recycling

Metallo effetto: peltrox, ruggine, ghisa

Metal: peltrox, rust, cast iron effect



EASY TO MAINTAIN



LONG LIFE FILTER ++



COMFORT SILENCE



DIM LIGHT



SPECIAL MATERIAL



CM 50




CM 65



Ø150



ENERGY CLASS
(A***/D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	541 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+3S+B Electronic push button
Portata intensiva Booster airflow	380 m³/h
Livello sonoro min-max Noise level min-max	36 - 53 db(A)
Assorbimento totale Total absorption	54 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile HP incluso Regenerable charcoal filter HP included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile HP Regenerable charcoal filter HP	CFC0140053
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469
Kit installazione a parete cromato Chrome wall installation kit	KIT0146156
Kit installazione a parete nero Black wall installation kit	KIT0146155
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772


MODelli MODELS

SHINING CAST IRON/F/50	PRF0120590A
SHINING PELTOX/F/50	PRF0120497A
SHINING RUST/F/50	PRF0120528A



ÈDITH
DESIGN FABRIZIO CRISÀ





ÉDITH ROCK



ÉDITH CLASSIC



ÉDITH HEAVY METAL



ÉDITH

DESIGN FABRIZIO CRISÀ

Ø 50 cm

Filtrante Recycling

Nero, bianco, acciaio inox lucido
Black, white, shiny stainless steel




EASY TO
MAINTAIN



LONG LIFE
FILTER ++



COMFORT
SILENCE



DIM LIGHT



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.



reddot design award
winner 2015



DESIGN
AWARD
2015



GOOD
DESIGN



winner

ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	469 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	380 m³/h
Livello sonoro min-max Noise level min-max	36 - 53 db(A)
Assorbimento totale Total absorption	54 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile HP incluso Regenerable charcoal filter HP included
Radiocomando incluso Remote control included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile HP Regenerable charcoal filter HP	CFC0140053
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090
Radiocomando bianco White remote control	KIT0121468
Radiocomando nero Black remote control	KIT0121469
Kit installazione a parete cromato Chrome wall installation kit	KIT0146156
Kit installazione a parete nero Black wall installation kit	KIT0146155
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772

MODelli MODELS

EDITH CLASSIC/F/50	PRF0098360
EDITH HEAVYMETAL/F/50	PRF0098364
EDITH ROCK/F/50	PRF0098361



WAVE UX

DESIGN FABRIZIO CRISÀ







WAVE UX

DESIGN FABRIZIO CRISÀ

Ø51 cm

Filtrante Recycling

Acciaio inox, nero effetto soft touch

Stainless steel, black soft touch effect



EASY TO
MAINTAIN



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

ILLUMINAZIONE LIGHTING

Tipo Type	Led 3X2,5 W + Led 4X3 W
Intensità Intensity	451 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	45 - 62 db(A)
Assorbimento totale Total absorption	219,5 W


Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT01889
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT01921
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175805
Kit installazione a parete nero Black wall installation kit	KIT0175806

MODELLI MODELS

WAVE UX BL MAT/F/51	PRF0171193
WAVE UX IX/F/51	PRF0171194





EASY UX

DESIGN FABRIZIO CRISÀ

Ø51 cm

Filtrante Recycling

Acciaio inox, nero effetto soft touch, bianco

Stainless steel, black soft touch effect, white



EASY TO
MAINTAIN



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A***/D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

ILLUMINAZIONE LIGHTING

Tipo Type	Led 3X2,5 W
Intensità Intensity	451 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	45 - 62 db(A)
Assorbimento totale Total absorption	207,5 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT01889
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT01921
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175805
Kit installazione a parete nero Black wall installation kit	KIT0175806

MODELLI MODELS

EASY UX BL MAT/F/50	PRF0120352A
EASY UX IX/F/50	PRF0120354A
EASY UX WH/F/50	PRF0119940A



PIX

DESIGN FABRIZIO CRISÀ






PIX CONCRETE



PIX WHITE

PIX JEANS



PIX BLACK





PIX

DESIGN FABRIZIO CRISÀ

42x42 cm

Filtrante Recycling

Bianco, nero, finitura cemento, finitura denim
White, black, concrete finish, denim finish



LONG LIFE FILTER



COMFORT SILENCE



SPECIAL MATERIAL



CM 50




CM 65



Ø150



ENERGY CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	44 - 60 db(A)
Assorbimento totale Total absorption	207 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	KIT0147175
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0146153
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT0147941
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0147942

MODELLI MODELS

PIX BL/F/42	PRF0146220
PIX WH/F/42	PRF0145561
PIX JEANS/F/42	PRF0146221
PIX CONCRETE/F/42	PRF0146222



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

IKONA LIGHT

DESIGN FABRIZIO CRISÀ







IKONA LIGHT IX



IKONA LIGHT WH



IKONA LIGHT BL MAT



IKONA LIGHT

DESIGN FABRIZIO CRISÀ

60 cm

Filtrante Filtering

Acciaio inox, nero effetto soft touch, bianco

Stainless steel, black soft touch effect, white



EASY TO
MAINTAIN



CM 50




CM 60



0150



ENERGY
CLASS
(A***/D)



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	421 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	47 - 62 db(A)
Assorbimento totale Total absorption	207 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175807
Kit installazione a parete nero Black wall installation kit	KIT0175808
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT0147941
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0147942

MODelli MODELS

IKONA LIGHT IX/F/60	PRF0165071
IKONA LIGHT BL MAT/F/60	PRF0165082
IKONA LIGHT WH/F/60	PRF0165083



JUNO WH



JUNO IX



JUNO BL

JUNO

ELICA DESIGN CENTER



Ø 50 cm

Filtrante Recycling

Acciaio inox, bianco, nero
Stainless steel, white, blackEASY TO
MAINTAINLONG LIFE
FILTER


CM 50



CM 65



Ø150

ENERGY
CLASS
(A+/-D)Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera soft light 3V 3S Soft light push button
Portata massima Max airflow	620 m³/h
Livello sonoro min-max Noise level min-max	45 - 67 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175805
Kit installazione a parete nero Black wall installation kit	KIT0175806
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT01889
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT01921

MODelli MODELS

JUNO IX/F/50	PRF0089651D
JUNO BL/F/50	PRF0071970D
JUNO WH/F/50	PRF0071972D



JUNO CAST IRON



JUNO ZINC

JUNO URBAN

ELICA DESIGN CENTER



Ø 50 cm

Filtrante Recycling

Metallo effetto ghisa, metallo effetto zincato

Cast iron effect metal, zinc coating effect metal



EASY TO
MAINTAIN



LONG LIFE
FILTER



SPECIAL
MATERIAL



CM 50




CM 65



Ø150



ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera soft light 3V 3S Soft light push button
Portata massima Max airflow	620 m³/h
Livello sonoro min-max Noise level min-max	45 - 67 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088
Kit installazione a parete acciaio inox Stainless steel wall installation kit	KIT0175805
Kit installazione a parete nero Black wall installation kit	KIT0175806
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT01889
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT01921

MODELLI MODELS

JUNO URBAN CAST IRON/F/50	PRF0147728B
JUNO URBAN ZINC/F/50	PRF0147730B



Installabile anche a muro ordinando il kit installazione accessorio.
Possibility for wall mounting by ordering the ancillary installation.



DOWNDRAFT

La discrezione di linee pulite e finiture che scompaiono nel top, integrandosi perfettamente con la superficie in cui sono progettate, caratterizza le cappe downdraft di Elica. Un meccanismo up&down che assicura elevate performance di aspirazione quando la cappa viene azionata, per poi scomparire nel top quando viene spenta, regalando un design lineare e fluido alla cucina.

Grazie al motore remoto, l'armonia dell'ambiente non viene disturbata dal rumore del potente cuore aspirante. Per il massimo comfort.

The discretion of clean lines and finishes that disappear into the countertop, lying flush to the surface on which they are designed, is the hallmark of Elica's downdraft hoods. An up&down mechanism ensures high extraction performance when the hood is switched on, which then disappears into the countertop when turned off, ensuring a linear and streamlined kitchen design.

The remote motor means the harmony in the kitchen remains undisturbed by the noise of the powerful extraction unit. For maximum comfort.

GETUP

DESIGN FABRIZIO CRISÀ





GETUP NAKED



GETUP IX



GETUP CAST IRON



GETUP NAKED





GETUP

DESIGN FABRIZIO CRISÀ


90 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch + vetro nero, effetto ghisa,

effetto ghisa + rivestibile

Stainless steel, black soft touch effect + black glass, cast iron effect,
cast iron effect + coverable



CUT FOR INSTALLATION



Con Getup la libertà e il comfort sono massimi grazie all'interfaccia utente sempre visibile frontalmente e alla comodità dell'assistente vocale o del telecomando tramite APP nella gestione del flusso d'aria, dell'intensità della luce e della manutenzione del prodotto.

Total freedom and comfort with Getup, thanks to the user interface displayed on the front and the handy voice assistant or remote control via the app, to manage the air flow, light intensity and product maintenance.

ELICA CONNECT

ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7W
Intensità Intensity	203 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control infrarossi 3V+2I 3S+2B Infrared touch control
Portata intensiva Booster airflow	750 m ³ /h
Livello sonoro min-max Noise level min-max	43 - 62 db(A)
Assorbimento totale Total absorption	317 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Kit filtro carbone rigenerabile HP Regenerable charcoal filter HP	KIT0166432
Kit filtro carbone rigenerabile Regenerable carbon filter kit	KIT0166444
Kit trasformazione motore satellite Remote motor transformation kit	KIT0166435

MODelli MODELS

GETUP IX/A/90	PRF0161680
GETUP BL MAT/A/90	PRF0162784
GETUP CAST IRON/A/90	PRF0162866
GETUP NAKED/A/90	PRF0162869

Stile essenziale e minimale Understated, minimal style

Il nuovo modello Getup arricchisce il classico downdraft di stile e soluzioni tecnologiche all'avanguardia, in grado di assicurare il massimo comfort in cucina.

Nasce dall'esigenza di chi predilige un ambiente minimale ma allo stesso tempo è attento alla rimozione efficace dei vapori e degli odori in casa, Getup si integra perfettamente nell'arredo della cucina e rivela la sua efficacia solo quando necessario.

The new Getup model enhances the classic downdraft style and cutting-edge technological solutions which ensure the utmost comfort in the kitchen.

It stems from the demand of those aiming for a minimal setting, but one that is also focused on efficiently removing vapours and odours in the home.



Massima libertà di installazione Total installation freedom

Getup si inserisce con discrezione in ogni tipo di cucina, lasciando la massima libertà di installazione e occupando uno spazio minimo all'interno del mobile grazie alle dimensioni e alla posizione del gruppo aspirante che consente cassetti più profondi.

Il motore, incluso nella scatola, può essere montato a bordo e su entrambi i lati del prodotto con possibilità di ruotare l'uscita nelle quattro direzioni per soddisfare qualsiasi esigenza di installazione. La stessa unità di aspirazione può essere anche remotizzata (fino a 3 mt), liberando l'ingombro all'interno del mobile e mantenendo performance efficaci alla massima silenziosità.

Getup blends discretely into any type of kitchen, leaving total freedom for installation and taking up a minimum amount of space inside the unit, thanks to its size and the position of the extraction unit which allows for deeper drawers.

The motor, included in the box, can be assembled on-board or on both sides of the product, with the option of turning the outlet in four directions to meet any installation requirement. The same extraction unit can also be installed remotely (up to 3 metres), freeing up space inside the unit whilst maintaining efficient performance and low noise levels.


Soluzioni originali Original solutions

I materiali rappresentano da sempre per Elica uno degli elementi fondamentali del processo di innovazione, consentendo la creazione di soluzioni distinte, in linea con le tendenze del settore dell'arredamento.

La finitura nera, in Getup, viene interpretata con una combinazione di vetro nero e particolari in vernice soft touch mentre la classica soluzione in acciaio rivela la sua eleganza senza tempo. La versione effetto ghisa rappresenta una vera novità: sottolineata da un profilo in titanio la finitura discretamente brillante si sposa perfettamente con i nuovi stili di cucina e con gli elementi estetici dei piani a gas. Il modello "naked" consente di rivestire il pannello superiore con qualsiasi texture, anche la stessa del piano di lavoro, rendendo Getup un prodotto unico e personalizzabile.

Materials have always been one of the fundamental elements for Elica in the innovation process, resulting in statement solutions, in line with trends in the furnishing sector. In Getup, the black finish is interpreted with a combination of black glass and details in soft touch paint while the classic solution in steel showcases its timeless elegance.

The cast-iron effect is a brand-new addition: highlighted by a titanium trim, the subtly bright finish blends in perfectly with new kitchen styles and the aesthetic elements of the gas hobs. The "naked" model allows you to cover the upper panel with any texture, even the same one as the worktop, making Getup a one-of-a-kind, customisable product.



Interazione intelligente e connessione Wi-fi Smart interaction and Wi-fi connection

ELICA CONNECT



Interacting with Getup is surprisingly natural. The innovative user interface is always on view and all the functions can be selected with a touch on the side part of the product, so you don't have to reach over pans or the hot stove, ensuring complete safety.

Getup comes with Wi-fi: extraction and lights can be controlled via the dedicated App and widely-used smart speakers. Using the Elica Connection App, it is possible to receive useful feedback on filter maintenance and the best ways to use the hood.

PANDORA BL



PANDORA IX





PANDORA

ELICA DESIGN CENTER

90 cm

Filtrante (motore interno) Filtering (internal motor)
Aspirante (motore esterno) Duct-out (external motor)
Acciaio inox + vetro nero, nero + vetro nero
Stainless steel + black glass, black + black glass



EASY TO MAINTAIN



TOTAL INTEGRATION



COMFORT SILENCE



Ø150



ENERGY CLASS (A+++/D)

PERFORMANCE PERFORMANCE

Comandi	Pulsantiera elettronica 3V+I
Controls	3S+B Electronic push button
Portata intensiva	669 m³/h
Booster airflow	
Livello sonoro min-max	45 - 59 db(A)
Noise level min-max	
Assorbimento totale	275 W
Total absorption	

Filtro grassi alluminio incluso Grease aluminium filter included
Filtro carbone incluso (*) Charcoal filter included (*)

ACCESSORI ACCESSORIES


Filtro carbone	Charcoal filter	CFC0142324
Motore remoto esterno (GME22)	Remote external motor (GME22)	PRF0006212A
Motore remoto esterno (GME88)	Remote external motor (GME88)	PRF0046491A

MODELLI MODELS

PANDORA IX/F/90 (*)	PRF0120980
PANDORA GME IX/A/90 (**)	PRF0120982
PANDORA BL/F/90 (*)	PRF0120979
PANDORA GME BL/A/90 (**)	PRF0120981

(*) Motore a bordo fornito
On-board motor supplied

(**) Motore remoto non fornito
Remote motor not supplied



CUT FOR INSTALLATION

TUBAZIONI ACCESSORIE PER VERSIONE ASPIRANTE ACCESSORY PIPE FITTINGS FOR DUCT-OUT VERSION



222x89x1000 mm
KIT0120991



222x89x500 mm
KIT0173527



Ø150x500 mm
KIT0120996



Ø150x1000mm
KIT0121000



227x94x80mm
KIT0121001



15° 227x138x94
KIT0121002



Ø158X59mm
KIT0121003



90° 227x288x94mm
KIT0121004



90° 227x94mm
KIT0121005



90° - Ø157
KIT0121006



227x94 - Ø146mm
KIT0121007



227x94 - Ø153mm
KIT0121008



int 216x82 / est 290x160 mm
KIT0121009



190x190 - Ø147mm
KIT0121010



227x94 mm
KIT0126810



50 mm x 25 m
KIT0161453

TUBAZIONI ACCESSORIE PER VERSIONE FILTRANTE ACCESSORY PIPE FITTINGS FOR FILTERING VERSION



218x55x500 mm
KIT0121012



218x55x1000 mm
KIT0121013




218x55X70 mm
KIT0121015



90° 218x55 mm
KIT0121016



218x55 mm
KIT0121017



50 mm x 25 m
KIT0161453





BUILT IN

La tradizionale installazione a scomparsa permette di creare un ambiente uniforme e omogeneo, senza interruzioni. Per chi ricerca il massimo allineamento e la totale linearità, le cappe built in sono la soluzione in grado di personalizzare al meglio la propria cucina. Il perfetto incasso tra i pensili consente una continuità di sguardo, celando all'interno del prodotto il cuore tecnologico. L'innovativo sistema anticondensa no-drip assicura la migliore protezione ai pensili, catturando le gocce di vapore in risalita, prima che si dispendano nell'ambiente. Alleate tanto discrete quanto preziose.

The traditional concealed installation allows you to create a uniform and seamless environment, with no interruptions. For anyone looking for maximum alignment and total linearity, built-in hoods are the solution to stamping your own style on the kitchen. The perfect fit between the wall units allows for continuity, concealing the technology behind the extraction unit inside the hood. The innovative no-drip, anti-condensate system ensures the best protection for the wall units, capturing the drops of rising steam before they are dispersed in the air. Discrete and sophisticated allies.





BOXIN NO DRIP

ELICA DESIGN CENTER

60 - 90 - 120 cm

Aspirante Duct-out

Acciaio inox Stainless steel



EASY TO
MAINTAIN



TOTAL
INTEGRATION



LONG LIFE
FILTER



COMFORT
SILENCE



CM 50




CM 62



Ø150



ENERGY
CLASS
(A+++/D)



La prima cappa incasso di Elica per risolvere il problema della condensa con sistemi meccanici ed elettrici capaci di garantire una soluzione a 360 °. Il sistema è studiato per evitare la caduta delle gocce sul piano cottura e per salvare i pensili dal vapore.

Elica's first built-in hood that solves the problem of condensate with mechanical and electrical systems able to guarantee an all-round solution. The system has been designed to prevent dripping on the hob, as well as protect wall units from steam.

ILLUMINAZIONE LIGHTING

Tipo Type	LED 2x2,5W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	30 - 60 db(A)
Assorbimento totale Total absorption	300 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617
Kit camino H12 IX Chimney kit H12 IX	KIT0091876
Kit camino telescopico h18,5+h18,5 IX Telescopic chimney kit h18,5+h18,5 IX	KIT0141458

MODELLI MODELS

BOXIN NO DRIP IX/A/60	PRF0157712
BOXIN NO DRIP IX/A/90	PRF0156613
BOXIN NO DRIP IX/A/120	PRF0157280

FOCUS ON BOXIN NO DRIP



When using an induction hob, the formation of condensation is common. Drops often fall back down on the hob or into pots and can ruin the cupboards.

The ample profile in stainless steel protects the door of the cupboard. The innovative resistance element in the hood's body heats the profile and lamp support to 42°C, reducing the temperature difference between the steam and the metal surface. Thanks to the grids the condensation water is easily collected in a specific tray located on the bottom. To empty it, you only have to press a simple button.

The controls are ergonomically positioned on the front of the profile, making them easily accessible and ensuring maximum comfort.

La condensa e il vapore in eccesso non saranno più un problema
Excess condensation and steam will no longer be a problem

Quando si utilizza un piano cottura a induzione è frequente la formazione di condensa. Le gocce spesso ricadono sul piano cottura o nelle pentole e possono rovinare i pensili. L'ampia veletta in acciaio inox protegge al meglio l'anta del pensile. L'innovativa resistenza introdotta nel corpo cappa riscalda la veletta e il supporto lampade a 42°, riducendo la differenza di temperatura tra il vapore e la superficie metallica. Grazie alle griglie inclinate l'acqua di condensa viene facilmente raccolta in una apposita vaschetta posta sul fondo. Per svuotarla è sufficiente premere un semplice pulsante. I comandi sono posizionati ergonomicamente sulla veletta frontale, risultando così facilmente accessibili a garanzia del massimo comfort.



**Funzionalità e dettagli
in acciaio dal look professionale**
**Functions and details
in steel with a professional look**



Il design ergonomico e funzionale della veletta, unito alle griglie brevettate, consente di raggiungere risultati eccezionali in termini di captazione dei fumi per un'aria pulita e sana.

Con Boxin No Drip, design ergonomico e funzionalità sono in perfetto equilibrio. La veletta è stata studiata di 14 cm e con un raggio di apertura di 45°, che rappresentano i gradi e la distanza perfetti per incanalare i fumi attraverso il filtro grassi, migliorando le prestazioni e la velocità di aspirazione.

Grazie alle speciali griglie brevettate le poche gocce di condensa generate rimangono incastrate tra le lamelle delle griglie e convogliate verso la vaschetta di raccolta dell'acqua posta sul fondo.



The ergonomic and functional design of the profile, combined with patented grids, allows you to achieve exceptional results in terms of fumes collection, for clean and healthy air.

With Boxin No Drip, ergonomic design and functions are in perfect balance. The carefully studied profile measures 14 cm and has a 45° opening radius, representing the perfect angle and distance for channelling the fumes through the grease filter, improving its performance and speed of extraction. Thanks to the special patented grids, the few drops of condensation generated get trapped between the slats of the grids and then conveyed to the water collection tray located at the bottom.



**Facile da pulire
Easy to clean**

La vaschetta raccogli-condensa va svuotata e pulita almeno una volta a settimana o più frequentemente in base all'utilizzo della cappa. Posizionare un contenitore sotto il foro nella traversa, premere la linguetta verso il basso e procedere allo svuotamento. Residui di condensa potrebbero rimanere all'interno della vaschetta. Per eliminarli, si può rimuovere la traversa posteriore in modo semplice, senza l'utilizzo di utensili per poterla lavare completamente.

The condensate collection tray should be emptied and cleaned at least once a week or more frequently, depending on the use of the hood. Place a container under the hole in the crossbar, press the tab down, and proceed with the flushing. Condensation residues may remain inside the tray. To eliminate them, you can easily remove the back crossbar, without the use of tools, so that you can wash it completely.



BOXIN PLUS

ELICA DESIGN CENTER

60 - 90 - 120 cm

Aspirante Duct-out

Acciaio inox + vetro bianco
Stainless steel + white glass



EASY TO
MAINTAIN



MULTI-D
CAPTURE



TOTAL
INTEGRATION



LONG LIFE
FILTER



CM 50




CM 50



Ø150



ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type

Led 2x2,5 W

Intensità Intensity

381 LUX

Temperatura Temperature

3500 K

PERFORMANCE PERFORMANCE

Comandi
Controls

Rotativo meccanico 3V
3S Mechanical rotative

Portata massima
Max airflow

580 m³/h

Livello sonoro min-max
Noise level min-max

49 - 70 db(A)

Assorbimento totale
Total absorption

255 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0140343

Filtro carbone rigenerabile
Regenerable charcoal filter

CFC0162221

Kit griglia diffusore aria Ø150 mm
Air diffuser grid kit 150mm

KIT0162617

Kit camino H12 Chimney kit H12

KIT0091876

Kit camino H18,5+18,5 Chimney kit H18,5+18,5

KIT0141458

MODELLI MODELS

BOX IN PLUS IXGL/A/60

PRF0097795A

BOX IN PLUS IXGL/A/90

PRF0097796A

BOX IN PLUS IXGL/A/120

PRF0097797A



BOXIN IX



BOXIN BL

BOXIN

ELICA DESIGN CENTER

60 - 90 - 120 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch

Stainless steel, black soft touch effect



EASY TO
MAINTAIN



TOTAL
INTEGRATION



LONG LIFE
FILTER



CM 50




CM 50



Ø150



ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Rotativo meccanico 3V 3S Mechanical rotative STD	LUX
Portata massima Max airflow	370 m ³ /h	620 m ³ /h
Livello sonoro min-max Noise level min-max	48 - 67 db(A)	50 - 70 db(A)
Assorbimento totale Total absorption	95 W	255 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone (*) Charcoal filter (*)	CFC0140343
Filtro carbone rigenerabile (*) Regenerable charcoal filter (*)	CFC0162221
Filtro carbone Charcoal filter	CFC0141497
Kit griglia diffusore aria Ø150 mm	KIT0162617
Air diffuser grid kit 150mm	
Kit camino H12 Chimney kit H12	KIT0091876
Kit camino H18,5+18,5 Chimney kit H18,5+18,5	KIT0141458

MODelli MODELS

BOXIN IX/A/60	PRF0097835B
BOXIN IX/A/90	PRF0097839B
BOXIN IX/A/120	PRF0097842B
BOXIN LX/IX/A/60 (*)	PRF0114760A
BOXIN LX/IX/A/90 (*)	PRF0114761A
BOXIN LX/IX/A/120 (*)	PRF0114762A
BOXIN LX/BL MAT/A/60 (*)	PRF0172166
BOXIN LX/BL MAT/A/90 (*)	PRF0172167
BOXIN LX/BL MAT/A/120 (*)	PRF0172168



COSA MANCA: PANE
BISCOTTI
FRAGOLE
MELANZANE
ZUCCHINE



HIDDEN 2.0 @
DESIGN FABRIZIO CRISÀ



HIDDEN 2.0 @ BLGL



HIDDEN 2.0 @ IX





HIDDEN 2.0 @



DESIGN FABRIZIO CRISÀ

60 - 90 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch + vetro nero

Stainless steel, black soft touch effect + black glass



Hidden 2.0 @ consente all'utente di sentirsi più libero e di avere più tempo per concentrarsi sulle operazioni di cottura grazie al suo sistema wireless intelligente. La cappa può essere utilizzata tramite app o controllo vocale ricevendo e dando informazioni.

Hidden 2.0 @ heightens the user's sense of freedom, offering more time to concentrate on cooking thanks to the smart wireless system. The hood can be used either through the app or with voice commands, giving and receiving information.

ELICA CONNECT

ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7W
Intensità Intensity	309 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	700 m³/h
Livello sonoro min-max Noise level min-max	51 - 67 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617
Kit camino telescopico h18,5+h18,5 Telescopic chimney kit h18,5+h18,5	KIT0141458

MODelli MODELS

HIDDEN 2.0 @ IX/A/60	PRF0164340
HIDDEN 2.0 @ IX/A/90	PRF0164356
HIDDEN 2.0 @ BLGL/A/60	PRF0164361
HIDDEN 2.0 @ BLGL/A/90	PRF0164391



Da oggi anche le cappe a incasso sono connesse al Web

Even built-in hoods connected to the Web, starting now

ELICA CONNECT

Hidden 2.0 @ è la prima cappa a incasso connessa in wi-fi di Elica, un modello dal design estremamente pulito che rende il prodotto completamente integrato nel design della tua cucina.

Con questo prodotto, Elica continua il suo percorso nel mondo dell'IoT, rendendo più semplice la vita in cucina: Hidden 2.0 @ permette una maggiore libertà di movimento e più tempo per concentrarsi sulle operazioni di cottura.

La cappa può essere gestita tramite la app Elica Connect, mediante la quale è possibile attivare l'aspirazione e regolare l'intensità e il calore della luce, da un tono di bianco più freddo ed elegante, ad una luce più calda ed avvolgente, creando così l'atmosfera desiderata.

La app dedicata ed estremamente user friendly aggiorna l'utente con informazioni utili sullo stato del prodotto o su eventuali interventi necessari come la manutenzione o la sostituzione dei filtri. Inoltre, è possibile collegare Hidden 2.0 @ con gli smart speakers più diffusi per avere a disposizione il controllo vocale.



Hidden 2.0 @ is Elica's first built-in hood with Wi-Fi connection, a model distinguished by its extremely clean design, allowing its smooth and complete integration into your kitchen design.

Through this product, Elica continues its journey through the IoT world, making life in the kitchen even simpler: Hidden 2.0 @ allows greater freedom of movement and more time to concentrate on your cooking.

The hood can be managed through the Elica Connect app, using which it's possible to adjust the intensity and warmth of the light, whether cooler and more elegant or softer and more inviting, thus perfectly creating your desired atmosphere.

The dedicated and extremely user-friendly app updates the user with helpful information regarding the status of the product or any necessary servicing, such as filter maintenance or replacement. Moreover, Hidden 2.0 @ can be connected with the most popular smart speakers for access to voice control.

**Grandi performance in una soluzione salvaspazio
Huge performance in a space-saving solution**



Hidden 2.0 @ è stata progettata per garantire le migliori performance di funzionamento in uno spazio contenuto. La ridotta dimensione dell'ingombro interno, infatti, consente di poter usufruire comunque dello spazio nel pensile, utilissimo per riporre barattoli o libri di ricette.

La cappa diventa parte integrante dello spazio e garantisce ottime performance grazie ad un sistema di aspirazione perimetrale che consente una perfetta captazione dei fumi.

Una Strip Led illumina in modo diffuso e uniforme il piano cottura e permette la regolazione di intensità della luce oltre che della tonalità di colore, da un tono di bianco più freddo ad una luce più calda, per avere sempre la giusta atmosfera e il miglior comfort visivo.



Hidden 2.0 @ is designed to guarantee best performance in the smallest possible space. Its reduced overall size in fact allows use of the cabinet space regardless, useful in storing jars or recipe books.

The hood becomes an integral part of the space and guarantees best performance also thanks to a perimeter extraction system, which perfectly captures the fumes.

A LED strip illuminates the hob with diffused and even lighting, and allows adjustment of the light intensity and colour, from cool white to a warmer shade, ensuring the perfect atmosphere and best visual comfort at all times.



**Linearità in cucina
Linearity in the kitchen**

Hidden 2.0 @ è stata disegnata per scomparire nel pensile. Il pannello centrale, in vetro o acciaio, nasconde le parti funzionali del prodotto mantenendo l'estetica pulita e integrandosi perfettamente nel cabinet. Il risultato è un effetto lineare della cucina, senza elementi di discontinuità, perfetto per chi ama uno stile sobrio e essenziale.

Hidden 2.0 @ is designed to disappear into the cabinet. The central panel in either glass or steel hides the functional elements of the product while maintaining a clean look and perfectly blending in with the cabinet. The result is a totally linear kitchen effect without any discontinuity, perfect for lovers of an understated and essential style.



HIDDEN 2.0

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Acciaio inox, acciaio inox + vetro bianco
Stainless steel, stainless steel + white glass



EASY TO
MAINTAIN



TOTAL
INTEGRATION



LONG LIFE
FILTER



MULTI-D
CAPTURE



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+/"D")



ILLUMINAZIONE LIGHTING

Tipo Type

Strip Led 1x7 W

Intensità Intensity

365 LUX

Temperatura Temperature

3500 K

PERFORMANCE PERFORMANCE

Comandi

Pulsantiera elettronica 3V+I

Controls

3S+B Electronic push button

Portata intensiva

700 m³/h

Booster airflow

Livello sonoro min-max

51 - 67 db(A)

Noise level min-max

Assorbimento totale

277 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter

CFC0140343

Filtro carbone rigenerabile

CFC0162221

Regenerable charcoal filter

Kit griglia diffusore aria Ø150 mm

KIT0162617

Air diffuser grid kit 150mm

Kit camino telescopico h18,5+h18,5

KIT0141458

Telescopic chimney kit h18,5+h18,5

MODELLI MODELS

HIDDEN 2.0 IX/A/60

PRF0092333A

HIDDEN 2.0 IX/A/90

PRF0095073A

HIDDEN 2.0 IXGL/A/60

PRF0097676A

HIDDEN 2.0 IXGL/A/90

PRF0097708A



LANE

DESIGN FABRIZIO CRISÀ

60 - 80 cm

Aspirante Duct-out


Acciaio inox, nero effetto soft touch, bianco, silver

Stainless steel, black soft touch effect, white, silver



B

ENERGY
CLASS
(A+++D)



Lane è la cappa invisibile che si integra perfettamente con la linearità della cucina. Ha un design moderno, prestazioni eccellenti e un ottimo rapporto qualità-prezzo. Il prodotto, inoltre, ha un sistema di ancoraggio brevettato composto da 2 clip laterali che consente di fissare con solo 2 viti dal basso la cappa al mobile in meno di un minuto. Lane is the invisible hood that blends perfectly into the kitchen's linearity. It features a modern design, high performance and offers excellent value for money. Moreover, it comes with a patented fastening system made up of 2 side clips, allowing the hood to be secured to the cabinet with only 2 screws from below, in less than one minute.

ILLUMINAZIONE LIGHTING

Tipo Type	STRIP LED 1x7W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	650 m³/h
Livello sonoro min-max Noise level min-max	49 - 65 db(A)
Assorbimento totale Total absorption	257 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617

MODELLI MODELS

LANE IX/A/52	PRF0157333
LANE IX/A/72	PRF0157377
LANE BL MAT/A/52	PRF0165830
LANE BL MAT/A/72	PRF0165834
LANE WH/A/52	PRF0157357
LANE WH/A/72	PRF0157394
LANE GR/A/52	PRF0157369
LANE GR/A/72	PRF0157404



ELIBLOC


ELICA DESIGN CENTER

60 - 80 cm
Aspirante Duct-out
Silver, acciaio inox, nero
Silver, stainless steel, black



C

ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x5 W
Intensità Intensity	761 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

	HT	LUX
Comandi Controls	Slider meccanico 4V 4S Mechanical slider	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata massima Max airflow	647 m³/h	690 m³/h
Livello sonoro min-max Noise level min-max	49 - 71 db(A)	54 - 70 db(A)
Assorbimento totale Total absorption	210 W	285 W

Filtro grassi alluminio incluso Grease aluminium filter included
Filtri grassi inox incluso Stainless steel grease filters included (LUX)

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140122
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617

MODELLI MODELS

ELIBLOC HT GR A/60	1768336A
ELIBLOC HT GR/A/80	17614580A
ELIBLOC LUX IX/A/60	PRF0165627
ELIBLOC LUX IX/A/80	PRF0165628
ELIBLOC LUX BL/A/60	PRF0165624
ELIBLOC LUX BL/A/80	PRF0165626



ERA S

ELICA DESIGN CENTER

60 - 80 cm

Aspirante Duct-out

Acciaio inox Stainless steel



EASY TO
MAINTAIN



CM 50



CM 65




Ø120



ENERGY
CLASS
(A***/D)

B



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	73 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Rotativo meccanico 3V 3S Mechanical rotative
Portata massima Max airflow	428 m ³ /h
Livello sonoro min-max Noise level min-max	57 - 68 db(A)
Assorbimento totale Total absorption	121 W

Filtri grassi inox incluso Stainless steel grease filters included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141571
--------------------------------	------------

MODELLI MODELS

ERA S IX/A/52	PRF0142886
ERA S IX/A/72	PRF0142744



ERA C

ELICA DESIGN CENTER

60 - 80 cm

Aspirante Duct-out

Acciaio inox, bianco, nero Stainless steel, white, black



EASY TO
MAINTAIN



CM 50




CM 65



Ø120



CLASSE
ÉNERGÉTIQUE
(A+++D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	73 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	368 m ³ /h
Livello sonoro min-max Noise level min-max	62 - 67 db(A)
Assorbimento totale Total absorption	146 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141571
--------------------------------	------------

MODELLI MODELS


ERA C IX/A/52	PRF0142723
ERA C IX/A/72	PRF0142741
ERA C WH/A/52	PRF0142716
ERA C WH/A/72	PRF0142728
ERA C BL/A/52	PRF0166822
ERA C BL/A/72	PRF0166823



ERA

ELICA DESIGN CENTER

60 - 80 cm
Aspirante Duct-out
Silver Silver



ILLUMINAZIONE LIGHTING

Tipo Type Led 2x3 W
Intensità Intensity 78 LUX
Temperatura Temperature 2700 K

PERFORMANCE PERFORMANCE

Comandi Slider meccanico 3V
Controls 3S Mechanical slider
Portata massima 224 m³/h
Max airflow
Livello sonoro min-max 45 - 54 db(A)
Noise level min-max
Assorbimento totale 81 W
Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter CFC0141571

MODELLI MODELS

ERA GR/A/52	PRF0142633
ERA GR/A/72	PRF0142701





GLASS OUT

DESIGN FABRIZIO CRISÀ





GLASS OUT

DESIGN FABRIZIO CRISÀ

60 - 90 cm

Aspirante Duct-out

Acciaio inox + vetro

Stainless steel + glass



EASY TO
MAINTAIN



TOTAL
INTEGRATION



LONG LIFE
FILTER



CM 50




CM 65



Ø150



ENERGY
CLASS
(A+++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	560 m³/h
Livello sonoro min-max Noise level min-max	53 - 61 db(A)
Assorbimento totale Total absorption	227 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617
Kit camino telescopico h18,5+h18,5 Telescopic chimney kit h18,5+h18,5	KIT0141458
Kit camino H12 IX Chimney kit H12 IX	KIT0091876

MODELLI MODELS

GLASS OUT IX/A/60	PRF0109787
GLASS OUT IX/A/90	PRF0109788



LEVER

DESIGN FABRIZIO CRISÀ

60 - 90 - 120 cm

Aspirante Duct-out

Acciaio inox + vetro

Stainless steel + glass



TOTAL
INTEGRATION



LONG LIFE
FILTER



CM 50



CM 50




Ø150



ENERGY
CLASS
(A++/D)

B



Prodotto con un design molto semplice ed essenziale si nasconde completamente nel pensile. È dotato di una visiera frontale che protegge l'anta durante il processo di cottura convogliando il vapore attraverso la zona di aspirazione.

A very simple and essential design characterizes this appliance, which is completely hidden in the cabinet. It is equipped with a frontal visor that protects the door during cooking, conveying vapours through the extraction area.

ILLUMINAZIONE LIGHTING

Tipo Type	LED 2x2,5W
Intensità Intensity	145 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	603 m³/h
Livello sonoro min-max Noise level min-max	46 – 67 db(A)
Assorbimento totale Total absorption	255 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617
Kit camino H12 IX Chimney kit H12 IX	KIT0091876
Kit camino telescopico h18,5+h18,5 IX Telescopic chimney kit h18,5+h18,5 IX	KIT0141458

MODELLI MODELS


LEVER IX/A/56	PRF0160153
LEVER IX/A/86	PRF0160152
LEVER IX/A/116	PRF0163362



CIAK

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Silver Silver



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	141 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	255 m ³ /h
Livello sonoro min-max Noise level min-max	48 - 66 db(A)
Assorbimento totale Total absorption	120 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141563
--------------------------------	------------

MODelli MODELS

CIAK LUX GR/A/L/56	PRF0121068B
CIAK LUX GR/A/L/86	PRF0121107B



ELITE 35

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Silver + acciaio inox

Silver + stainless steel



CM 43




CM 65



Ø150



ENERGY
CLASS
(A++/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	49 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+3S+B Electronic push button
Portata intensiva Booster airflow	640 m³/h
Livello sonoro min-max Noise level min-max	46 - 63 db(A)
Assorbimento totale Total absorption	206 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140075
Kit griglia diffusore aria Ø150 mm Air diffuser grid kit 150mm	KIT0162617

MODELLI MODELS

ELITE 35 GRIX/A/60	PRF0139077
ELITE 35 GRIX/A/90	PRF0139069



ELITE 14

ELICA DESIGN CENTER

60 - 90 cm

Aspirante Duct-out

Silver + acciaio inox

Silver + stainless steel



CM 50




CM 65



Ø120



ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type

Led 2x3 W

Intensità Intensity

73 LUX

Temperatura Temperature

2700 K

PERFORMANCE

Comandi

Pulsantiera meccanica 3V

Controls

3S Mechanical push button

Portata massima

304 m³/h

Max airflow

Livello sonoro min-max

46 - 62 db(A)

Noise level min-max

Assorbimento totale

121 W

Total absorption

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI

Filtro carbone Charcoal filter

CFC0141571

MODelli

ELITE 14 LUX GRIX/A/60

PRF0037989B

ELITE 14 LUX GRIX/A/90

PRF0037992B



KREA

ELICA DESIGN CENTER

60 - 90 cm

Filtrante Filtering

Acciaio inox, nero, bianco

Stainless steel, black , white



CM 50




CM 65



Ø125

ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

	ST	LX	GFA
Tipo Type	Led 1x3 W	Led 2x3 W	Led 2x3 W
Intensità Intensity	48 LUX	97 LUX	97 LUX
Temperatura Temperature	2700 K	2700 K	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider	LX	GFA
Portata intensiva Booster airflow	272 m ³ /h	336 m ³ /h	272 m ³ /h
Livello sonoro min-max Noise level min-max	52 - 71 db(A)	52 - 73 db(A)	52 - 71 db(A)
Assorbimento totale Total absorption	118 W	166 W	121 W

Filtro grassi alluminio incluso Grease aluminium Filter included

Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140064
--------------------------------	------------

MODELLI MODELS

KREA ST IX F/60	55311065B
KREA ST IX F/90	55311075B
KREA LX IX F/60	55311112A
KREA LX IX F/90	55311129A
KREA GFA BL/F/60	PRF0104634B
KREA GFA BL/F/90	PRF0104635B
KREA GFA WH/F/60	55310774B
KREA GFA WH/F/90	PRF0104636B



ESTRAIBILE

ELICA DESIGN CENTER

60 - 90 cm

Filtrante Filtering

Silver, Silver + acciaio inox

Silver, Silver + stainless steel



CM 65




CM 65



Ø120



ENERGY
CLASS
(A***/D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 1X2,5 W	(*)
Intensità Intensity	47 LUX	95 LUX
Temperatura Temperature	2700 K	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V
Portata massima Max airflow	3S Mechanical slider
Livello sonoro min-max Noise level min-max	245 m ³ /h
Assorbimento totale Total absorption	45 - 63 db(A)
	133 W - 135 (*) W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0176744
--------------------------------	------------

MODelli MODELS

ESTRAIBILE GR/F/60	PRF0154623A
ESTRAIBILE GR/F/90	PRF0154626A
ESTRAIBILE GR-FR.IX/F/60 (*)	PRF0154624A
ESTRAIBILE GR-FR.IX/F/90 (*)	PRF0154627A





GOOD TO KNOW

Per te, che sei sempre attento alle nuove tendenze e non ti accontenti dell'estetica, ma vuoi approfondire la funzionalità, abbiamo sviluppato una sezione in cui troverai tutti i dettagli su accessori, informazioni utili, consigli su come scegliere la tua cappa, garanzie e etichetta energetica.

For those of you, who like to keep up with the latest trends and are not just looking for an attractive finish, but also want detailed information about functionality, we have created a section in which you can source all the details on accessories, useful information, advice on how to choose your hood, warranties and energy labels.

GOOD TO KNOW

RADIOCOMANDI

REMOTE CONTROLS

Il radiocomando Elica, disegnato da Fabrizio Crisà, è ultrasottile, resistente e pratico grazie ai magneti che ne consentono il posizionamento su oggetti metallici. In vetro e alluminio. Disponibile nella versione bianca o nera.

Bianco
White

KIT0121468

The Elica radio control, designed by Fabrizio Crisà, is super thin, resistant and practical, thanks to the magnets that allow it to be placed on metal object. It comes in glass and aluminum, in black or white.

Nero
Black

KIT0121469



CONSENTE DI ACCENDERE LA LUCE AMBIENTE. CON UNA PRESSIONE PROLUNGATA SI HA LA POSSIBILITÀ DI REGOLARE L'INTENSITÀ DELLA LUCE.

Allows you to turn on the **ambient light**. Hold down for a longer time to adjust the brightness of the light.

BATTERIA RICARICABILE CON PRESA MICRO USB (CAVO IN DOTAZIONE).

Rechargeable battery with micro USB plug. (cord included).



IL TASTO + AUMENTA LA POTENZA DI ASPIRAZIONE MENTRE IL - LA RIDUCE. TENENDO PREMUTO QUEST'ULTIMO LA CAPPÀ, A PRESCINDERE DALLA VELOCITÀ IN CUI SI TROVA, SI SPEGNE.

The + key increases the aspiration power, while the - key decreases it. By holding down the latter, the hood switches off regardless of its current speed.

LA **LUCE SUL PIANO COTTURA** SI ACCENDE CON UNA LEGGERA PRESSIONE DEL TASTO. CON UNA PRESSIONE PROLUNGATA SI ATTIVANO, A SECONDA DEI MODELLI, LE FUNZIONALITÀ AVANZATE: LA **DIM-LIGHT** (CHE REGOLA L'INTENSITÀ DELLA LUCE) O LA **TUNE-WHITE** (CHE PERMETTE LA VARIAZIONE DELLA TEMPERATURA DEI LED).

The light above the hob is switched on by lightly pressing the key. By holding it down for a longer period, you can activate the advanced features, according to your model: the dim-light (that adjusts brightness) or the tune-white (that allows for the variation of the led light temperature).

FILTRI ODORI ODOUR FILTERS

Filtro carbone
Charcoal filter



Il filtro odori tradizionale, composto da una miscela di carboni attivi, perde la sua efficacia attraverso il suo utilizzo ed ha una vita media di 3-6 mesi.

The traditional odour filter, made up of a mix of activated carbons, loses its efficiency through use and has an average life of 3-6 months.

Filtro carbone rigenerabile HP
HP Regenerable charcoal filter



Filtro Odori con elevatissimo livello di efficienza >82% capace di rigenerarsi e di durare fino ad un massimo di 3 anni rispetto a filtri standard. Per mantenere tali caratteristiche, il filtro deve essere lavato ogni 2 o 3 mesi con acqua calda e detergente delicato o nella lavastoviglie a 65°C. e poi asciugato in forno per 10 minuti a 100°.

Odour filter with very high efficiency level >82%. Capable of regenerating itself and of lasting up to a maximum of 3 years in comparison to standard filters. To maintain such characteristics, the filter must be washed every 2 or 3 months with hot water and mild soap, or in the dishwasher at 65°C. and can be dried in the oven for 10 minutes at 100°.

Filtro carbone rigenerabile
Regenerable charcoal filter



Il Filtro Carbone Rigenerabile ha le stesse caratteristiche del filtro carbone rigenerabile HP ma con un'efficienza di filtraggio che si aggira tra il 40-60%.

The Regenerable Charcoal Filter has the same characteristics of the HP Regenerable charcoal filter, but with a filtering efficiency that ranges from 40-60 %.

Filtro in ceramica anti-odori
Ceramic odour filter



Il filtro ceramico è un filtro carbone modulare che si rigenera termicamente in forno ogni 2/3 mesi a 200° per 45 minuti, fino ad un massimo di 5 anni. Permette di raggiungere un'altissima efficienza di assorbimento odori ed un'elevata resistenza meccanica.

The ceramic filter is a modular charcoal filter that can be thermally regenerated in the oven every 2/3 months at 200° for 45 minutes, up to max 5 years. It allows for very high odour absorption efficiency and very high mechanical strength.

FILTRI ODORI

ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE		CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE
ACUTA	CFC0140343	Carbone / Charcoal	BOXIN PLUS	CFC0140343	Carbone / Charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal		CFC0162221	Carbone rigenerabile Regenerable charcoal
ADÉLE	CFC0141529A	Carbone / Charcoal	CIAK LUX	CFC0141563	Carbone / Charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal		CFC0141529A	Carbone / Charcoal
ADÉLE ISLAND	CFC0141529A	Carbone / Charcoal	CIRCUS	CFC0141725A	Carbone rigenerabile Regenerable charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal		CFC0141529A	Carbone / Charcoal
APLOMB	CFC0140343	Carbone / Charcoal	CRUISE	CFC0141725A	Carbone rigenerabile Regenerable charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal		CFC0140088	Carbone rigenerabile Regenerable charcoal
BELT	CFC0140343	Carbone / Charcoal	EDITH	CFC0140053	Carbone rigenerabile HP Regenerabile charcoal HP
	CFC0162221	Carbone rigenerabile Regenerable charcoal		CFC0140090	Carbone rigenerabile Regenerable charcoal
BIO	CFC0140091	Carbone rigenerabile HP Regenerabile charcoal HP	ELEKTRA	CFC0140088	Carbone rigenerabile Regenerable charcoal
BIO ISLAND	CFC0140091	Carbone rigenerabile HP Regenerabile charcoal HP	ELIBLOC HT	CFC0140122	Carbone / Charcoal
BLOOM	CFC0140343	Carbone / Charcoal	ELITE 14	CFC0141571	Carbone / Charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal	ELITE 35	CFC0140075	Carbone / Charcoal
BLOOM-S	CFC0140343	Carbone / Charcoal	ELLE	CFC0140343	Carbone / Charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal	ERA	CFC0141571	Carbone / Charcoal
BOXIN	CFC0141497	Carbone / Charcoal	ERA C	CFC0141571	Carbone / Charcoal
BOXIN LX	CFC0140343	Carbone / Charcoal	ERA S	CFC0141571	Carbone / Charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal	ESTRAIBILE	CFC0176744	Carbone / Charcoal
BOXIN NO DRIP	CFC0140343	Carbone / Charcoal	FLAT GLASS	CFC0141529A	Carbone / Charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal		CFC0141725A	Carbone rigenerabile Regenerable charcoal

FILTRI ODORI

ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE		CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE
GALAXY	CFC0141529A	Carbone / Charcoal	INTERSTELLAR	CFC0140053	Carbone rigenerabile HP Regenerabile charcoal HP
	CFC0141725A	Carbone rigenerabile Regenerable charcoal		CFC0140090	Carbone rigenerabile Regenerable charcoal
GALAXY ISLAND	CFC0141529A	Carbone / Charcoal	JOY	CFC0141529A	Carbone / Charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal		CFC0141725A	Carbone rigenerabile Regenerable charcoal
GETUP	KIT0166432	Carbone rigenerabile HP Regenerabile charcoal HP	JOY ISLAND	CFC0141529A	Carbone / Charcoal
	KIT0166444	Carbone rigenerabile Regenerable charcoal		CFC0141725A	Carbone rigenerabile Regenerable charcoal
GLASS OUT	CFC0140343	Carbone / Charcoal	JUNO	CFC0140088	Carbone rigenerabile Regenerable charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal	JUNO URBAN	CFC0140088	Carbone rigenerabile Regenerable charcoal
HAIKU	CFC0141529A	Carbone / Charcoal	KREA	CFC0140064	Carbone / Charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	KUADRA	CFC0140423	Carbone rigenerabile Regenerable charcoal
HAIKU ISLAND	CFC0141529A	Carbone / Charcoal	KUADRA ISLAND	CFC0140423	Carbone rigenerabile Regenerable charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	L'ESSENZA	CFC0140343	Carbone / Charcoal
HIDDEN 2.0	CFC0140343	Carbone / Charcoal	LANE	CFC0140343	Carbone / Charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal		CFC0162221	Carbone rigenerabile Regenerable charcoal
HIDDEN 2.0 @	CFC0140343	Carbone / Charcoal	LEVER	CFC0140343	Carbone / Charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal		CFC0162221	Carbone rigenerabile Regenerable charcoal
HYDRA	CFC0140122	Carbone / Charcoal	LOL	CFC0141529A	Carbone / Charcoal
IKONA	CFC0140343	Carbone / Charcoal		CFC0141725A	Carbone rigenerabile Regenerable charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal	MAJESTIC	CFC0140343	Carbone / Charcoal
IKONA LIGHT	CFC0140343	Carbone / Charcoal		CFC0162221	Carbone rigenerabile Regenerable charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal	MAJESTIC NO DRIP	CFC0140343	Carbone / Charcoal
IKONA MAXXI PURE	CFC0162221	Carbone rigenerabile Regenerable charcoal		CFC0162221	Carbone rigenerabile Regenerable charcoal

FILTRI ODORI

ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE		CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE
METEORITE	CFC0141725A	Carbone rigenerabile Regenerable charcoal	REEF ISLAND	CFC0141529A	Carbone / Charcoal
	CFC0140091	Carbone rigenerabile HP Regenerabile charcoal HP		CFC0141725A	Carbone rigenerabile Regenerable charcoal
METEORITE ISLAND	CFC0141725A	Carbone rigenerabile Regenerable charcoal	RUBINO CORNER	CFC0140124	Carbone / Charcoal
	CFC0140091	Carbone rigenerabile HP Regenerabile charcoal HP	RULES	CFC0166361	Carbone rigenerabile Regenerable charcoal
MINI OM	CFC0140423	Carbone rigenerabile Regenerable charcoal	SEASHELL	CFC0141725A	Carbone rigenerabile Regenerable charcoal
MISSY	CFC0141497	Carbone / Charcoal	SHEEN-S	CFC0140343	Carbone / Charcoal
MOON	CFC0141529A	Carbone / Charcoal		CFC0162221	Carbone rigenerabile Regenerable charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	SHINING	CFC0140053	Carbone rigenerabile HP Regenerabile charcoal HP
MOON ISLAND	CFC0141529A	Carbone / Charcoal		CFC0140090	Carbone rigenerabile Regenerable charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	SHIRE	CFC0140343	Carbone / Charcoal
NUAGE	CFC0140343	Carbone / Charcoal		CFC0162221	Carbone rigenerabile Regenerable charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal	SHY-S	CFC0140343	Carbone / Charcoal
OPEN SUITE	KIT0166765	Carbone rigenerabile Regenerable charcoal	SINFONIA	CFC0140088	Carbone rigenerabile Regenerable charcoal
OPEN SUITE SUPERIOR	KIT0166765	Carbone rigenerabile Regenerable charcoal	SPOT NG	CFC0141529A	Carbone / Charcoal
OM AIR	CFC0140343	Carbone / Charcoal		CFC0141725A	Carbone rigenerabile Regenerable charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal	SPOT PLUS	CFC0141529A	Carbone / Charcoal
PANDORA	CFC0142324	Carbone / Charcoal		CFC0141725A	Carbone rigenerabile Regenerable charcoal
PIX	KIT0147175	Carbone rigenerabile Regenerable charcoal	SPOT PLUS ISLAND	CFC0141529A	Carbone / Charcoal
PLAT	CFC0140423	Carbone rigenerabile Regenerable charcoal		CFC0141725A	Carbone rigenerabile Regenerable charcoal
REEF	CFC0141529A	Carbone / Charcoal	SPOT URBAN	CFC0141529A	Carbone / Charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal		CFC0141725A	Carbone rigenerabile Regenerable charcoal

FILTRI ODORI

ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE
STONE	CFC0141529A	Carbone / Charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal
STRIPE	CFC0140343	Carbone / Charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal
STRIPE URBAN	CFC0140343	Carbone / Charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal
SUMMILUX	CFC0140053	Carbone rigenerabile HP Regenerabile charcoal HP
	CFC0140090	Carbone rigenerabile Regenerable charcoal
SUPER PLAT	CFC0140423	Carbone rigenerabile Regenerable charcoal
SWEET	CFC0140426	Carbone rigenerabile Regenerable charcoal
SYNTHESIS	CFC0141529A	Carbone / Charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal
TAMAYA	CFC0140124	Carbone / Charcoal
THIN	CFC0141529A	Carbone / Charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal
THIN ISLAND	CFC0141529A	Carbone / Charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal
TONDA	CFC0140124	Carbone / Charcoal
TRIBE	CFC0141529A	Carbone / Charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE
TRIBE ISLAND	CFC0141529A	Carbone / Charcoal
	CFC0141725A	Carbone rigenerabile Regenerable charcoal
TUBE PRO	CFC0140423	Carbone rigenerabile Regenerable charcoal
TUBE PRO ISLAND	CFC0140423	Carbone rigenerabile Regenerable charcoal
VEGA	CFC0140064	Carbone / Charcoal
VERTIGO	CFC0140343	Carbone / Charcoal
	CFC0162221	Carbone rigenerabile Regenerable charcoal
WAVE UX	CFC0140088	Carbone rigenerabile Regenerable charcoal
YE	CFC0141737	Carbone rigenerabile Regenerable charcoal


	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE
NIKOLATESLA FIT	KIT0167755	Filtro in ceramica anti-odori Ceramic odour filter
NIKOLATESLA FLAME	KIT0120952A	Filtro in ceramica anti-odori Ceramic odour filter
NIKOLATESLA LIBRA	KIT0120952A	Filtro in ceramica anti-odori Ceramic odour filter
NIKOLATESLA ONE	KIT0120952A	Filtro in ceramica anti-odori Ceramic odour filter
NIKOLATESLA PRIME	KIT0120952A	Filtro in ceramica anti-odori Ceramic odour filter
NIKOLATESLA SWITCH	KIT0120952A	Filtro in ceramica anti-odori Ceramic odour filter

* per i kit filtro carbone relativi ai modelli ceiling vedere nella sezione dedicata

* see the dedicated section for the ceiling model carbon filter kits

FILTRI GRASSI GREASE FILTERS

Filtro Grassi Alluminio
Aluminium Grease Filter
KIT0010805



Disponibile per
Available for
ADÈLE / ADÈLE ISLAND /
BLOOM / BLOOM-S / JOY
/ L'ESSENZA / MAJESTIC
/ MAJESTIC NO DRIP /
MISSY / SPOT PLUS /
SPOT PLUS ISLAND /
STRIPE / STRIPE URBAN

Filtro grassi a strati in alluminio (GFA). Questo filtro è il più diffuso sul mercato anche perché grazie alla sua dimensione può essere facilmente lavato a mano e in lavastoviglie.

Layered aluminum grease filter (GFA). This filter is the most common on the market, also because, thanks to its size it can be easily washed by hand, or in the dishwasher.

Filtro Professionale Buffle
Buffle Professional Filter
KIT0010804




Disponibile per
Available for
ADÈLE / ADÈLE ISLAND /
BLOOM / BLOOM-S / JOY
/ L'ESSENZA / MAJESTIC
/ MAJESTIC NO DRIP /
MISSY / SPOT PLUS /
SPOT PLUS ISLAND /
STRIPE / STRIPE URBAN

Filtro grassi completamente in acciaio che dà al prodotto un aspetto tipico delle cappe industriali. Grazie al labirinto degli strati in acciaio, questo filtro ha un'elevata captazione dei grassi.

All steel grease filter that gives the product a typical industrial hood look. Thanks to the labyrinth of steel layers, this filter has a high grease capturing capacity.

Filtri Grassi Professionali Inox
Professional Stainless Steel Grease Filters
KIT0010806



Disponibile per
Available for
ADÈLE / ADÈLE ISLAND /
BLOOM / BLOOM-S / JOY
/ L'ESSENZA / MAJESTIC
/ MAJESTIC NO DRIP /
MISSY / SPOT PLUS /
SPOT PLUS ISLAND /
STRIPE / STRIPE URBAN

Filtro grassi con primo strato in acciaio e lamiera microforata posteriore, facilmente lavabile e con un'elevata captazione dei grassi.

Grease filter with the first layer in steel and a microperforated back metal sheet, easily washable and with high grease capturing capacity.

GOOD TO KNOW

MOTORI REMOTI

REMOTE MOTORS

GME22 MOTOR


Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1420 m³/h
 200 W
 150 mm



PRFO006212A

Disponibile per Available for
PANDORA



GME88 MOTOR


Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1495 m³/h
 250 W (50Hz)
 390 W (60Hz)
 150 mm



PRFO046491A

Disponibile per Available for
PANDORA

GME
EXTERNAL WALL


Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1100 m³/h
 150 W
 150 mm



KITO147880

Disponibile per Available for
HIGHLIGHT GLASS /
HIGHLIGHT-X / ILLUSION /
SKYDOME

GME
EXTERNAL ROOF TILED


Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1200 m³/h
 200 W
 150 mm



KITO147881

Disponibile per Available for
HIGHLIGHT GLASS /
HIGHLIGHT-X / ILLUSION /
SKYDOME

GME
EXTERNAL INCLINED ROOF


Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1200 m³/h
 200 W
 150 mm



KITO147882

Disponibile per Available for
HIGHLIGHT GLASS /
HIGHLIGHT-X / ILLUSION /
SKYDOME

GME
INTERNAL INLINE


Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

2150 m³/h
 200 W
 150 mm




KITO147879

Disponibile per Available for
HIGHLIGHT GLASS /
HIGHLIGHT-X / ILLUSION /
SKYDOME




GOOD TO KNOW

CAMINI SPECIALI
SPECIAL CHIMNEYSKIT CAMINO ACCIAIO INOX
STAINLESS STEEL CHIMNEY KIT


Long KITO1513
Short KITO1797

Disponibile per Available for
MINI OM

KIT CAMINO ACCIAIO INOX
STAINLESS STEEL CHIMNEY KIT


Long KITO010703
Short KITO010704

Disponibile per Available for
ELLE

KIT CAMINO NERO
BLACK CHIMNEY KIT


KITO166364

Disponibile per Available for
PLAT / RULES / SUPER PLAT

KIT CAMINO ACCIAIO INOX
STAINLESS STEEL CHIMNEY KIT


Long KITO010439
Short KITO010700

Disponibile per Available for
OM AIR

KIT CAMINO ACCIAIO INOX H12
STAINLESS STEEL CHIMNEY KIT H12


KITO091876

Disponibile per Available for
BOXIN / BOXIN NO DRIP / GLASS OUT / LEVER

KIT CAMINO ACCIAIO INOX
STAINLESS STEEL CHIMNEY KIT


KITO171543

Disponibile per Available for
PLAT / RULES / SUPER PLAT

KIT CAMINO ACCIAIO INOX
STAINLESS STEEL CHIMNEY KIT

KITO177845

Disponibile per Available for
VERTIGO / BELT

KIT CAMINO ACCIAIO INOX H185+H185
STAINLESS STEEL CHIMNEY KIT H185+H185

KITO141458

Disponibile per Available for
BOXIN / BOXIN NO DRIP /
GLASS OUT / LEVER / HIDDEN 2.0 / HIDDEN 2.0@

NO RETURN
VALVE

KITO1513 / KITO1797	---
KITO010439 / KITO010700	✓
KITO177845	✓
KITO010703 / KITO010704	✓
KITO091876	---
KITO141458	---
KITO166364	✓
KITO171543	✓

GOOD TO KNOW

KIT MENSOLA SHELF KIT


ULLABY@



KIT0147858



KIT MENSOLA ULLABY@
(LEGNO)
SHELF KIT ULLABY@
(WOODEN)



KIT0147859

KIT MENSOLA ULLABY@
(BIANCO)
SHELF KIT ULLABY@
(WHITE)


BIO



KIT MENSOLA BIO 60CM
SHELF KIT BIO 60CM




KIT0120946

BIO
ISLAND

KIT0120947

KIT MENSOLA BIO ISLAND
60CM + 2 CAVI
SHELF KIT BIO ISLAND 60CM
+ 2 CABLES



KIT0120948

KIT CAVI BIO ISLAND 1,7 MT
KIT CABLES BIO ISLAND 1,7 MT

ACCESSORI DI INSTALLAZIONE INSTALLATION ACCESSORIES



150x70x1500mm
1052B



150x70x1000mm
1052C



90° 150x70mm
1052F



150x70 - Ø125mm
1052G



Ø125-100mm
1052L



Ø125x1000mm
1052N



Ø125x3000mm
1052W



Ø125x1000mm
1052O



Ø125
1052P



150x70 - Ø125mm
1052Q




90° Ø125mm
1052R



150x70mm
1052D



90° 150x70mm
1052E



Ø125x750mm + fascette
KIT0094727

ACCESSORI DI INSTALLAZIONE INSTALLATION ACCESSORIES



220x90x1000mm
1053M



150x70x1000mm
1052C



150x70 - Ø150mm
1053Q



90° 220x90mm
1053S



Ø150-125mm
1052M



Ø150x3000mm
1052AD



Ø150x1000mm
1053W



Ø150
1053Z



220x90 - Ø150mm
1053P




220x90mm
1053N




Ø150mm
1053Y



90° 220x90mm
1053R



Ø150x750mm + fascette
KIT0094725



Ø150
KIT0162617

DIFFUSORE ARIA DA PENSILE PER PRODOTTI FILTRANTI BUILT-IN.
WALL UNIT AIR DIFFUSER FOR BUILT-IN FILTER PRODUCTS.

Utile per evitare l'intrusione di oggetti nel condotto d'aria e
per direzionare il flusso di vapore in uscita verso il centro della
stanza.

Useful for stopping objects getting into the air duct and to
channel the vapour flow emitted towards the centre of the room.

APPROFONDIMENTI PERFORMANCE

LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Acuta	A	272 m ³ /h - 46 db(A)	368 m ³ /h - 53 db(A)	515 m ³ /h - 60 db(A)	---	625 m ³ /h - 65 db(A)
Adéle	A	325 m ³ /h - 55 db(A)	435 m ³ /h - 61 db(A)	630 m ³ /h - 69 db(A)	---	770 m ³ /h - 74 db(A)
Adéle Island	A	325 m ³ /h - 55 db(A)	435 m ³ /h - 61 db(A)	630 m ³ /h - 69 db(A)	---	770 m ³ /h - 74 db(A)
Aplomb	A	275 m ³ /h - 51 db(A)	385 m ³ /h - 59 db(A)	495 m ³ /h - 64 db(A)	---	680 m ³ /h - 71 db(A)
Belt	A	250 m ³ /h - 46 db(A)	350 m ³ /h - 54 db(A)	475 m ³ /h - 61 db(A)	---	590 m ³ /h - 65 db(A)
Bio	A+	125 m ³ /h - 32 db(A)	410 m ³ /h - 56 db(A)	496 m ³ /h - 60 db(A)	610 m ³ /h - 65 db(A)	757 m ³ /h - 69 db(A)
Bio Island	A+	125 m ³ /h - 32 db(A)	410 m ³ /h - 56 db(A)	496 m ³ /h - 60 db(A)	610 m ³ /h - 65 db(A)	757 m ³ /h - 69 db(A)
Bloom	A	185 m ³ /h - 35 db(A)	310 m ³ /h - 52 db(A)	400 m ³ /h - 56 db(A)	---	750 m ³ /h - 70 db(A)
Bloom-S	A	185 m ³ /h - 35 db(A)	310 m ³ /h - 46 db(A)	400 m ³ /h - 53 db(A)	590 m ³ /h - 58 db(A)	750 m ³ /h - 64 db(A)
Boxin	A	255 m ³ /h - 50 db(A)	355 m ³ /h - 57 db(A)	620 m ³ /h - 70 db(A)	---	---
Boxin Lux	D	140 m ³ /h - 48 db(A)	190 m ³ /h - 54 db(A)	370 m ³ /h - 67 db(A)	---	---
Boxin No Drip	A	105 m ³ /h - 30 db(A)	250 m ³ /h - 53 db(A)	365 m ³ /h - 60 db(A)	---	600 m ³ /h - 69 db(A)
Boxin Plus	B	230 m ³ /h - 49 db(A)	335 m ³ /h - 56 db(A)	610 m ³ /h - 70 db(A)	---	---
Ciak Lux	D	100 m ³ /h - 48 db(A)	130 m ³ /h - 54 db(A)	255 m ³ /h - 66 db(A)	---	---
Circus	D	195 m ³ /h - 55 db(A)	368 m ³ /h - 56 db(A)	384 m ³ /h - 62 db(A)	---	---
Cloud Seven (Duct-out)	A	235 m ³ /h - 43 db(A)	330 m ³ /h - 54 db(A)	460 m ³ /h - 60 db(A)	660 m ³ /h - 68 db(A)	770 m ³ /h - 71 db(A)
Cloud Seven (Filtering)	A	240 m ³ /h - 52 db(A)	360 m ³ /h - 62 db(A)	495 m ³ /h - 70 db(A)	570 m ³ /h - 70 db(A)	---
Cruise	B	288 m ³ /h - 51 db(A)	432 m ³ /h - 61 db(A)	581 m ³ /h - 69 db(A)	---	713 m ³ /h - 73 db(A)
Easy UX	A	260 m ³ /h - 45 db(A)	375 m ³ /h - 55 db(A)	520 m ³ /h - 62 db(A)	---	610 m ³ /h - 67 db(A)
Edith	A	160 m ³ /h - 36 db(A)	205 m ³ /h - 41 db(A)	335 m ³ /h - 53 db(A)	---	380 m ³ /h - 56 db(A)
Elektra	C	256 m ³ /h - 45 db(A)	384 m ³ /h - 55 db(A)	515 m ³ /h - 63 db(A)	---	647 m ³ /h - 68 db(A)
Elibloc Ht	C	256 m ³ /h - 49 db(A)	368 m ³ /h - 58 db(A)	496 m ³ /h - 65 db(A)	647 m ³ /h - 71 db(A)	---
Elibloc Lux	C	285 m ³ /h - 54 db(A)	405 m ³ /h - 63 db(A)	560 m ³ /h - 70 db(A)	---	690 m ³ /h - 74 db(A)
Elite 14	D	125 m ³ /h - 46 db(A)	288 m ³ /h - 57 db(A)	304 m ³ /h - 62 db(A)	---	---
Elite 35	A	250 m ³ /h - 46 db(A)	375 m ³ /h - 55 db(A)	535 m ³ /h - 63 db(A)	---	640 m ³ /h - 67 db(A)
Elle	A	240 m ³ /h - 43 db(A)	335 m ³ /h - 51 db(A)	515 m ³ /h - 62 db(A)	---	670 m ³ /h - 67 db(A)
Era	C	125 m ³ /h - 45 db(A)	155 m ³ /h - 47 db(A)	224 m ³ /h - 54 db(A)	---	---
Era C	D	290 m ³ /h - 62 db(A)	344 m ³ /h - 66 db(A)	368 m ³ /h - 67 db(A)	---	---
Era S	B	236 m ³ /h - 57 db(A)	332 m ³ /h - 63 db(A)	428 m ³ /h - 68 db(A)	---	---
Estraibile	D	105 m ³ /h - 45 db(A)	135 m ³ /h - 51 db(A)	245 m ³ /h - 63 db(A)	---	---
Flat Glass	D	195 m ³ /h - 55 db(A)	368 m ³ /h - 56 db(A)	384 m ³ /h - 62 db(A)	---	---
Galaxy	C	288 m ³ /h - 52 db(A)	416 m ³ /h - 61 db(A)	559 m ³ /h - 69 db(A)	---	647 m ³ /h - 73 db(A)
Galaxy Island	C	288 m ³ /h - 52 db(A)	416 m ³ /h - 61 db(A)	559 m ³ /h - 69 db(A)	---	647 m ³ /h - 73 db(A)
Getup	A	260 m ³ /h - 43 db(A)	428 m ³ /h - 58 db(A)	530 m ³ /h - 62 db(A)	630 m ³ /h - 66 db(A)	750 m ³ /h - 67 db(A)

* Velocità intensive temporizzate *Booster time speeds

** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI PERFORMANCE

LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Glass Out	A	235 m ³ /h - 53 db(A)	315 m ³ /h - 54 db(A)	425 m ³ /h - 61 db(A)	---	560 m ³ /h - 65 db(A)
Haiku	A	155 m ³ /h - 34 db(A)	295 m ³ /h - 47 db(A)	375 m ³ /h - 51 db(A)	560 m ³ /h - 58 db(A)	690 m ³ /h - 63 db(A)
Haiku Island	A	155 m ³ /h - 34 db(A)	295 m ³ /h - 47 db(A)	375 m ³ /h - 51 db(A)	560 m ³ /h - 58 db(A)	690 m ³ /h - 63 db(A)
Hidden 2.0	A	300 m ³ /h - 51 db(A)	420 m ³ /h - 60 db(A)	600 m ³ /h - 67 db(A)	---	700 m ³ /h - 70 db(A)
Hidden 2.0 @	A	300 m ³ /h - 51 db(A)	420 m ³ /h - 60 db(A)	600 m ³ /h - 67 db(A)	---	700 m ³ /h - 70 db(A)
Hilight Glass H16	A	275 m ³ /h - 51 db(A)	425 m ³ /h - 62 db(A)	540 m ³ /h - 68 db(A)	660 m ³ /h - 72 db(A)	720 m ³ /h - 74 db(A)
Hilight Glass H30	A	200 m ³ /h - 40 db(A)	380 m ³ /h - 50 db(A)	465 m ³ /h - 53 db(A)	690 m ³ /h - 63 db(A)	770 m ³ /h - 66 db(A)
Hilight-X H16	A	275 m ³ /h - 51 db(A)	425 m ³ /h - 62 db(A)	540 m ³ /h - 68 db(A)	660 m ³ /h - 72 db(A)	720 m ³ /h - 74 db(A)
Hilight-X H30	A	200 m ³ /h - 42 db(A)	380 m ³ /h - 55 db(A)	475 m ³ /h - 62 db(A)	690 m ³ /h - 67 db(A)	770 m ³ /h - 70 db(A)
Hydra	C	195 m ³ /h - 46 db(A)	256 m ³ /h - 63 db(A)	496 m ³ /h - 68 db(A)	---	---
Ikona	A	250 m ³ /h - 47 db(A)	355 m ³ /h - 55 db(A)	475 m ³ /h - 62 db(A)	---	610 m ³ /h - 67 db(A)
Ikona Light	A	250 m ³ /h - 47 db(A)	355 m ³ /h - 55 db(A)	475 m ³ /h - 62 db(A)	---	610 m ³ /h - 67 db(A)
Ikona Maxxi Pure	A	245 m ³ /h - 47 db(A)	360 m ³ /h - 56 db(A)	485 m ³ /h - 62 db(A)	---	600 m ³ /h - 67 db(A)
Illusion H16	A	275 m ³ /h - 51 db(A)	425 m ³ /h - 62 db(A)	540 m ³ /h - 68 db(A)	660 m ³ /h - 72 db(A)	720 m ³ /h - 74 db(A)
Illusion H30	A	200 m ³ /h - 40 db(A)	380 m ³ /h - 50 db(A)	465 m ³ /h - 53 db(A)	690 m ³ /h - 63 db(A)	770 m ³ /h - 66 db(A)
Interstellar	A	165 m ³ /h - 36 db(A)	209 m ³ /h - 53 db(A)	336 m ³ /h - 54 db(A)	---	384 m ³ /h - 56 db(A)
Joy	B	288 m ³ /h - 51 db(A)	432 m ³ /h - 61 db(A)	581 m ³ /h - 69 db(A)	---	713 m ³ /h - 73 db(A)
Joy Island	B	288 m ³ /h - 51 db(A)	432 m ³ /h - 61 db(A)	581 m ³ /h - 69 db(A)	---	713 m ³ /h - 73 db(A)
Juno	A	260 m ³ /h - 45 db(A)	375 m ³ /h - 55 db(A)	620 m ³ /h - 67 db(A)	---	---
Juno Urban	A	260 m ³ /h - 45 db(A)	375 m ³ /h - 55 db(A)	620 m ³ /h - 67 db(A)	---	---
Krea GFA	D	110 m ³ /h - 52 db(A)	206 m ³ /h - 64 db(A)	272 m ³ /h - 71 db(A)	---	---
Krea LUX	D	135 m ³ /h - 52 db(A)	185 m ³ /h - 61 db(A)	336 m ³ /h - 73 db(A)	---	---
Krea ST	D	110 m ³ /h - 52 db(A)	206 m ³ /h - 64 db(A)	272 m ³ /h - 71 db(A)	---	---
Kuadra	D	224 m ³ /h - 48 db(A)	320 m ³ /h - 56 db(A)	416 m ³ /h - 62 db(A)	---	496 m ³ /h - 66 db(A)
Kuadra Island	D	224 m ³ /h - 48 db(A)	320 m ³ /h - 56 db(A)	416 m ³ /h - 62 db(A)	---	496 m ³ /h - 66 db(A)
L'essenza	B	288 m ³ /h - 49 db(A)	432 m ³ /h - 57 db(A)	603 m ³ /h - 65 db(A)	---	691 m ³ /h - 68 db(A)
Lane	B	255 m ³ /h - 49 db(A)	400 m ³ /h - 58 db(A)	550 m ³ /h - 65 db(A)	---	650 m ³ /h - 68 db(A)
Lever	B	240 m ³ /h - 46 db(A)	336 m ³ /h - 54 db(A)	603 m ³ /h - 67 db(A)	---	---
Lol	A	280 m ³ /h - 52 db(A)	405 m ³ /h - 60 db(A)	540 m ³ /h - 67 db(A)	---	620 m ³ /h - 70 db(A)
Lullaby@ Duct-out	A	200 m ³ /h - 40 db(A)	380 m ³ /h - 50 db(A)	465 m ³ /h - 53 db(A)	690 m ³ /h - 63 db(A)	770 m ³ /h - 66 db(A)
Lullaby@ Filtering	**	100 m ³ /h - 44 db(A)	155 m ³ /h - 53 db(A)	237 m ³ /h - 63 db(A)	380 m ³ /h - 72 db(A)	474 m ³ /h - 76 db(A)
Majestic	B	288 m ³ /h - 49 db(A)	432 m ³ /h - 57 db(A)	603 m ³ /h - 65 db(A)	---	691 m ³ /h - 68 db(A)
Majestic No Drip	A	245 m ³ /h - 46 db(A)	345 m ³ /h - 53 db(A)	485 m ³ /h - 60 db(A)	---	600 m ³ /h - 66 db(A)
Meteorite	A	115 m ³ /h - 31 db(A)	410 m ³ /h - 55 db(A)	515 m ³ /h - 60 db(A)	620 m ³ /h - 64 db(A)	800 m ³ /h - 68 db(A)
Meteorite Island	A	115 m ³ /h - 31 db(A)	410 m ³ /h - 55 db(A)	515 m ³ /h - 60 db(A)	620 m ³ /h - 64 db(A)	800 m ³ /h - 68 db(A)

* Velocità intensive temporizzate *Booster time speeds

** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI PERFORMANCE

LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Mini Om	A	240 m ³ /h - 48 db(A)	320 m ³ /h - 50 db(A)	590 m ³ /h - 63 db(A)	---	---
Missy	D	165 m ³ /h - 49 db(A)	225 m ³ /h - 55 db(A)	395 m ³ /h - 68 db(A)	---	---
Moon	C	285 m ³ /h - 52 db(A)	425 m ³ /h - 61 db(A)	570 m ³ /h - 68 db(A)	---	690 m ³ /h - 72 db(A)
Moon Island	C	285 m ³ /h - 52 db(A)	425 m ³ /h - 61 db(A)	570 m ³ /h - 68 db(A)	---	690 m ³ /h - 72 db(A)
Nuage	A	230 m ³ /h - 49 db(A)	330 m ³ /h - 53 db(A)	440 m ³ /h - 62 db(A)	---	580 m ³ /h - 65 db(A)
Om Air	A	230 m ³ /h - 42 db(A)	325 m ³ /h - 50 db(A)	510 m ³ /h - 60 db(A)	---	650 m ³ /h - 66 db(A)
Open Suite	**	364 m ³ /h - 64 db(A)	426 m ³ /h - 67 db(A)	480 m ³ /h - 69 db(A)		526 m ³ /h - 71 db(A)
Open Suite Superior	**	364 m ³ /h - 64 db(A)	426 m ³ /h - 67 db(A)	480 m ³ /h - 69 db(A)		526 m ³ /h - 71 db(A)
Pandora	A	208 m ³ /h - 45 db(A)	288 m ³ /h - 49 db(A)	496 m ³ /h - 59 db(A)	---	669 m ³ /h - 67 db(A)
Pandora GME	C	240 m ³ /h - 58 db(A)	336 m ³ /h - 60 db(A)	581 m ³ /h - 71 db(A)	---	713 m ³ /h - 72 db(A)
Pix	A	250 m ³ /h - 44 db(A)	358 m ³ /h - 53 db(A)	445 m ³ /h - 60 db(A)	---	610 m ³ /h - 65 db(A)
Plat	A	160 m ³ /h - 37 db(A)	315 m ³ /h - 50 db(A)	420 m ³ /h - 57 db(A)	---	710 m ³ /h - 69 db(A)
Reef	A	255 m ³ /h - 48 db(A)	365 m ³ /h - 57 db(A)	500 m ³ /h - 64 db(A)	---	600 m ³ /h - 69 db(A)
Reef Island	A	255 m ³ /h - 48 db(A)	365 m ³ /h - 57 db(A)	500 m ³ /h - 64 db(A)	---	600 m ³ /h - 69 db(A)
Rubino Corner	C	224 m ³ /h - 42 db(A)	336 m ³ /h - 51 db(A)	603 m ³ /h - 64 db(A)	---	---
Rules	A	160 m ³ /h - 40 db(A)	330 m ³ /h - 53 db(A)	415 m ³ /h - 58 db(A)	---	700 m ³ /h - 71 db(A)
Seashell	**	180 m ³ /h - 55 db(A)	265 m ³ /h - 63 db(A)	335 m ³ /h - 67 db(A)	---	400 m ³ /h - 70 db(A)
Sheen-S	A	275 m ³ /h - 52 db(A)	385 m ³ /h - 59 db(A)	495 m ³ /h - 65 db(A)	---	650 m ³ /h - 71 db(A)
Shining	A	160 m ³ /h - 36 db(A)	205 m ³ /h - 41 db(A)	335 m ³ /h - 53 db(A)	---	380 m ³ /h - 56 db(A)
Shire	A	275 m ³ /h - 52 db(A)	495 m ³ /h - 64 db(A)	---	---	650 m ³ /h - 71 db(A)
Shy-S	A	275 m ³ /h - 52 db(A)	385 m ³ /h - 59 db(A)	495 m ³ /h - 65 db(A)	---	650 m ³ /h - 71 db(A)
Sinfonia	B	395 m ³ /h - 56 db(A)	515 m ³ /h - 62 db(A)	620 m ³ /h - 70 db(A)	---	760 m ³ /h - 73 db(A)
Skydome H16	A	200 m ³ /h - 42 db(A)	380 m ³ /h - 55 db(A)	465 m ³ /h - 58 db(A)	690 m ³ /h - 67 db(A)	770 m ³ /h - 70 db(A)
Skydome H30	A	200 m ³ /h - 40 db(A)	380 m ³ /h - 50 db(A)	465 m ³ /h - 53 db(A)	690 m ³ /h - 63 db(A)	770 m ³ /h - 66 db(A)
Spot NG	D	195 m ³ /h - 55 db(A)	224 m ³ /h - 56 db(A)	368 m ³ /h - 62 db(A)	---	---
Spot Plus	A	280 m ³ /h - 52 db(A)	405 m ³ /h - 60 db(A)	540 m ³ /h - 67 db(A)	---	620 m ³ /h - 70 db(A)
Spot Plus Island	A	280 m ³ /h - 52 db(A)	405 m ³ /h - 60 db(A)	540 m ³ /h - 67 db(A)	---	620 m ³ /h - 70 db(A)
Spot Urban	B	270 m ³ /h - 52 db(A)	375 m ³ /h - 59 db(A)	630 m ³ /h - 71 db(A)	---	---
Stone	C	240 m ³ /h - 44 db(A)	368 m ³ /h - 53 db(A)	559 m ³ /h - 67 db(A)	---	---
Stripe	B	304 m ³ /h - 50 db(A)	432 m ³ /h - 58 db(A)	603 m ³ /h - 65 db(A)	---	757 m ³ /h - 69 db(A)
Stripe Urban	B	288 m ³ /h - 50 db(A)	432 m ³ /h - 58 db(A)	603 m ³ /h - 65 db(A)	---	757 m ³ /h - 69 db(A)
Summilux	A	165 m ³ /h - 36 db(A)	205 m ³ /h - 41 db(A)	336 m ³ /h - 53 db(A)	---	384 m ³ /h - 56 db(A)
Super Plat	A	175 m ³ /h - 37 db(A)	325 m ³ /h - 50 db(A)	415 m ³ /h - 57 db(A)	600 m ³ /h - 65 db(A)	740 m ³ /h - 70 db(A)
Sweet	A	230 m ³ /h - 46 db(A)	335 m ³ /h - 54 db(A)	465 m ³ /h - 61 db(A)	---	580 m ³ /h - 66 db(A)

* Velocità intensive temporizzate *Booster time speeds

** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI PERFORMANCE

LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Synthesis	C	240 m³/h - 44 db(A)	368 m³/h - 55 db(A)	496 m³/h - 63 db(A)	---	559 m³/h - 67 db(A)
Tamaya	D	285 m³/h - 53 db(A)	365 m³/h - 58 db(A)	430 m³/h - 62 db(A)	---	---
Thin	A	145 m³/h - 34 db(A)	300 m³/h - 47 db(A)	385 m³/h - 52 db(A)	560 m³/h - 60 db(A)	680 m³/h - 64 db(A)
Thin Island	A	145 m³/h - 34 db(A)	300 m³/h - 47 db(A)	385 m³/h - 52 db(A)	560 m³/h - 60 db(A)	680 m³/h - 64 db(A)
Tonda	D	265 m³/h - 60 db(A)	325 m³/h - 65 db(A)	355 m³/h - 67 db(A)	---	---
Tribe	A	255 m³/h - 48 db(A)	365 m³/h - 57 db(A)	500 m³/h - 64 db(A)	---	600 m³/h - 69 db(A)
Tribe Island	A	255 m³/h - 48 db(A)	365 m³/h - 57 db(A)	500 m³/h - 64 db(A)	---	600 m³/h - 69 db(A)
Tube Pro	C	240 m³/h - 47 db(A)	368 m³/h - 56 db(A)	603 m³/h - 68 db(A)	---	---
Tube Pro Island	C	240 m³/h - 47 db(A)	368 m³/h - 56 db(A)	603 m³/h - 68 db(A)	---	---
Vega	D	115 m³/h - 52 db(A)	205 m³/h - 64 db(A)	270 m³/h - 71 db(A)	---	---
Vertigo	B	310 m³/h - 50 db(A)	450 m³/h - 59 db(A)	610 m³/h - 66 db(A)	---	740 m³/h - 70 db(A)
Wave UX	A	260 m³/h - 45 db(A)	375 m³/h - 55 db(A)	520 m³/h - 62 db(A)	---	610 m³/h - 67 db(A)
Ye	A	220 m³/h - 45 db(A)	300 m³/h - 52 db(A)	455 m³/h - 61 db(A)	---	600 m³/h - 66 db(A)

	ENERGY CLASS	1 SPEED m³/h-db(A)	2 SPEED m³/h-db(A)	3 SPEED m³/h-db(A)	4 SPEED m³/h-db(A)	5 SPEED m³/h-db(A)	6 SPEED m³/h-db(A)	7 SPEED m³/h-db(A)	8 SPEED m³/h-db(A)	9 SPEED m³/h-db(A)	BOOSTER 1* m³/h-db(A)	BOOSTER 2* m³/h-db(A)
NT FIT (Duct-out)	A	165 - 45	320 - 52	385 - 57	---	---	---	---	---	---	515 - 63	620 - 68
NT FLAME (Duct-out)	A	225 - 48	315 - 56	400 - 62	---	---	---	---	---	---	485 - 66	600 - 71
NT FLAME (Filtering)	A	185 - 53	300 - 63	380 - 68	---	---	---	---	---	---	460 - 72	550 - 77
NT LIBRA (Duct-out)	A	185 - 46	285 - 54	430 - 63	---	---	---	---	---	---	540 - 69	610 - 72
NT LIBRA (Filtering)	A	170 - 48	275 - 58	415 - 67	---	---	---	---	---	---	495 - 71	545 - 73
NT ONE (Duct-out)	A+	130 - 34	205 - 44	235 - 47	280 - 51	305 - 54	335 - 56	370 - 58	390 - 59	410 - 61	640 - 72	---
NT ONE (Filtering)	A+	105 - 40	170 - 50	200 - 53	235 - 57	260 - 59	290 - 62	320 - 64	340 - 65	360 - 67	545 - 77	---
NT PRIME (Duct-out)	A	185 - 46	285 - 54	430 - 63	---	---	---	---	---	---	540 - 69	610 - 72
NT PRIME (Filtering)	A	170 - 48	275 - 58	415 - 67	---	---	---	---	---	---	495 - 71	545 - 73
NT SWITCH (Duct-out)	A+	135 - 33	190 - 41	220 - 44	260 - 49	290 - 52	315 - 54	350 - 57	375 - 59	---	590 - 70	630 - 71
NT SWITCH (Filtering)	A+	110 - 39	160 - 48	190 - 51	230 - 55	255 - 58	280 - 60	310 - 62	330 - 64	---	540 - 75	550 - 76

* Velocità intensive temporizzate *Booster time speeds

** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI

LEARN MORE

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Acuta	---	✓	✓	✓
Adéle	✓	✓	✓	✓
Adéle Island	✓	✓	✓	✓
Aplomb	---	✓	✓	✓
Belt	---	✓	✓	✓
Bio	---	✓	✓	✓
Bio Island	---	✓	✓	✓
Bloom	---	✓	✓	✓
Bloom-S	---	✓	✓	✓
Boxin	✓	---	---	---
Boxin Lx	✓	---	---	✓
Boxin No Drip	✓	✓	✓	---
Boxin Plus	✓	---	---	✓
Ciak Lux	---	---	---	---
Circus	✓	---	---	---
Cloud Seven	---	✓	✓	---
Cruise	---	✓	✓	✓
Easy UX	---	✓	✓	---
Edith	---	✓	✓	---
Elektra	---	✓	✓	---
Elibloc Ht	---	---	---	---
Elibloc Lux	✓	---	---	---
Elite 14	---	---	---	✓
Elite 35	---	✓	✓	✓
Elle	---	✓	✓	✓
Era	---	---	---	✓
Era C	---	---	---	✓
Era S	---	---	---	✓
Estraibile	---	---	---	---
Flat Glass	✓	---	---	✓

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Galaxy	---	✓	✓	✓
Galaxy Island	---	✓	✓	✓
Getup	---	✓	✓	---
Glass Out	---	✓	✓	✓
Haiku	✓	✓	✓	✓
Haiku Island	✓	✓	✓	✓
Hidden 2.0	✓	✓	✓	✓
Hidden 2.0 @	✓	✓	✓	✓
Hilight Glass H16/H30	---	✓	✓	---
Hilight-X H16/H30	---	✓	✓	---
Hydra	---	---	---	---
Ikona	✓	✓	✓	---
Ikona Light	---	✓	✓	---
ikona Maxxi Pure	---	✓	✓	---
Illusion H16/H30	---	✓	✓	---
Interstellar	---	✓	✓	---
Joy	✓	✓	✓	---
Joy Island	---	✓	✓	✓
Juno	---	---	---	---
Juno Urban	---	---	---	---
Krea ST	---	---	---	---
Krea GFA	---	---	---	---
Krea LUX	---	---	---	---
Kuadra	✓	✓	✓	✓
Kuadra Island	✓	✓	✓	✓
L'essenza	---	✓	✓	✓
Lane	✓	✓	✓	✓
Lever	---	---	---	✓
Lol	---	✓	✓	✓
Lullaby@ Duct-Out	---	✓	✓	---

APPROFONDIMENTI

LEARN MORE

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Majestic	---	√	√	√
Majestic No Drip	---	√	√	√
Meteorite	---	√	√	√
Meteorite Island	---	√	√	√
Mini Om	---	---	---	√
Missy	---	---	---	√
Moon	---	√	√	√
Moon Island Duct-out	---	√	√	---
Moon Island Filtering	√	√	√	---
Nuage	---	√	√	---
Om Air	---	√	√	---
Open Suite	---	√	√	---
Open Suite Superior	---	√	√	---
Pandora	---	√	√	---
Pix	---	√	√	---
Plat	---	√	√	---
Reef	---	√	√	√
Reef Island	---	√	√	√
Rubino Corner	√	---	---	---
Rules	---	√	√	√
Seashell	---	---	---	---
Sheen-s	---	√	√	√
Shining	---	√	√	---
Shire	---	√	√	√
Shy-S	---	√	√	√
Sinfonia	---	√	√	√
Skydome H16/H30	---	√	√	---
Spot NG	√	---	---	√
Spot Plus	√	√	√	---
Spot Plus Island	√	√	√	---

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Spot Urban	√	---	---	√
Stone	---	---	---	---
Stripe	---	√	√	√
Stripe Urban	---	√	√	√
Summilux	---	√	√	---
Super Plat	---	√	√	---
Sweet Duct-out	√	√	√	√
Sweet Filtering	---	√	√	√
Synthesis	---	√	√	---
Tamaya	---	---	---	---
Thin	---	√	√	√
Thin Island	√	√	√	√
Tonda	√	---	---	---
Tribe	---	√	√	√
Tribe Island	---	√	√	√
Tube Pro	---	---	---	√
Tube Pro Island	√	---	---	√
Vega	---	---	---	---
Vertigo	---	√	√	√
Wave UX	---	√	√	---
Ye	---	---	---	√

ATTENZIONE AL PESO DELLA CAPPA

LEARN MORE ABOUT WEIGHT

Nei casi in cui il nostro progetto cucina preveda una cappa di tipo a isola, sospesa o inserita in un controsoffitto (ceiling), è buona norma fare attenzione nel realizzare una struttura in cartongesso che possa sostenere il peso della cappa stessa.

Il peso varia a seconda dei modelli e degli ingombri e la tabella seguente è un valido aiuto per costruire un sostegno adeguato senza dover rinunciare ad un open space pratico e di tendenza.


In kitchen designs featuring an island, suspended or ceiling hood (built into a false ceiling), it is important that the plasterboard structure is able to support the weight of the hood itself.

The weight varies depending on the model and overall dimensions, and the following table is a useful aid in developing a suitable support without needing to forgo a practical and stylish open space.


	PESO NETTO WEIGHT
ADÉLE ISLAND	29,00 Kg
BIO ISLAND	32,80 Kg
CLOUD SEVEN (DUCT-OUT)	17,70 Kg
CLOUD SEVEN (FILTERING)	19,50 Kg
EASY UX	11,65 Kg
EDITH	19,25 Kg
GALAXY ISLAND	24,50 Kg
HAIKU ISLAND (32 cm)	33,70 Kg
HAIKU ISLAND (120 cm)	46,30 Kg
HAIKU ISLAND (180 cm)	55,10 Kg
HIGHLIGHT GLASS / HIGHLIGHT-X (H16)	31,00 Kg
HIGHLIGHT GLASS/ HIGHLIGHT-X (H30)	34,10 Kg
HIGHLIGHT GLASS/HIGHLIGHT-X (NO MOTOR)	24,80 Kg
IKONA	25,00 Kg
IKONA LIGHT	11,00 Kg
IKONA MAXXI PURE	23,00 Kg
ILLUSION (H16)	23,00 Kg
ILLUSION (H30)	23,70 Kg
ILLUSION (NO MOTOR)	19,50 Kg
INTERSTELLAR	27,10 Kg
JOY ISLAND	28,75 Kg
JUNO	13,40 Kg
JUNO URBAN	13,50 Kg
KUADRA ISLAND (43 cm)	28,60 Kg
KUADRA ISLAND (60 cm)	33,50 Kg

	PESO NETTO WEIGHT
ULLABY@ (DUCT-OUT)	42,00 Kg
ULLABY@ (FILTERING)	50,00 Kg
METEORITE ISLAND	40,40 Kg
MOON ISLAND (90x60 cm)	29,75 Kg
MOON ISLAND (120x60 cm)	33,50 Kg
MOON ISLAND (180x60 cm)	60,30 Kg
OPEN SUITE SUPERIOR (80CM)	38,00 Kg
OPEN SUITE SUPERIOR (160CM)	66,00 Kg
PIX	16,40 Kg
REEF ISLAND	26,20 Kg
SEASHELL	33,80 Kg
SHINING	19,00 Kg
SKYDOME (H16)	25,20 Kg
SKYDOME (H30)	27,20 Kg
SKYDOME (NO MOTOR)	21,70 Kg
SPOT PLUS ISLAND	26,90 Kg
SUMMILUX	22,20 Kg
THIN ISLAND	34,20 Kg
TRIBE ISLAND	26,00 Kg
TUBE PRO ISLAND	26,35 Kg
WAVE UX	12,00 Kg
YE	66,00 Kg


• Acuta




• Adéle




• Adéle Island




• Aplomb




• Belt




• Bio




• Bio Island




• Bloom / Bloom-s







• Edith




• Elektra




• Elibloc




• Elite 14




• Elite 35




• Elle




• Era - Era C- Era S




• Estraibile




• Flat Glass




• Galaxy




• Galaxy Island




• Getup




• Glass Out




• Haiku 32cm




• Haiku 60-90-120cm




• Haiku Island 32cm




• Haiku Island 120cm




• Haiku Island 180cm




• Hidden 2.0 / Hidden 2.0 @




• Hilight Glass / Hilight-X (H16)




• Hilight Glass / Hilight-X (H30)




• Hilight Glass / Hilight-X (No motor)




• Hydra




• Ikona




• Ikona Light




• Ikona Maxxi Pure




• Illusion (H16)




• Illusion (H30)




• Illusion (NO MOTOR)




• Interstellar




• Joy




• Joy Island




• Juno - Juno Urban




• Krea




• Kuadra




• Kuadra Island




• L'Essenza




• Lane




• Lever




• Lol




• Lullaby@ (Aspirante)




• Lullaby@ (Filtrante)




• Majestic / Majestic No Drip




• Meteorite




• Meteorite Island




• Mini Om




• Missy




• Moon




• Moon Island




• Nikolatesla Fit (Aspirante)




• Nikolatesla Flame (Aspirante)




• Nikolatesla Flame (Filtrante)




• Nikolatesla Libra (Aspirante)




• Nikolatesla Libra (Filtrante)




• Nikolatesla One (Aspirante)




• Nikolatesla One (Filtrante)




- Nikolatesla Prime (Aspirante)




- Nikolatesla Prime (Filtrante)




- Nikolatesla Switch (Aspirante)




- Nikolatesla Switch (Filtrante)




- Nuage




- Om Air











- Open Suite




- Open Suite Superior







• Sheen-S




• Shining




• Shire




• Shy-S




• Sinfonia




• Skydome (H16)




• Skydome (H30)




• Skydome (NO MOTOR)




• Spot NG - Spot Plus




• Spot Urban




• Spot Plus Island




• Stone




• Stripe




• Stripe Urban




• Summilux




• Super Plat




• Sweet




• Synthesis




• Tamaya




• Thin




• Thin Island




• Tonda




• Tribe




• Tribe Island




- Tube Pro




- Tube Pro Island




- Vega




- Vertigo



- Wave UX



- Ye



NOTE

L'IMPORTANZA DELLA CAPPA IN CUCINA

THE IMPORTANCE OF THE HOOD IN THE KITCHEN

La cappa è un alleato imprescindibile in cucina per migliorare la qualità dell'aria e mantenere un ambiente sano. I fumi della combustione, i cattivi odori l'odore e i vapori della cottura sono infatti fastidiosi e dannosi non solo per le persone, ma possono deteriorare anche i mobili e le pareti. È quindi importante assicurare una aspirazione efficace, di facile utilizzo e silenziosa che possa rimuoverli lasciando l'ambiente più salubre e pulito.

Eclettica nelle funzioni, la cappa viene oggi utilizzata non solo come fondamentale corpo aspirante, ma anche come fonte luminosa in grado di illuminare al meglio il piano cottura o di creare atmosfere più soffuse, o come vero e proprio complemento d'arredo. I numerosi modelli e finiture disponibili sul mercato permettono di personalizzare l'ambiente in base al design della propria cucina e dei singoli gusti: che sia minimal e lineare o di grande impatto e protagonista, la cappa oggi è diventata un elemento centrale nelle nostre cucine.

The extractor hood is an essential tool in the kitchen, helping to improve air quality and maintain a healthy environment. Combustion fumes, unpleasant smells, odours and cooking vapours are, in fact, both annoying and harmful not only for people, but can also deteriorate furniture and walls. It is, therefore, important to ensure effective, easy-to-use and silent extraction that can eliminate them, leaving the kitchen more hygienic and cleaner. With its eclectic function, the hood is now used not only as a basic extractor unit, but also as a light source to illuminate the hob, to create softer atmospheres or as an authentic furnishing accessory. The numerous models and finishes available on the market allow you to customise the space according to the design of your kitchen and individual taste: whether it is minimal and linear or a statement, signature piece, the hood today has become a central element in our kitchens.

QUALE CAPPA SCEGLIERE?

WHICH HOOD SHOULD I CHOOSE?

Tra i tanti modelli disponibili è difficile orientarsi sulla scelta migliore. Per trovare la cappa che più si adatta al proprio ambiente, gusto e stile di vita bisogna tenere in considerazione alcuni fattori principali: corretta potenza di aspirazione, tipologia di installazione, design della cucina. Per ripulire al meglio l'aria, la cappa deve avere la giusta potenza di aspirazione. Valuta le dimensioni della tua cucina e le tue abitudini culinarie. Con un semplice calcolo è possibile definire quale sia la portata ideale per ogni ambiente: basta moltiplicare per 10 il volume della stanza. Facilità di utilizzo e silenziosità sono altre due variabili importanti che ti aiuteranno a vivere una user experience appagante.

It can be difficult to find the best choice among the many models on offer. To find the hood that best suits your space, personal taste and lifestyle, you should consider several key factors: correct extraction power, type of installation and kitchen design. For the best air removal performance, the hood must offer the right extraction power. Take a look at the size of your kitchen and your cooking habits. With a simple calculation, it is possible to define the ideal flow rate for each room: just multiply the room volume by 10. Ease-of-use and silence are another two important variables that will help you achieve the best user experience.

La tipologia di installazione è fondamentale per restringere il campo e indirizzarsi sulla categoria necessaria per la propria cucina.


The type of installation is essential in narrowing the field and finding the category you need for your kitchen.



AD INCASSO BUILT-IN

La cappa è incassata all'interno del pensile, scomparendo alla vista.

The hood is built into the cabinet, disappearing from view.




A PARETE WALL-MOUNTED

La cucina è posizionata contro la parete con il piano cottura in adiacenza al muro. Cappa da installare a parete.

The kitchen is positioned against the wall with the hob adjacent to the wall. Wall-mounted hood.

TU E LA CAPPA THE HOOD AND YOU

**A ISOLA ISLAND**

La cucina è posizionata al centro della stanza con il piano cottura distante dal muro. Cappa da installare a soffitto.

The kitchen is positioned in the centre of the room with the hob away from the wall. Ceiling-mounted hood.

**AD ANGOLO CORNER**


La cucina è sviluppata tra due pareti della stanza e il piano cottura è posizionato a ridosso dell'angolo. Cappa da installare tra le pareti adiacenti.

The kitchen is laid out between two walls of the room and the hob is positioned close to the corner. Install the hood between adjacent walls.

**CEILING**

La cucina è posizionata o al centro della stanza o contro la parete. La cappa diventa luce e aspirazione e si installa nel controsoffitto.

The kitchen is positioned either in the centre of the room or against the wall. The hood acts as both a light and extractor and is installed in the false ceiling.

**DOWNDRAFT**

Il piano cottura è posizionato distante dal muro, su un bancone a penisola o al centro della stanza. Cappa da installare direttamente sul top.

The hob is positioned away from the wall, on a peninsula counter or in the centre of the room. Install the hood directly on the top.

**SOSPESA SUSPENDED**

Cappa da installare a soffitto, a sospensione come un lampadario.

Install the hood on the ceiling, suspended like a pendant light.

**PIANO COTTURA ASPIRANTE EXTRACTOR HOB**

La cappa è integrata nel piano cottura. Aspirazione dal basso.

The hood is integrated into the hob. Extraction from below

COME INSTALLARLA?

HOW IS IT INSTALLED?

Il perfetto funzionamento della cappa è assicurato da una corretta installazione, garantita da personale specializzato. Il montaggio e la manutenzione variano in base alle due tipologie di cappa: aspirante e filtrante.


Molti i modelli Elica sono predisposti per lavorare in entrambe le versioni. Prima di procedere all'installazione della tua cappa, tieni a mente queste semplici regole di base:

- Segui tutte le fasi indicate nel libretto di istruzioni;
- Collega la cappa aspirante all'esterno con una tubazione dedicata dal diametro 120-150mm: una lunghezza ridotta e l'assenza di curvature garantiscono prestazioni ottimali.
- Rispetta la distanza minima dal piano cottura indicata nel libretto, al fine di evitare danni alle parti funzionali e salvaguardare la sicurezza delle persone;
- Controlla che la posizione della presa elettrica sia in prossimità del prodotto per il collegamento;
- In caso di difficoltà richiedi l'intervento di un tecnico specializzato di tua fiducia.

Perfect hood operation is ensured by correct installation, guaranteed by specialised personnel. Assembly and maintenance vary according to the two types of hood: extractor and filter. Many Elica models are designed to work in both versions. Before starting installation of your hood, bear in mind these simple, basic rules:

- Follow all the steps indicated in the instruction booklet;
- Connect the extractor hood to the outside using a dedicated pipe with a diameter of 120-150mm: a shorter length and the absence of bends guarantee the best performance.
- Respect the minimum distance from the hob indicated in the booklet to avoid damage to the operational parts and protect personal safety;
- Ensure that the location of the electrical outlet is close to the product for connection;
- In case of difficulty, request the intervention of a specialised technician.


CAPPA FILTRANTE
FILTER HOOD



La cappa filtrante elimina fumi e cattivi odori attraverso i filtri dedicati e reimmette l'aria ripulita nell'ambiente cucina. Questa tipologia è adatta in situazioni prive del foro di evacuazione all'esterno.

The filter hood eliminates fumes and unpleasant odours via dedicated filters and returns clean air to the kitchen. This type of hood is suitable in situations without no external evacuation hole.

CAPPA ASPIRANTE
EXTRACTOR HOOD



La cappa aspirante espelle l'aria all'esterno dell'abitazione. È la tipologia più diffusa in quanto garantisce elevate prestazioni, alta portata e bassa rumorosità.

The extractor hood expels the air outside the home. It is the most common type as it guarantees high performance, high flow rate and minimum noise.

MANUTENZIONE MAINTENANCE

Per assicurare una lunga durata e un corretto funzionamento della tua cappa, il primo passo è mantenere in ottimo stato il sistema di filtraggio.

To ensure that your hood lasts for a long time and continues to work correctly, the first step is to keep the filtering system in tip-top condition.



Le cappe filtranti prevedono due tipologie di filtro: il filtro grassi, che ripulisce l'aria dai grassi dispersi durante la cottura, e il filtro odori. Entrambi vanno regolarmente puliti e sostituiti per assicurare performance sempre alte.

- Il filtro grassi protegge la tua cappa trattenendo le particelle di grasso. Il filtro grassi può essere in versione alluminio o inox e richiede una pulizia periodica a mano con detergente neutro o in lavastoviglie a basse temperature (*), oppure in carta. In questo caso va sostituito ogni mese in base all'utilizzo.
- Il filtro odori, a carboni attivi, installato sulle cappe filtranti, cattura e trattiene le particelle odorose dell'aria. Ricorda di sostituirlo ogni 3-4 mesi. I filtri odori long life hanno invece una durata maggiore: sono infatti rigenerabili, possono essere lavati e asciugati e sostituiti ogni due anni. Bastano semplici e piccole accortezze per mantenere sana ed efficiente la tua cappa nel tempo.

(*) Verificare sempre come lavare il filtro sul libretto d'istruzione del prodotto

Filter hoods feature two types of filter: the grease filter which removes the grease from the air dispersed during cooking and the odour filter. Both must be regularly cleaned and replaced to ensure the very best performance.

- The grease filter protects your hood by trapping grease particles. The grease filter can be made of aluminium or stainless steel and requires periodic cleaning by hand with a neutral detergent or in the dishwasher at a low temperature (*), or alternatively in a paper version. In this case, it must be replaced every month based on use.
- The odour filter with activated carbon, installed on filter hoods, captures and traps odour particles in the air. Remember to replace it every 3-4 months. Long-life odour filters, on the other hand, last longer. They can, in fact, be regenerated and washed, dried and replaced every two years. A few simple, minor precautions are all it takes to keep your hood hygienic and working efficient over time.

(*) Always check how to wash the filter in the product instruction booklet

ETICHETTA ENERGETICA

ENERGY LABEL

L'Etichetta Energetica è uno strumento fondamentale per scegliere la cappa aspirante più idonea alle proprie esigenze. Dalla sua lettura è possibile ottenere immediatamente informazioni non solo in merito ai suoi consumi di energia, ma anche un quadro semplice e chiaro dell'efficienza con cui essa espleta le sue funzioni.

In ciascuna pagina del catalogo trovate un simbolo che indica la Classe Energetica del prodotto presentato.

Per ottenere informazioni dettagliate di ciascuna versione del modello di interesse, tra cui tutti i parametri riportati nell'etichetta energetica, procedere come segue:


- Identificare il **codice del prodotto** di interesse
- Nel sito web **www.elica.com** accedere alla sezione DOWNLOADS dell'area ASSISTENZA, inserire il codice del prodotto nell'apposito campo di ricerca e scaricare il documento PDF (Product Fiche) che riporta tutte le caratteristiche del prodotto, in accordo ai regolamenti EU n° 65/2014 e 66/2014.

The Energy Label constitutes a fundamental tool for choosing the most suitable extractor hood for the user's needs. The label provides instant information on energy consumption and the level of efficiency of the product's performances.

Each page of our catalogue contains a symbol indicating the energy class of the product presented.

For obtaining detailed information on each version of the desired model, including all the parameters appearing on the energy label, proceed as follows:

- Identify the **product code** of the relevant model
- Visit the website **www.elica.com** and go to the DOWNLOADS section of the ASSISTANCE page, insert the product code in the search field and download the PDF document (Product Fiche) listing all the product characteristics, as per EU regulations no. 65/2014 and 66/2014.



1 NOME O MARCHIO DEL FORNITORE	SUPPLIER NAME OR BRAND.
2 IDENTIFICATIVO DEL MODELLO	MODEL IDENTIFICATION CODE.
3 CLASSE DI EFFICIENZA ENERGETICA A/A+/A++/A+++ Massima efficienza - D Minima.	ENERGY EFFICIENCY CLASS A/A+/A++/A+++ Maximum efficiency - D Minimun.
4 CONSUMO ANNUO DI ENERGIA STIMATO Per utilizzo standard.	ESTIMATED ANNUAL ENERGY CONSUMPTION For standard use
5 CLASSE DI EFFICIENZA FLUIDODINAMICA Indica l'efficienza con cui la cappa è in grado di aspirare i vapori generati dalla cottura.	FLUID DYNAMIC EFFICIENCY CLASS Indicates the efficiency with which the hood is able to extract vapours through cooking A Maximum efficiency - G Minimun.
6 CLASSE DI EFFICIENZA LUMINOSA Indica l'efficienza con cui la cappa illumina il piano cottura.	LIGHTING EFFICIENCY CLASS Indicates the efficiency with which the hood is able to illuminate the cooker hob A Maximum efficiency - G Minimun.
7 CLASSE EFFICIENZA FILTRAGGIO GRASSI Indica l'efficienza con cui la cappa filtra i grassi generati dalla cottura.	GREASE FILTERING EFFICIENCY CLASS Indicates the efficiency with which the hood filters grease generated through cooking A Maximum efficiency - G Minimun.
8 LIVELLO DI RUMOROSITÀ Indica il massimo livello di rumore generato dal prodotto nell'utilizzo normale.	NOISE LEVEL Indicates the maximum noise level generated by the product during normal use

BENVENUTO NEL SERVICE DI ELICA

WELCOME TO ELICA SERVICE

NUMERO ASSISTENZA**02.382.93.009**

Un centro di supporto specializzato a disposizione dal lunedì al venerdì dalle 08:00 alle 20:00 e il sabato dalle 08:00 alle 14:00.

E-MAIL PER ASSISTENZA TECNICA

trade.italia@consumercare.elica.com

CENTRI ASSISTENZA

Il Service di Elica, attraverso un network composto da 180 service partnere selezionati, garantisce una copertura capillare del territorio nazionale.

SUPPORTO DEDICATO SU ELICA.COM

È possibile eseguire il download dei libretti di istruzioni direttamente su elica.com. Inoltre, per ulteriori approfondimenti, è disponibile un form di assistenza tecnica.

ACCESSORI E RICAMBI ORIGINALI

Una corretta manutenzione e la regolare sostituzione dei filtri carbone sono fondamentali per garantire il perfetto funzionamento dei nostri prodotti.

I filtri carbone e grassi, gli accessori (es. tubazioni, telecomandi e lampade) e i prodotti per la pulizia sono disponibili su shop.elica.com

GARANZIA 24 MESI

Tutti i prodotti Elica godono della garanzia legale di 2 anni a partire dalla data di acquisto del prodotto.

PERCHÉ ACCONTENTARSI QUANDO PUOI AVERE DI PIÙ?**DEEP BREATHE ASSISTANCE**

Acquistala per avere fino a **5 anni** di garanzia

- Estensione dell'assistenza a cinque anni
- Nessun costo aggiuntivo per intervento
- Ricambi originali Elica
- Centri assistenza selezionati

Chiama il numero assistenza o collegati al sito.

SERVICE NUMBER**02.382.93.009**

A specialized support center available from Monday to Friday from 8 am to 8 pm and on Saturday from 8 am to 2 pm.

EMAIL FOR TECHNICAL SUPPORT

trade.italia@consumercare.elica.com

SERVICE CENTRES

Elica's service, through a network of 180 selected service partners, guaranteeing widespread coverage throughout Italy.

DEDICATED SUPPORT ON ELICA.COM

Instruction handbooks can be downloaded directly on elica.com. For further information, a technical support form is also available.

ACCESSORIES AND ORIGINAL SPARE PARTS

Proper maintenance and the regular replacement of the carbon filters is essential in guaranteeing the perfect operation of our products.

Carbon and grease filters, accessories (ex. pipings, remote controls and lamps) and cleaning products are available on shop.elica.com.

24-MONTH WARRANTY

All Elica products enjoy a 2-year manufacturer's warranty, effective from the date of purchase.

WHY SETTLE FOR SECOND BEST WHEN YOU CAN HAVE SO MUCH MORE?

DEEP BREATH ASSISTANCE

Purchase it to enjoy up to **5 years'** warranty

- Warranty extension to five years
- No additional costs for intervention
- Elica original spare parts
- Selected service centres

Call the service number or go to the website.



shop.elica.com

REALIZED BY ELICA TEAM
BARBARA PERSIGILLI
Graphic Design
and Coordination

IN COLLABORATION WITH

MMG - GALLARATE
Project Art Direction

ARCHÈ AGENCY - PESARO
Scenic Art Direction
Photorealistic 3D

SELECOLOR - FIRENZE
Post Production
Color Separation

GRAFICHE ANTIGA - TREVISO
Printing



Il catalogo è proprietà di Elica spa. Tutti i diritti sono riservati.
È vietata ogni forma di riproduzione anche parziale.

This catalogue is of exclusive property of Elica spa.
All rights are reserved. Any form of total or partial reproduction of
catalogue is strictly forbidden.

La stampa tipografica non sempre riproduce fedelmente le tinte ed i
materiali originali.

The printing process do not always permit a faithful reproduction of
tones and materials of originals.

Elica si riserva di apportare modifiche ai dati e ai dettagli dei
prodotti presenti su questo catalogo anche senza preavviso.

Elica may at any time modify the specifications and details of the
products present in the catalogue.

LUGLIO 2021
July 2021

Elica
Via Ermanno Casoli, 2
60044 Fabriano AN Italy
T +39 0732 6101
F +39 0732 610249



elica.com